ICMR-National Institute of Cancer Prevention & Research I-7, Sector-39, Noida, UP

01/11/2023

Invitation of Objections/Representation for Purchase of Proprietary Items

1. Objections/Representation from firms dealing in similar items are invited for supply of below mentioned proprietary item by "M/s Biostar Life Sciences Pvt Ltd" authorized channel partner of Qiagen India Private Limited , Delhi.

S.No.	Item details	Make	Cat. No.	Quantity
1	HC2 High Risk HPV DNA test kits	Qiagen	5197-1330	9 kits
2	HC2 DNA collection devices	Qiagen	619234	18 kits

- 2. Notice is issued for general information of Aspirant Manufacturer, Authorized -Dealer/ Distributor/Supplier to submit their objections/ proposal, if any, on proprietorship of these items in terms of Rule 166(i) of GFR, 2017.
- 3. In case, the product of any other Manufacturer, Authorized- Dealer/ Distributor/Supplier conforms to the aforesaid items, they may submit their proposal for the supply of same item along with the following: (a) Item brochure (b) Point-by-point compliance, along with all relevant documentary evidence.
- 4.The objection/proposal should be sent through email to sanjaykumar.hq@icmr.gov.in (CC to : icpostore@yahoo.com) within 21 days i.e (21/11/2023) from the date of publication on website up to 5:00 pm, failing which it will be presumed that no vendor is interested to offer comments/objection and case will be decided accordingly on its merit.

Section Officer (Store)

Terms & Conditions

- 1. Quotation sent by email will only be considered.
- 2. The bidder should clearly mention whether they are Manufacturer or authorized- Dealer/ Distributer/Supplier of the Manufacturer. In the case of Distributer/ Dealer/Supplier, valid authorization letter from the Manufacturer addressed to Director, ICMR-NICPR, Noida should be submitted along with the quotation. One manufacturer can authorize only one Distributor/Dealer/Supplier.
- 3. Quotations received after the last date & time are liable to be rejected.
- 4. GST will be applicable as per GOI norms
- The bidder conditions mentioned in the quotation shall not be binding on ICMR-NICPR, Noida.
- 6. Price should be quoted on the Vendor's Letter Head, duly stamped and signed.
- 7. Quotation should be preferable, typewritten and every correction in the quotation should invariable be signed by the bidder, failing which, the quotation is liable to be rejected.
- 8. In the quotation, Name of the item & Cat no. should be the same as mentioned on page 1.
- 9. Validity of quotation should be for a minimum period of 6 months.
- 10. Any dispute concerning any Terms and Conditions of the Quotation and/or the supply of items will be subjected to Gautam Budha Nagar (UP) Jurisdiction only.
- 11. Item may be delivered within 4 weeks from the date of issue of purchase order. The liquidation charges will be imposed as per rule if supply made after expiry of delivery period.
- 12. Quotation No. & Due date may be clearly mentioned in the subject line of email.
- 13. Director, NICPR reserves the right to reject any or all quotations without assigning any reason.

Annexure-III

Proprietary Article Certificate (PAC) from the firm

Note: Proprietary Article Certificate in the following form is to be provided by the OEM/ authorized dealers/ Stockiest of OEM) before procuring the goods from a single source under the provision of sub Rule 166 (i) and 166 (iii) as applicable.

- The indented goods are manufactured by M/s & TAGEN India Put Ltol
- (ii) No other make or model is acceptable by the Institute/ Center HAY High risk & Samples for the following reasons:
 - DLM3000 is closed system & only OIACEN Kit will sur

 - (2) HAU High zick kit in FDA apparued from BIAGEN
 (3) All the bits & consumbules are only manifacted by BIAGEN
 (4) BIAGEN kits are validated on system
- (iii) Concurrence of finance wing of the OEM/ authorized dealers/ Stockiest of OEM to the proposal vide:
- (iv) Approval of the competent authority of the OEM/ authorized dealers/ Stockiest of OEM

(Signature with date and designation OEM/ authorized dealers/ Stockiest of OEM)

