



भारतीय आयुर्विज्ञान अनुसंधान परिषद INDIAN COUNCIL OF MEDICAL RESEARCH

वी. रामलिंगस्वामी भवन, अन्सारी नगर, पोस्ट बॉक्स 4911, नई दिल्ली - 110 029
V. RAMALINGASWAMI BHAWAN, ANSARI NAGAR, POST BOX 4911, NEW DELHI - 110 029

F. No. AA-VI/5KVA UPS/P&I/1/3/2004

Dated: 27/05/2020

To

Subject: Comprehensive Annual Maintenance Service Contract 5KVA UNLINE ONLINE UPS System (1Nos) installed at ICMR Headquarters Office, New Delhi.

Sir,

The Council has the following 5KVA UNLINE ONLINE UPS Systems (1Nos) installed at ICMR Headquarters Office, New Delhi as per the details given below which are to be put up under CAMSC.

| S. No. | Items/Equipments | Oty. | Unit Price | CAMSC Rates per Annum excluding GST |
|--------|-------------------------|--------|------------|-------------------------------------|
| 1. | 5 KVA UNLINE ONLINE UPS | 1 Nos. | | |
| | | | | |

You are requested to submit the rates for comprehensive CAMSC of the above machine including all spare parts and accessories for one year. You are requested to depute your service engineer for inspection of the above machines and submit yours rates for the Comprehensive CAMSC. The council shall not pay any fee for the inspection. The quotations, duly sealed envelope should be dropped in the "QUOTATION BOX" kept in the Reception hall of the Council Hqrs building by 19/06/2020 at 3:00 P.M. The envelop should be marked QUOTATION FOR 5 KA UNLINE UPS".

1. The payment will be made 50% advance and 50 % will be released after receiving satisfactory user's reports on completion of CAMSC period.
2. The firm's Engineer shall attend the complaint within two hours of the complaint made if complaint is not attended within 2 Hours of telephone the firm has to pay Rs. 500/- day as penalty which will be deducted from the CAMSC Amount of the firm.
3. Comprehensive Annual Maintenance Services Contract cover all assembly/ sub assembly/ spare parts of UPS except Batteries, however repair of replacement of damaged parts due to mishandling will be paid by the ICMR.
4. The firm has to inspect and service all the items, during CAMSC period even in the absence of any complaint from the users (Preventive Maintenance) every after three months to do so the has to appoint additional Engineer.
5. The contract can be terminated at any time, during the period the contract without any prior intimation.
6. During repair of the machine during the CAMSC period at the Council premises the safety of the mechanic/ Services Engineer will be responsibility of the Firm.

7. During execution of repairs at the Council property by the Services Engineer of the Firm, will be the responsibility of the firm and the firm has to repair the damage at their risk and cost. Made good by the firm at their risk and cost.
8. In the event of a major break down the firm shall have to provide a stand-by machine in place of the faulty machine.

Yours faithfully,



BAL UGRIN SAH
Admn. Officer
For Director General:



बाल उग्रिन साह / BAL UGRIN SAH
प्रशासन अधिकारी / Administrative Officer
भारतीय आयुर्विज्ञान अनुसंधान परिषद
Indian Council of Medical Research
वी. रामलिंगास्वामी भवन / V. Ramalingaswamy Bhawan
अंसारी नगर, नई दिल्ली-110029 / Ansari Nagar, New Delhi - 110029