

No.18/2/2021-Admn-II

भारतीय आयुर्विज्ञात्र अनुसंधान परिषद स्वारथ्य अनुसंधान विभाग, स्वारथ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार

Indian Council of Medical Research

Department of Health Research, Ministry of Health and Family Welfare, Government of India

Dated: 7.6.2021.

To,

The Directors/Directors-in-Charge of permanent Institutes/Centres of ICMR.

Subject:

Revision of guidelines regarding provision of CPAP/BiPAP/Oxygen

Concentrator, in respect of CS(MA) beneficiaries for domiciliary use.

Sir/Madam,

I am directed to refer to a copy of email dated 27.5.2021 received from under Secretary, Deptt, of Health and Family Welfare, Ministry of Health & family Welfare New Delhi forwarding therewith a copy of OM No. S.14025/55/2019-EHS, dated 27.5.2021 on the subject mentioned above for information and necessary action.

Yours faithfully,

(Jagdish Rajesh)

Asstt. Director General (Admn.)

Encl: As above

Copy to:-

- 1. PS to DG/ Sr. DDG (A)/Sr. FA
- 2. All Divisional Heads
- 3. DDG
- 4. ADGs
- 5. Dr. L.K.Sharma, Scientist 'E' soft copy of the same has been mailed at your email ID(sharma.lk@icmr.gov.in) for website upload.

Secretary DHR

Fwd: Provision for CPAP/BiPAP/Oxygen Concentrators devices for CS(MA) beneficiaries- revision of guidelines

From: Prof. Balram Bhargava <balram.bhargava@gov.in>

Thu, May 27, 2021 02:38 PM

Subject: Fwd: Provision for CPAP/BiPAP/Oxygen Concentrators

devices for CS(MA) beneficiaries- revision of

guidelines

To: balrambhargava@yahoo.com, geetan

<geetan@nic.in>, Anu Nagar <anu.nagar1@gov.in>,

Dr G S G Ayyangar <drgsg.ayyangar@nic.in>

Cc: Secretary DHR <dg@icmr.org.in>

SADIATION OF THE SADIAN

3 % Sport

From: "Sandeep Kumar" <sandeep.kr98@gov.in>

To: "Mr Rajesh Bhushan" <secyhfw@nic.in>, "Prof. Balram Bhargava" <balram.bhargava@gov.in>, "RAJESH KOTECHA" <secy-ayush@nic.in>, "Dr(Mr) Sunil Kumar" <dghs@nic.in>, "Shri Alok Saxena" <dgoffice.naco@nic.in>, "asfa-mhfw" <asfa-mhfw@nic.in>, "Smt. Arti Ahuja" <ash-mohfw@nic.in>, "Ms Vandana Gurnani" <vandana.g@ias.nic.in>, "Sanjay Jain" <sanjay.jain24@cghs.nic.in>, "nc jcm np" <nc.jcm.np@gmail.com>

Cc: "Bimal Kumar" <bimal.kumar@nic.in>, svrk56@gmail.com

Sent: Thursday, May 27, 2021 2:34:36 PM

Subject: Provision for CPAP/BiPAP/Oxygen Concentrators devices for CS(MA)

beneficiaries- revision of guidelines

Madam/ Sir.

Please find the attached OM dated 27.05.2021 for CS(MA) beneficiaries, for information. Physical copy is also being issued separately.

with regards,

Sandeep Kumar Under Secretary (EHS) MoHFW, New Delhi 011-23062368

3.468 3.468 s Stales Stales H6/2

CPAP BIPAP guidelines for CSMA beneficiaries.pdf 746 KB

No. S.14025/55/2019-EHS Government of India

Ministry of Health & Family Welfare Department of Health & Family Welfare EHS Section

Nirman Bhawan, New Delhi Dated: the 27th May, 2021

OFFICE MEMORANDUM

Sub:- Revision of guidelines regarding provision of CPAP / BiPAP / Oxygen concentrator, in respect of CS(MA) beneficiaries for domiciliary use.

The undersigned is directed to refer to the Office Memorandum No. S.14025/6/2006-MS dated 19th May, 2006 issued by this Department on the above subject. The matter has been reviewed in this Ministry and the following guidelines have been framed for considering requests for permission to purchase Oxygen Concentrator/BiPAP/CPAP etc. by CS(MA) beneficiaries and regulating reimbursement of cost of such machines to the CS(MA) beneficiaries:

- (i) Request of the beneficiary should be accompanied with the relevant proforma prescribed for the machine, duly filled up by the treating physician (specimen copy of proforma attached). The treating physician should carefully read the laid down guidelines before filling up the respective columns of the Proforma. Actual value of all the parameters mentioned in Proforma should invariably be entered and complete basic investigation reports must be attached.
 - A. Arterial blood gas report taken while the patient is in stable condition and is breathing room air (in case of oxygen concentrator and bi-level ventilator supplier system).
 - B. Detailed in-lab-level-I polysomnography report (including all the tracings and tables) in case of recommendation for CPAP and Bi-level CPAP.
- (ii) As these machines are life saving devices and have a maximum life of five years, these will be allowed to be replaced again after a period of five years subject to a certificate by the service engineer regarding the un-serviceability/condemnation/ of the earlier machine.

- (iii) The beneficiary has also to submit an undertaking to the effect that he has not claimed reimbursement of the cost of the machine in the last five years (copy of format for the affidavit and the undertaking is enclosed).
- (iv) Individual requests for permission/ replacement / ex-post facto approval shall be considered by the screening committee consisting of DDG(M), Dte.GHS and two Medical Specialists in the concerned field.
- (v) The maximum ceiling limit for reimbursement will be as following:

a. Oxygen Concentrator	Rs. 45,000/- + GST
b. CPAP	Rs. 45,000/-+GST
c. Bi-level CPAP	Rs. 68,000/- + GST
d. Bi-level Ventilatory System	Rs. 1,05,000/- + GST

- (vi) The above ceiling limits include cost of maintenance with spare parts for a period of five years. No request for reimbursement of cost of maintenance/parts will be entertained.
- (vii) Request for replacement of machine after completion of five years will need to be advised and processed in the same manner as for the first machine.
- (viii) Request for permission/ex-post facto approval of these machines, complete in all respect as mentioned above may be sent to Directorate General Health Services.
- 2. This Office Memorandum supersedes all earlier instruction issued on this subject. These instructions shall take effect from the date of issue of this Office Memorandum i.e. all requests under this OM should have advice for these machines subsequent to the issue of this OM.
- 3. This issues with the concurrence of Integrated Finance Division, Ministry of Health & Family Welfare vide concurrence Dairy No. 2188, dated 23rd December, 2020.

Signature valid

Digitally signed by SA DEEP

KUMAR
Date: 202 05.27 1:05:05 IST

(Sandeep Kumar) Under Secretary to the Govt. of India

- 1. All Ministries/Departments, Government of India.
- 2. PPS to Secretary (H&FW)/Secretary (AYUSH)/Secretary (HR).
- 3. PPS to DGHS/AS&DG (CGHS)/AS&FA/AS&MD, NRHM/AS(H), MoHFW, New Delhi
- 4. Director, CGHS, Nirman Bhawan, New Delhi
- 5. Addl.DDG(HQ), CGHS, MoHFW, Nirman Bhawan, New Delhi
- 6. AD(HQ), CGHS, R.K.Puram, Sector-12, New Delhi
- 7. All Addl. Directors/Joint Directors of CGHS cities outside Delhi
- 8. Rajya Sabha/Lok-Sabha Secretariat, New Delhi
- 9. Registrar, Supreme Court of India, New Delhi
- 10.U.P.S.C. Dholpur House, New Delhi
- 11.Office of the Comptroller & Auditor General of India, Pocket-9, Deen Dayal Upadhyaya Marg, New Delhi.
- 12. Integrated Finance Division, MoHFW, Nirman Bhawan, New Delhi
- 13.Deputy Secretary (Civil Service News), Department of Personnel & Training, 5th Floor, Sardar Patel Bhawan, New Delhi.
- 14. Secretary, Staff Side, 13-D, Ferozshah Road, New Delhi
- 15. All Staff Side Members of National Council (JCM)
- 16.ED(H)/Planning, Railway Board, Ministry of Railways, Rail Bhawan, Rafi Marg, New Delhi 110001
- 17. Central Organisation, ECHS, Department of Ex-Servicemen Welfare, Ministry of Defence, New Delhi
- 18. Chairman, Employees State Insurance Corporation, Ministry of Labour& Employment, Panchdeep Bhawan, C.I.G. Marg, New Delhi-110002
- 19.UTI-ITSL, 153/1, First Floor, Old Madras Road, Ulsoor, Bengaluru-560008.
- 20. Hindi Section, MoHFW, Nirman Bhawan, New Delhi for providing Hindi version of this OM.
- 21. Guard file.