

Chapter 7

TREATMENT ONLY AT REPORTING INSTITUTION

This is the most important category of broad treatment groups presented in Chapter 5, since it best represents the contribution to the treatment aspect of patient care of a given institution.

Table 7.1 gives a summary of the number of patients treated during the period and total number of treatment procedures instituted. These ratios are comparable between registries located at Regional Cancer Centres. Table 7.1 is further diagrammatically represented in Figure 7.1.

TYPES OF TREATMENT

Table 7.2 and corresponding figures (Figures 7.2 and 7.3) give the number and relative proportions according to type of specific treatment given, whether it is a single type of treatment (Single Modality Therapy) or more than one type of therapy (Combination Therapy) has been given. It also gives the overall number and relative proportion of any treatment with reference to the total patients treated.

Single modality of therapy ranged between 44.0% in CI (WIA) - Chennai to 67.2% in AMC - Dibrugarh in males. In females, the lowest and highest percentages were observed in CI (WIA) - Chennai (27.1%) and AMC - Dibrugarh (66.3%) respectively.

Table 7.1: Total Number of Cancer Patients (Pts.) Treated, Total Number of Treatment Procedures (Proc.) Performed and Procedures/Patient Ratio - Both Sexes

Registry	Total Pts.	Total Proc.	Ratio
TMH	10136	17019	1.7
KMIO	3015	4875	1.6
CI (WIA)	2896	5671	2.0
RCC - TVM	13544	21077	1.6
AMC	2721	3656	1.3
BBCI	7882	11154	1.4
PGIMER	11136	16077	1.4
BRAIRCH	3078	4531	1.5

Fig. 7.1: Procedure - Patient Ratio (Patients Treated only at Reporting Institution)




Fig. 7.2: Stack (100%) Diagram Showing Proportion of Different Types of Treatment (Patients Treated Only at Reporting Institution)




Table 7.2: Number (#) and Relative Proportion (%) of Patients according to Type of Treatment Given**Males**

Type of Treatment	TMH		KMIO		CI (WIA)		RCC - TVM		AMC		BBCI		PGIMER		BRAIRCH	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Total Patients	5513	100.0	1234	100.0	1130	100.0	6995	100.0	1370	100.0	4944	100.0	6442	100.0	1770	100.0
Specific Treatments																
Surgery (S)	937	17.0	247	20.0	145	12.8	454	6.5	183	13.4	164	3.3	370	5.7	151	8.5
Radiotherapy (R)	486	8.8	192	15.6	97	8.6	1433	20.5	553	40.4	2594	52.5	2023	31.4	312	17.6
Chemotherapy (C)	1569	28.5	322	26.1	244	21.6	2559	36.6	184	13.4	483	9.8	1770	27.5	719	40.6
S + R	451	8.2	89	7.2	50	4.4	328	4.7	55	4.0	447	9.0	653	10.1	139	7.9
S + C	474	8.6	68	5.5	95	8.4	227	3.2	94	6.9	61	1.2	194	3.0	73	4.1
R + C	980	17.8	240	19.4	372	32.9	1315	18.8	292	21.3	1132	22.9	1212	18.8	290	16.4
S + R + C	456	8.3	66	5.3	63	5.6	324	4.6	8	0.6	59	1.2	210	3.3	74	4.2
Others	160	2.8	10	0.9	64	5.7	355	5.1	1	0.1	4	0.1	10	0.2	12	0.7
Modality of Therapy																
Single	3043	55.2	761	61.7	497	44.0	4573	65.4	920	67.2	3241	65.6	4165	64.7	1186	67.0
Combination	2437	44.2	473	38.3	633	56.0	2266	32.4	450	32.8	1702	34.4	2274	35.3	584	33.0


Females

Type of Treatment	TMH		KMIO		CI (WIA)		RCC - TVM		AMC		BBCI		PGIMER		BRAIRCH	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Total Patients	4623	100.0	1781	100.0	1766	100.0	6549	100.0	1351	100.0	2938	100.0	4694	100.0	1308	100.0
Specific Treatments																
Surgery (S)	675	14.6	278	15.6	107	6.1	508	7.8	243	18.0	156	5.3	334	7.1	124	9.5
Radiotherapy (R)	420	9.1	237	13.3	174	9.9	629	9.6	419	31.0	1109	37.7	1067	22.7	210	16.1
Chemotherapy (C)	889	19.2	227	12.7	170	9.6	1784	27.2	234	17.3	415	14.1	1230	26.2	415	31.7
S + R	273	5.9	108	6.1	36	2.0	281	4.3	60	4.4	217	7.4	448	9.5	83	6.3
S + C	615	13.3	206	11.6	156	8.8	891	13.6	271	20.1	164	5.6	368	7.8	110	8.4
R + C	568	12.3	470	26.4	478	27.1	928	14.2	102	7.5	651	22.2	858	18.3	151	11.5
S + R + C	482	10.4	185	10.4	146	8.3	584	8.9	22	1.6	173	5.9	361	7.7	116	8.9
Others	701	15.2	70	3.9	499	28.2	944	14.4	-	-	53	1.8	28	0.7	99	7.6
Modality of Therapy																
Single	2013	43.5	743	41.7	479	27.1	2970	45.4	896	66.3	1681	57.2	2631	56.1	749	57.3
Combination	2588	56.0	1037	58.2	1287	72.9	3483	53.2	455	33.7	1257	42.8	2061	43.9	555	42.4


* Excludes specific treatment classified as 'Others'

**Fig. 7.3(a): Proportion of Type of Treatment
(Patients Treated Only at Reporting Institution)**

Males




Females



**Fig. 7.3(b): Proportion of Type of Treatment
(Patients Treated Only at Reporting Institution)**

Males



Females




Table 7.3 and Figure 7.3 represent the overall treatment procedures according to specific treatment.

Radiotherapy was the predominant form of treatment modality in BBCI - Guwahati in both males and females. Chemotherapy was the predominant form of treatment in males in BRAIRCH - New Delhi, RCC - TVM and CI (WIA) - Chennai and among females in RCC - TVM, BRAIRCH - New Delhi and PGIMER - Chandigarh. Surgery was marginally higher in females in AMC - Dibrugarh than any other centres.

Tables 7.4(a) and 7.4(b) and Figure 7.4 give the number and relative proportion of various types of treatment within different categories of clinical extent of disease (viz. Localised, Regional, Distant and Others).

Tables 7.5(a) and 7.5(b) and Figure 7.5 provide the number and proportion of specific types of treatment relative to all patients within each category of clinical extent of disease.

Table 7.3: Number (#) and Relative Proportion (%) of Cancer Patients according to Any Specific Treatment at Reporting Institution Relative to all Treatment Procedures

Registry	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total Procedures
	#	%	#	%	#	%	#	%	
MALES									
TMH	2329	27.7	2439	29.0	3493	41.5	160	1.8	8421
KMIO	479	26.9	593	33.3	697	39.2	10	0.6	1779
CI (WIA)	387	20.9	606	32.8	792	42.8	64	3.5	1849
RCC - TVM	1342	14.0	3465	36.1	4440	46.2	355	3.7	9602
AMC	340	18.6	909	49.7	578	31.6	1	0.1	1828
BBCI	734	10.9	4234	63.1	1736	25.9	4	0.1	6708
PGIMER	1430	16.0	4102	45.9	3389	37.9	10	0.2	8931
BRAIRCH	440	18.1	820	33.7	1160	47.7	12	0.5	2432
FEMALES									
TMH	2636	30.7	2148	25.0	3114	36.2	701	8.1	8599
KMIO	842	27.2	1048	33.9	1136	36.7	70	2.2	3096
CI (WIA)	868	22.7	1123	29.4	1332	34.9	499	13.0	3822
RCC - TVM	2947	25.4	2842	24.5	4873	42.0	944	8.1	11606
AMC	596	32.6	603	33.0	629	34.4	-	-	1828
BBCI	752	16.9	2190	49.3	1451	32.6	53	1.2	4446
PGIMER	1531	21.4	2754	38.5	2834	39.7	28	0.4	7147
BRAIRCH	517	24.6	612	29.1	875	41.6	99	4.7	2103

Table 7.4(a): Number (#) and Relative Proportion (%) of Types of Treatment according to Clinical Extent of Disease - Males

Clinical Extent	TMH		KMIO		CI (WIA)		RCC - TVM		AMC		BBCI		PGIMER		BRAIRCH	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Localised																
Surgery (S)	268	43.3	42	33.1	10	12.3	161	31.6	9	25.7	97	15.7	24	10.3	130	12.4
Radiotherapy (R)	48	7.8	17	13.4	27	33.3	176	34.6	18	51.4	289	46.8	63	27.2	243	23.2
Chemotherapy (C)	24	3.9	18	14.2	1	1.2	22	4.3	2	5.7	19	3.1	28	12.1	270	25.8
S + R	97	15.7	14	11.0	8	9.9	46	9.0	3	8.6	80	12.9	40	17.2	112	10.7
S + C	70	11.3	5	3.9	2	2.5	28	5.5	2	5.7	27	4.4	10	4.3	50	4.8
R + C	46	7.4	19	15.0	27	33.3	20	3.9	1	2.9	93	15.0	54	23.3	176	16.8
S + R + C	55	8.9	8	6.3	2	2.5	19	3.7	-	-	11	1.8	13	5.6	57	5.4
Others	32	1.7	4	3.1	4	5.0	-	-	-	-	-	-	-	-	-	-
All Treatments	619	100.0	127	100.0	81	100.0	509	100.0	35	100.0	618	100.0	232	100.0	1046	100.0
Regional																
Surgery (S)	199	13.7	126	18.9	130	19.4	280	7.8	157	14.4	55	1.5	290	6.8	7	5.6
Radiotherapy (R)	92	6.4	138	20.7	66	9.9	824	22.9	457	42.0	1978	55.5	1618	38.1	21	16.7
Chemotherapy (C)	148	10.2	82	12.3	26	3.9	835	23.2	55	5.1	232	6.5	569	13.4	19	15.1
S + R	247	17.1	67	10.0	41	6.1	273	7.6	50	4.6	297	8.3	568	13.4	17	13.5
S + C	144	9.9	49	7.3	76	11.4	176	4.9	80	7.4	30	0.8	151	3.6	7	5.6
R + C	327	22.6	147	22.0	241	36.0	794	22.0	280	25.7	932	26.1	869	20.4	41	32.5
S + R + C	259	17.9	54	8.1	54	8.1	294	8.2	8	0.7	40	1.1	179	4.2	13	10.3
Others	32	2.2	5	0.7	35	5.2	-	-	1	0.1	-	-	-	-	-	-
All Treatments	1448	100.0	668	100.0	669	100.0	3605	100.0	1088	100.0	3565	100.0	4251	100.0	126	100.0
Distant																
Surgery (S)	13	3.3	9	10.1	3	3.8	10	0.8	13	14.1	5	1.2	45	5.6	7	4.1
Radiotherapy (R)	32	8.1	17	19.1	1	1.0	331	26.9	25	27.2	200	48.5	273	33.7	31	18.3
Chemotherapy (C)	192	48.4	45	50.6	43	41.3	443	36.0	47	51.1	148	35.9	278	34.4	61	36.1
S + R	4	1.0	2	2.2	-	-	4	0.3	1	1.1	6	1.5	36	4.4	7	4.1
S + C	30	7.6	9	10.1	14	13.5	21	1.7	6	6.5	3	0.7	22	2.7	14	8.3
R + C	78	19.6	6	6.7	10	9.6	281	22.8	-	-	49	11.9	138	17.1	44	26.0
S + R + C	12	3.0	1	1.1	6	5.8	8	0.6	-	-	1	0.2	15	1.9	3	1.8
Others	36	9.0	-	-	24	25.0	133	10.9	-	-	-	-	2	0.2	2	1.3
All Treatments	397	100.0	89	100.0	101	100.0	1231	100.0	92	100.0	412	100.0	809	100.0	169	100.0
Others																
Surgery (S)	8	1.0	12	4.2	2	0.7	3	0.2	4	2.8	7	2.0	11	1.0	5	1.3
Radiotherapy (R)	28	3.5	20	7.0	3	1.0	102	6.2	51	35.2	123	35.7	68	5.9	15	3.8
Chemotherapy (C)	519	65.8	177	61.7	174	62.4	1259	76.3	75	51.7	84	24.3	895	77.9	347	87.2
S + R	10	1.3	5	1.7	1	0.3	5	0.3	1	0.7	64	18.6	9	0.8	2	0.5
S + C	7	0.9	3	1.0	3	1.4	2	0.1	4	2.8	1	0.3	11	1.0	1	0.3
R + C	186	23.6	67	23.3	94	33.4	220	13.3	10	6.9	58	16.8	151	13.1	27	6.8
S + R + C	18	2.3	2	0.7	1	0.3	3	0.2	-	-	7	2.0	3	0.3	-	-
Others	13	1.6	1	0.4	1	0.5	56	3.4	-	-	1	0.3	1	0.0	-	-
All Treatments	789	100.0	287	100.0	279	100.0	1650	100.0	145	100.0	345	100.0	1149	100.0	398	100.0
Unknown																
Surgery (S)	449	19.9	58	92.1	-	-	-	-	-	-	-	-	-	-	2	6.5
Radiotherapy (R)	286	12.7	-	-	-	-	-	-	2	20.0	4	100.0	1	100.0	2	6.5
Chemotherapy (C)	686	30.4	-	-	-	-	-	-	5	50.0	-	-	-	-	22	71.0
S + R	93	4.1	1	1.6	-	-	-	-	-	-	-	-	-	-	1	3.2
S + C	223	9.9	2	3.2	-	-	-	-	2	20.0	-	-	-	-	1	3.2
R + C	343	15.2	1	1.6	-	-	-	-	1	10.0	-	-	-	-	2	6.5
S + R + C	112	5.0	1	1.6	-	-	-	-	-	-	-	-	-	-	1	3.2
Others	68	2.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Treatments	2260	100.0	63	100.0	-	-	-	-	10	100.0	4	100.0	1	100.0	31	100.0

Table 7.4(b): Number (#) and Relative Proportion (%) of Types of Treatment according to Clinical Extent of Disease - Females

Clinical Extent	TMH		KMIO		CI (WIA)		RCC - TVM		AMC		BBCI		PGIMER		BRAIRCH	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Localised																
Surgery (S)	160	26.8	52	21.4	37	15.9	206	19.3	14	58.3	95	20.0	89	9.8	104	12.2
Radiotherapy (R)	25	4.2	15	6.2	27	11.6	73	6.8	6	25.0	102	21.5	330	36.3	167	19.6
Chemotherapy (C)	15	2.5	10	4.1	2	0.9	26	2.4	1	4.2	14	2.9	67	7.4	175	20.5
S + R	61	10.2	12	4.9	10	4.3	77	7.2	1	4.2	49	10.3	62	6.8	66	7.7
S + C	69	11.6	45	18.5	20	8.6	220	20.6	1	4.2	44	9.3	69	7.6	87	10.2
R + C	86	14.4	68	28.0	78	33.5	54	5.1	-	-	105	22.1	271	29.8	93	10.9
S + R + C	65	10.9	22	9.1	10	4.3	106	9.9	1	4.2	52	10.9	20	2.2	95	11.1
Others	116	19.4	19	7.8	49	20.9	307	28.7	-	-	14	3.0	2	0.1	-	-
All Treatments	597	100.0	243	100.0	233	100.0	1069	100.0	24	100.0	475	100.0	910	100.0	853	100.0
Regional																
Surgery (S)	105	7.9	146	12.4	74	5.7	286	7.8	199	18.5	52	2.6	201	7.7	12	9.8
Radiotherapy (R)	101	7.6	195	16.5	142	11.0	398	10.9	371	34.5	839	42.5	613	23.4	14	11.4
Chemotherapy (C)	71	5.3	85	7.2	48	3.7	622	17.0	90	8.4	182	9.2	445	17.0	10	8.1
S + R	85	6.4	92	7.8	29	2.2	195	5.3	56	5.2	153	7.8	355	13.5	13	10.6
S + C	170	12.8	115	9.7	114	8.8	625	17.1	243	22.6	105	5.3	225	8.6	11	8.9
R + C	164	12.3	347	29.4	352	27.2	598	16.3	95	8.8	493	25.0	461	17.6	23	18.7
S + R + C	261	19.6	156	13.2	131	10.1	466	12.7	20	1.9	118	6.0	306	11.7	17	13.8
Others	376	28.1	45	3.8	403	31.3	468	12.9	-	-	32	1.6	19	0.5	-	-
All Treatments	1333	100.0	1181	100.0	1293	100.0	3658	100.0	1074	100.0	1974	100.0	2625	100.0	123	100.0
Distant																
Surgery (S)	10	2.5	8	6.2	1	0.7	14	1.9	29	15.7	4	1.2	39	6.8	8	5.6
Radiotherapy (R)	22	5.5	16	12.4	5	3.5	113	15.2	25	13.5	102	30.5	92	16.1	17	11.8
Chemotherapy (C)	151	37.8	43	33.3	30	20.8	297	40.0	101	54.6	171	51.2	258	45.2	71	49.3
S + R	10	2.5	2	1.6	2	1.4	9	1.2	2	1.1	2	0.6	20	3.5	3	2.1
S + C	74	18.5	41	31.8	22	15.3	41	5.5	23	12.4	13	3.9	65	11.4	11	7.6
R + C	53	13.3	10	7.8	14	9.7	128	17.2	4	2.2	35	10.5	61	10.7	22	15.3
S + R + C	15	3.8	5	3.9	10	6.9	11	1.5	1	0.5	1	0.3	29	5.1	3	2.1
Others	65	16.1	4	3.0	60	41.7	130	17.5	-	-	6	1.8	7	1.2	-	-
All Treatments	400	100.0	129	100.0	144	100.0	743	100.0	185	100.0	334	100.0	571	100.0	144	100.0
Others																
Surgery (S)	4	1.3	4	2.5	2	1.3	2	0.2	1	1.6	5	3.3	5	0.9	-	-
Radiotherapy (R)	7	2.2	11	7.0	3	1.9	45	4.2	17	27.0	63	41.7	32	5.4	10	5.7
Chemotherapy (C)	213	67.0	89	56.7	97	61.8	839	77.8	38	60.3	48	31.8	460	78.2	150	85.2
S + R	2	0.6	2	1.3	-	-	-	-	1	1.6	13	8.6	11	1.9	1	0.6
S + C	7	2.2	2	1.3	4	2.5	5	0.5	3	4.8	2	1.3	9	1.5	1	0.6
R + C	69	21.7	45	28.7	47	29.9	148	13.7	3	4.8	17	11.3	65	11.1	12	6.8
S + R + C	13	4.1	2	1.3	-	-	1	0.1	-	-	2	1.3	6	1.0	1	0.6
Others	3	0.9	2	1.2	4	2.6	39	3.5	-	-	1	0.7	-	-	-	-
All Treatments	318	100.0	157	100.0	157	100.0	1079	100.0	63	100.0	151	100.0	588	100.0	176	100.0
Unknown																
Surgery (S)	396	20.1	68	95.8	-	-	-	-	-	-	-	-	-	-	-	-
Radiotherapy (R)	265	13.4	-	-	-	-	-	-	-	-	3	75.0	-	-	2	16.7
Chemotherapy (C)	438	22.2	-	-	-	-	-	-	4	80.0	-	-	-	-	9	75.0
S + R	115	5.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S + C	295	14.9	3	4.2	-	-	-	-	1	20.0	-	-	-	-	-	-
R + C	196	9.9	-	-	-	-	-	-	-	-	1	25.0	-	-	1	8.3
S + R + C	128	6.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Others	141	7.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Treatments	1974	100.0	71	100.0	-	-	-	-	5	100.0	4	100.0	-	-	12	100.0

Fig. 7.4: Proportion of Different Types of Treatment according to Clinical Extent of Disease (Patients Treated Only at Reporting Institution)



Fig. 7.4: Proportion of Different Types of Treatment according to Clinical Extent of Disease (Patients Treated Only at Reporting Institution) (contd...)



Table 7.5(a): Number (#) and Proportion (%) of Any Specific Treatment Relative to All Treated Patients according to Clinical Extent of Disease - Males

Registry	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total Patients
	#	%	#	%	#	%	#	%	
Localised									
TMH	493	51.8	252	26.5	196	20.6	11	1.1	952
KMIO	73	38.6	62	32.8	50	26.5	4	2.1	189
CI (WIA)	26	20.6	64	50.8	32	25.4	4	3.2	126
RCC - TVM	257	38.3	284	42.3	93	13.9	37	5.5	671
AMC	14	34.1	22	53.7	5	12.2	-	-	41
BBCI	216	25.6	474	56.2	151	17.9	2	0.3	843
PGIMER	87	24.0	170	47.0	105	29.0	-	-	362
BRAIRCH	352	23.4	590	39.2	557	37.0	8	0.4	1507
Regional									
TMH	851	31.3	952	35.1	881	32.4	32	1.2	2716
KMIO	300	28.7	408	39.0	333	31.8	5	0.5	1046
CI (WIA)	324	27.3	421	35.5	405	34.2	35	3.0	1185
RCC - TVM	1027	18.8	2209	40.4	2104	38.5	129	2.3	5469
AMC	295	19.5	796	52.5	423	27.9	1	0.1	1515
BBCI	423	8.6	3248	66.2	1234	25.2	1	0.0	4906
PGIMER	1190	19.2	3237	52.2	1771	28.5	7	0.1	6205
BRAIRCH	44	20.2	93	42.7	80	36.7	1	0.4	218
Distant									
TMH	59	10.8	139	25.4	314	57.3	36	6.5	548
KMIO	21	19.4	26	24.1	61	56.5	-	-	108
CI (WIA)	30	18.9	22	13.8	83	52.2	24	15.1	159
RCC - TVM	45	2.8	642	40.7	759	48.1	133	8.4	1579
AMC	20	20.2	26	26.3	53	53.5	-	-	99
BBCI	15	3.2	256	54.2	201	42.6	-	-	472
PGIMER	119	11.5	463	44.6	453	43.7	2	0.2	1037
BRAIRCH	31	12.9	86	35.7	122	50.6	2	0.8	241
Others									
TMH	43	4.2	243	23.6	730	70.9	13	1.3	1029
KMIO	23	6.3	94	25.6	249	67.8	1	0.3	367
CI (WIA)	7	1.8	99	26.1	272	71.8	1	0.3	379
RCC - TVM	13	0.7	330	17.5	1484	78.8	56	3.0	1883
AMC	9	5.6	62	38.8	89	55.6	-	-	160
BBCI	80	16.6	252	52.2	150	31.1	1	0.1	483
PGIMER	34	2.6	231	17.4	1060	79.9	1	0.1	1326
BRAIRCH	8	1.9	45	10.5	375	87.4	1	0.2	429
Unknown									
TMH	883	27.8	853	26.9	1372	43.2	68	2.1	3176
KMIO	62	89.9	3	4.3	4	5.8	-	-	69
CI (WIA)	-	-	-	-	-	-	-	-	-
RCC - TVM	-	-	-	-	-	-	-	-	-
AMC	2	15.4	3	23.1	8	61.5	-	-	13
BBCI	-	-	4	100.0	-	-	-	-	4
PGIMER	-	-	1	100.0	-	-	-	-	1
BRAIRCH	5	13.5	6	16.2	26	70.3	-	-	37

Table 7.5(b): Number (#) and Proportion (%) of Any Specific Treatment Relative to All Treated Patients according to Clinical Extent of Disease - Females

Registry	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total Patients
	#	%	#	%	#	%	#	%	
Localised									
TMH	468	38.6	304	25.0	326	26.9	116	9.5	1214
KMIO	150	32.9	132	28.9	155	34.0	19	4.2	456
CI (WIA)	117	27.9	135	32.2	122	29.1	45	10.8	419
RCC - TVM	904	39.1	450	19.5	652	28.2	307	13.2	2313
AMC	17	60.7	8	28.6	3	10.7	-	-	28
BBCI	253	31.2	318	39.2	227	28.0	14	1.6	812
PGIMER	240	17.7	685	50.6	427	31.5	2	0.1	1354
BRAIRCH	412	28.6	459	31.8	505	35.0	66	4.6	1442
Regional									
TMH	987	30.5	872	27.0	1000	30.9	376	11.6	3235
KMIO	553	25.6	822	38.1	737	34.2	45	2.1	2157
CI (WIA)	685	23.6	882	30.4	946	32.6	391	13.4	2904
RCC - TVM	1953	27.9	1908	27.3	2672	38.2	468	6.6	7001
AMC	518	34.4	542	35.9	448	29.7	-	-	1508
BBCI	456	15.0	1632	53.5	928	30.4	32	1.1	3048
PGIMER	1105	25.5	1752	40.5	1449	33.5	19	0.4	4325
BRAIRCH	75	29.1	78	30.2	82	31.8	23	8.9	258
Distant									
TMH	122	18.7	128	19.7	336	51.6	65	10.0	651
KMIO	57	28.9	34	17.3	102	51.8	4	2.0	197
CI (WIA)	58	19.8	55	18.8	121	41.3	59	20.1	293
RCC - TVM	82	7.8	289	27.3	556	52.6	130	12.3	1057
AMC	55	25.5	32	14.8	129	59.7	-	-	216
BBCI	20	5.1	140	35.8	225	57.5	6	1.6	391
PGIMER	155	19.8	203	25.9	418	53.4	7	0.9	783
BRAIRCH	27	13.7	48	24.4	113	57.4	9	4.5	197
Others									
TMH	27	6.4	91	21.5	303	71.5	3	0.6	424
KMIO	11	5.2	60	28.3	139	65.6	2	0.9	212
CI (WIA)	8	3.9	51	24.8	143	69.4	4	1.9	206
RCC - TVM	8	0.6	195	15.8	993	80.4	39	3.2	1235
AMC	5	7.1	21	30.0	44	62.9	-	-	70
BBCI	23	12.1	96	50.5	70	36.8	1	0.6	190
PGIMER	31	4.5	114	16.6	540	78.8	-	-	685
BRAIRCH	3	1.6	24	12.4	165	85.5	1	0.5	193
Unknown									
TMH	1032	33.6	753	24.5	1148	37.3	141	4.6	3074
KMIO	71	95.9	-	-	3	4.1	-	-	74
CI (WIA)	-	-	-	-	-	-	-	-	-
RCC - TVM	-	-	-	-	-	-	-	-	-
AMC	1	16.7	-	-	5	83.3	-	-	6
BBCI	-	-	4	80.0	1	20.0	-	-	5
PGIMER	-	-	-	-	-	-	-	-	-
BRAIRCH	-	-	3	23.1	10	76.9	-	-	13

Fig. 7.5: Proportion of Specific Treatments according to Clinical Extent of Disease

Males

Females







Fig. 7.5: Proportion of Specific Treatments according to Clinical Extent of Disease (contd...)

Males

Females

