

POPULATION BASED CANCER REGISTRY, CHENNAI

Cancer Institute (WIA), Adyar, Chennai

Dr V. Shanta

Principal Investigator, PBCR & Chairman, Cancer Institute (WIA)

Dr R. Swaminathan

Co-Principal Investigator, PBCR & Associate Professor & Head,
Department of Biostatistics and Cancer Registries

The Madras Metropolitan Tumour Registry (MMTR), a Population Based Cancer Registry, was established at the Cancer Institute (W.I.A) in 1981. It caters to an area of 170 km² and a population (entirely urban) of 4.6 million (986 Females to 1000 Males) as per 2011 census (provisional), constituting 0.4% and 6% of total population of India and the state of Tamil Nadu respectively. Cancer care facilities in Chennai, including diagnosis and treatment, are provided by the government health services, the Cancer Institute (WIA), which is a Regional Cancer Centre in Ministry of Health and Family Welfare, Government of India and supplemented by private practitioners and hospitals.

Registration of cases is done by active method. MMTR continues to get good cooperation from all health care facilities in and around Chennai with more than 240 sources of registration till date. Cases are collected from government and private hospitals, nursing homes, clinics, consultants, pathology laboratories, imaging centres and hospices. The Cancer Registrar of the registry visits these sources regularly and collect data on cancer by interviewing the cases wherever possible and/or from medical records. Mortality information is collected from the Vital Statistics Division (VSD) of the Corporation of Chennai. Reliability of data and quality of registration are constantly monitored with emphasis on case finding. Validity checks are done using IARC, NCRP and other in-house developed computer programs.

MMTR publishes periodic reports and descriptive epidemiological studies on cancer incidence pattern and trend. It is also extending its expertise to Dindigul Ambalikkai Cancer Registry, covering the entire Dindigul district, to get information on rural cancer incidence and pattern. Recognizing these efforts as the means to provide meaningful direction to cancer control in Tamil Nadu, The Tamil Nadu Cancer Registry Project (TNCRP) has been commissioned with the co-operation of the Department of Health & Family Welfare, Govt. of Tamil Nadu to enumerate all new cancer cases occurring in Tamil Nadu covering 73 million population by active method from 2012.

Staff on Rolls of Chennai PBCR

Mr Balasubramanian S.	: Computer Programmer	Mr Sivakumar S.	: Senior Investigator
Mr Sampath P.	: Statistical Assistant	Mr Sridhar N.	: Cancer Registrar
Mr Murugaiyan J.	: Senior Investigator	Mr Dharumadurai V.	: Cancer Registrar
Mr Panneerselvam M.	: Senior Investigator	Mr Ramesh N.	: Cancer Registrar
Ms Parimala A.	: Cancer Registrar	Mr Sivakumar M.	: Cancer Registrar
Mr Sambandam T.S.	: Senior Investigator	Ms Chandrakala T.	: Data Entry Operator

Supporting Cancer Institute (WIA) Staff

Mr Veeramani K.	:	Cancer Registrar
Mr Gandeeban D.	:	Cancer Registrar

TABLE CHN-1: Main Sources of Registration of Incident Cases of Cancer: 2009
Chennai

Name of the Institution	Number	%
Government General Hospital, Chennai-3	861	15.9
Cancer Institute (WIA), Chennai-20	844	15.6
Apollo Hospital, Chennai-6	673	12.4
Government Royapettah Hospital, Chennai-14	405	7.5
Government Stanley Hospital, Chennai-1	308	5.7
Dr Rai Memorial Cancer Centre, Chennai-18	291	5.4
Corporation of Chennai, Chennai-3	181	3.3
Sri Ramachandra Medical and Research Centre	178	3.3
Govt. Women's and Children's Hospital, Chennai-8	175	3.2
V S Hospital	175	3.2
Billroth Hospital, Chennai-30	101	1.9
St. Issabels Hospital, Chennai-4	93	1.7
Peripheral Hospital Anna Nagar, Chennai-78	91	1.7
Southern Railway Hospital, Chennai-23	89	1.6
Patersan Cancer Centre	71	1.3
Dr Mehtas Nursing Home, Chennai	66	1.2
Private Minor Source	61	1.1
Gove Kilpauk Medical College and Hospital, Chennai-10	58	1.1
KMH	54	1.0
Tamil Nadu Hospital, Chennai-96	53	1.0
Others	587	10.8
Total	5415	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the year 2009.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure CHN -1
Population Pyramid showing Age Distribution: 2009
CHENNAI




TABLE CHN-2
Population by Five Year Age Group and Gender: 2009
Number and Relative Proportion (%)
CHENNAI

Age Group	Males		Females	
	Number	%	Number	%
00-04	146329	6.01	145984	6.14
05-09	159613	6.56	153783	6.47
10-14	205235	8.43	194824	8.19
15-19	233613	9.6	216860	9.12
20-24	245247	10.07	255749	10.76
25-29	251337	10.32	266413	11.2
30-34	224823	9.23	214250	9.01
35-39	208939	8.58	212005	8.92
40-44	169684	6.97	153772	6.47
45-49	159242	6.54	140029	5.89
50-54	126974	5.22	110606	4.65
55-59	78681	3.23	80294	3.38
60-64	75397	3.1	77935	3.28
65-69	56340	2.31	60122	2.53
70-74	41567	1.71	42310	1.78
75+	51694	2.12	52890	2.22
Total	2434715	100.00	2377826	100.00

TABLE CHN-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009 - Males

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	-	1	4	-	2	-	-	-	8	0.31
C01-C02	Tongue	-	-	-	-	1	-	12	14	16	25	20	22	25	19	8	7	-	169	6.45
C03-C06	Mouth	-	-	-	1	-	1	3	18	12	19	18	17	18	18	15	10	-	150	5.73
C07-C08	Salivary Gland	-	-	-	1	-	-	-	-	-	2	2	4	2	6	2	2	-	21	0.80
C09	Tonsil	-	-	-	-	-	-	-	1	1	3	8	9	3	4	4	2	-	35	1.34
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	8	5	4	8	6	2	-	35	1.34
C11	Nasopharynx	-	-	1	7	1	-	-	3	2	-	1	1	1	6	2	-	-	25	0.95
C12-C13	Hypopharynx	-	-	-	1	-	-	-	1	6	5	12	10	4	16	9	7	-	71	2.71
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	4	-	11	0.42
C15	Oesophagus	-	-	-	-	-	-	3	1	7	15	19	19	20	22	16	16	-	138	5.27
C16	Stomach	-	-	-	-	1	4	3	9	13	26	33	36	39	33	43	31	-	271	10.35
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	-	5	1	2	-	2	-	11	0.42
C18	Colon	-	1	-	-	1	3	-	6	5	2	12	10	8	15	9	9	-	81	3.09
C19-C20	Rectum	-	1	-	-	2	-	3	3	3	6	17	16	21	13	12	9	-	106	4.05
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	1	3	5	1	3	-	14	0.53
C22	Liver	1	-	-	-	-	-	3	1	6	9	10	14	15	13	8	13	-	93	3.55
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	2	3	2	6	7	6	7	4	8	-	46	1.76
C25	Pancreas	-	-	-	1	-	-	-	2	6	2	5	6	6	7	6	5	-	46	1.76
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	2	1	1	3	1	1	1	1	-	11	0.42
C32	Larynx	-	-	-	-	-	-	-	1	2	11	9	19	15	13	14	15	-	99	3.78
C33-C34	Lung etc.	-	1	-	-	-	2	1	5	7	25	29	42	41	52	31	36	-	272	10.39
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	1	1	-	1	-	1	2	-	-	2	-	8	0.31
C40-C41	Bone	-	2	4	3	2	3	-	-	1	2	2	-	-	1	1	1	-	22	0.84
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	1	-	8	0.31
C44	Other Skin	-	-	-	1	-	2	1	2	-	3	2	6	2	4	2	2	-	27	1.03
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.04
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	1	-	2	3	1	1	1	1	-	4	3	1	3	3	1	-	26	0.99
C50	Breast	-	-	-	-	-	-	-	-	1	2	2	-	2	1	1	2	-	11	0.42
C60	Penis	-	-	-	-	-	-	-	2	1	5	3	3	2	4	5	6	-	31	1.18
C61	Prostate	-	-	-	-	-	-	1	1	-	2	4	6	22	24	35	59	-	154	5.88
C62	Testis	-	-	-	-	3	1	1	2	1	-	-	2	-	-	-	1	-	11	0.42
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.08
C64	Kidney etc.	1	1	-	-	-	-	-	3	5	4	6	4	5	6	3	2	-	40	1.53
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.04
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	1	3	1	6	8	9	17	12	-	58	2.21
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.04
C69	Eye	3	2	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	10	0.38
C70-C72	Brain, NS	5	7	-	2	1	4	4	4	4	4	4	12	1	5	6	2	-	65	2.48
C73	Thyroid	-	-	-	-	1	2	-	4	1	2	2	5	1	1	3	4	-	26	0.99
C74	Adrenal Gland	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	7	0.27
C81	Hodgkins Disease	1	3	2	2	1	2	-	1	1	2	2	2	2	1	2	-	-	24	0.92
C82-C85,C96	NHL	4	1	4	2	5	6	6	4	4	6	9	16	9	5	11	10	-	102	3.89
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	2	1	3	1	5	6	8	2	10	-	38	1.45
C91	Lymphoid Leuk.	9	7	2	4	3	-	2	2	2	2	2	3	-	2	2	2	-	44	1.68
C92-C94	Myeloid Leukaemia	2	1	3	1	4	1	1	5	1	6	4	5	2	3	-	3	-	42	1.60
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	4	0.15
O&U	Other and Uns	-	-	-	-	3	2	1	1	9	20	14	18	20	24	13	18	-	143	5.46
	All Sites	31	28	16	28	32	35	48	106	129	222	278	353	323	368	299	323	-	2619	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009 - Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	0.11
C01-C02	Tongue	-	-	-	-	-	-	-	2	4	4	11	6	8	5	3	-	-	43	1.54
C03-C06	Mouth	-	-	-	1	-	-	-	5	5	6	4	16	17	11	14	16	-	95	3.40
C07-C08	Salivary Gland	-	-	-	-	1	-	1	2	-	1	-	3	1	-	1	1	-	11	0.39
C09	Tonsil	-	-	-	-	-	-	1	-	-	-	2	-	1	4	-	-	-	8	0.29
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	-	5	0.18
C11	Nasopharynx	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	5	0.18
C12-C13	Hypopharynx	-	-	-	-	1	-	6	2	4	4	5	4	6	3	3	1	-	39	1.39
C14	Pharynx Unspecified	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	5	0.18
C15	Oesophagus	-	-	-	1	1	-	-	2	7	12	11	18	11	11	6	9	-	89	3.18
C16	Stomach	-	-	-	-	1	1	4	7	6	12	15	13	19	19	8	11	-	116	4.15
C17	Small Intestine	-	-	-	-	-	-	1	-	-	1	-	3	1	-	-	-	-	6	0.21
C18	Colon	-	-	-	-	1	1	1	2	3	8	13	12	9	7	5	5	-	67	2.40
C19-C20	Rectum	-	-	-	-	1	1	2	4	6	7	2	9	10	3	8	4	-	57	2.04
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	5	0.18
C22	Liver	-	-	-	-	-	-	-	1	-	2	1	6	5	1	5	8	-	29	1.04
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	-	3	4	2	7	8	6	4	7	-	43	1.54
C25	Pancreas	-	-	-	-	-	1	-	-	3	6	5	5	4	2	2	5	-	33	1.18
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	1	1	2	2	1	2	1	4	1	3	-	18	0.64
C32	Larynx	-	-	-	-	-	-	-	-	-	1	4	1	1	1	-	-	-	8	0.29
C33-C34	Lung etc.	-	1	-	1	1	2	4	2	8	12	7	8	13	18	5	13	-	95	3.40
C37-C38	Other Thoracic Organs	-	-	-	1	-	2	-	1	-	2	-	1	1	1	1	-	-	10	0.36
C40-C41	Bone	1	1	1	2	1	4	1	1	1	2	3	1	3	-	-	-	-	22	0.79
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	5	0.18
C44	Other Skin	-	-	-	1	-	1	1	-	2	3	1	2	-	3	2	4	-	20	0.72
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.07
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	1	-	-	1	-	1	4	1	-	4	2	4	3	-	-	1	-	22	0.79
C50	Breast	-	-	-	-	3	12	18	57	94	116	97	112	85	74	40	40	-	748	26.75
C51	Vulva	-	-	-	-	-	1	-	1	-	1	1	-	3	1	-	1	-	9	0.32
C52	Vagina	-	-	-	-	-	-	-	-	-	-	2	1	5	3	2	2	-	15	0.54
C53	Cervix Uteri	-	-	-	-	2	1	4	24	38	47	57	46	62	38	27	30	-	376	13.45
C54	Corpus Uteri	-	-	-	-	-	1	1	2	-	11	17	15	17	10	12	5	-	91	3.25
C55	Uterus Unspecified	-	-	-	-	1	-	-	-	4	1	2	-	2	4	2	1	-	17	0.61
C56	Ovary etc.	1	2	1	5	2	4	4	11	15	36	32	21	16	10	16	12	-	188	6.72
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.04
C64	Kidney etc.	2	1	-	-	1	1	1	-	2	2	2	4	1	-	1	1	-	19	0.68
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.04
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	3	2	2	-	-	2	4	-	13	0.46
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.04
C69	Eye	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	0.18
C70-C72	Brain, NS	2	2	1	1	3	5	3	3	3	3	9	3	2	9	-	6	-	55	1.97
C73	Thyroid	-	-	-	5	3	8	12	6	4	11	8	15	7	1	7	6	-	93	3.33
C74	Adrenal Gland	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	0.07
C81	Hodgkins Disease	-	1	2	1	3	1	1	-	-	1	1	2	2	-	1	1	-	17	0.61
C82-C85,C96	NHL	3	-	1	1	2	5	3	4	4	5	5	11	12	7	5	1	-	69	2.47
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	1	1	1	-	2	3	4	3	7	1	-	23	0.82
C91	Lymphoid Leuk.	5	9	1	1	1	2	1	-	2	1	1	1	2	4	2	-	-	33	1.18
C92-C94	Myeloid Leukaemia	-	1	1	-	6	2	2	4	2	4	4	3	1	5	-	2	-	37	1.32
C95	Leukaemia Uns	-	1	1	-	-	-	-	-	-	1	2	-	1	-	-	1	-	7	0.25
O&U	Other and Uns	-	1	1	3	1	3	2	3	5	8	16	12	16	15	11	18	-	115	4.11
	All Sites	20	20	10	25	36	60	83	152	233	345	354	375	362	287	207	227	-	2796	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.5	-	-	0.8	5.1	-	3.5	-	-	0.3	0.38	0.14	0.9
C01-C02	-	-	-	-	0.4	-	5.3	6.7	9.4	15.7	15.8	28.0	33.2	33.7	19.2	13.5	6.9	7.16	0.56	16.6
C03-C06	-	-	-	0.4	-	0.4	1.3	8.6	7.1	11.9	14.2	21.6	23.9	31.9	36.1	19.3	6.2	6.40	0.53	13.5
C07-C08	-	-	-	0.4	-	-	-	-	-	1.3	1.6	5.1	2.7	10.6	4.8	3.9	0.9	1.00	0.22	1.5
C09	-	-	-	-	-	-	-	0.5	0.6	1.9	6.3	11.4	4.0	7.1	9.6	3.9	1.4	1.59	0.27	3.6
C10	-	-	-	-	-	-	-	-	0.6	0.6	6.3	6.4	5.3	14.2	14.4	3.9	1.4	1.65	0.28	2.8
C11	-	-	0.5	3.0	0.4	-	-	1.4	1.2	-	0.8	1.3	1.3	10.6	4.8	-	1.0	1.06	0.22	1.0
C12-C13	-	-	-	0.4	-	-	-	0.5	3.5	3.1	9.5	12.7	5.3	28.4	21.7	13.5	2.9	3.22	0.39	5.2
C14	-	-	-	-	-	-	-	-	0.6	-	2.4	-	1.3	1.8	2.4	7.7	0.5	0.46	0.14	0.7
C15	-	-	-	-	-	-	1.3	0.5	4.1	9.4	15.0	24.1	26.5	39.0	38.5	31.0	5.7	6.26	0.54	11.7
C16	-	-	-	-	0.4	1.6	1.3	4.3	7.7	16.3	26.0	45.8	51.7	58.6	103.4	60.0	11.1	12.16	0.75	22.2
C17	-	-	-	-	-	-	-	-	-	0.6	-	6.4	1.3	3.5	-	3.9	0.5	0.53	0.16	1.1
C18	-	0.6	-	-	0.4	1.2	-	2.9	2.9	1.3	9.5	12.7	10.6	26.6	21.7	17.4	3.3	3.60	0.41	5.9
C19-C20	-	0.6	-	-	0.8	-	1.3	1.4	1.8	3.8	13.4	20.3	27.9	23.1	28.9	17.4	4.4	4.84	0.48	9.7
C21	-	-	-	-	-	-	-	-	0.6	-	-	1.3	4.0	8.9	2.4	5.8	0.6	0.68	0.18	0.8
C22	0.7	-	-	-	-	-	1.3	0.5	3.5	5.7	7.9	17.8	19.9	23.1	19.2	25.1	3.8	4.22	0.45	8.0
C23-C24	-	-	-	-	-	-	0.4	1.0	1.8	1.3	4.7	8.9	8.0	12.4	9.6	15.5	1.9	2.05	0.31	3.7
C25	-	-	-	0.4	-	-	-	1.0	3.5	1.3	3.9	7.6	8.0	12.4	14.4	9.7	1.9	2.06	0.31	3.8
C30-C31	-	-	-	-	-	-	-	-	1.2	0.6	0.8	3.8	1.3	1.8	2.4	1.9	0.5	0.49	0.15	1.1
C32	-	-	-	-	-	-	-	0.5	1.2	6.9	7.1	24.1	19.9	23.1	33.7	29.0	4.1	4.58	0.46	8.5
C33-C34	-	0.6	-	-	-	0.8	0.4	2.4	4.1	15.7	22.8	53.4	54.4	92.3	74.6	69.6	11.2	12.59	0.77	21.9
C37-C38	-	-	-	-	-	-	0.4	0.5	-	0.6	-	1.3	2.7	-	-	3.9	0.3	0.33	0.12	0.7
C40-C41	-	1.3	1.9	1.3	0.8	1.2	-	-	0.6	1.3	1.6	-	-	1.8	2.4	1.9	0.9	0.91	0.20	0.6
C43	-	-	-	-	-	-	-	-	-	-	0.8	3.8	1.3	3.5	-	1.9	0.3	0.39	0.14	0.8
C44	-	-	-	0.4	-	0.8	0.4	1.0	-	1.9	1.6	7.6	2.7	7.1	4.8	3.9	1.1	1.18	0.23	2.1
C45	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	0.05	0.05	0.2
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.7	0.6	-	0.9	1.2	0.4	0.4	0.5	0.6	-	3.2	3.8	1.3	5.3	7.2	1.9	1.1	1.15	0.23	1.4
C50	-	-	-	-	-	-	-	-	0.6	1.3	1.6	-	2.7	1.8	2.4	3.9	0.5	0.47	0.14	1.0
C60	-	-	-	-	-	-	-	1.0	0.6	3.1	2.4	3.8	2.7	7.1	12.0	11.6	1.3	1.34	0.24	2.1
C61	-	-	-	-	-	-	0.4	0.5	-	1.3	3.2	7.6	29.2	42.6	84.2	114.1	6.3	7.01	0.57	5.6
C62	-	-	-	-	1.2	0.4	0.4	1.0	0.6	-	-	2.5	-	-	-	1.9	0.5	0.39	0.12	0.6
C63	-	-	-	-	-	-	-	-	-	-	-	1.3	1.3	-	-	-	0.1	0.10	0.07	0.3
C64	0.7	0.6	-	-	-	-	-	1.4	2.9	2.5	4.7	5.1	6.6	10.6	7.2	3.9	1.6	1.80	0.29	3.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.05	0.05	0.2
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	0.5	0.6	1.9	0.8	7.6	10.6	16.0	40.9	23.2	2.4	2.71	0.36	3.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.9	-	0.04	0.04	-
C69	2.1	1.3	-	-	-	0.4	-	0.5	-	-	0.8	-	1.3	-	-	1.9	0.4	0.56	0.19	0.4
C70-C72	3.4	4.4	-	0.9	0.4	1.6	1.8	1.9	2.4	2.5	3.2	15.3	1.3	8.9	14.4	3.9	2.7	3.05	0.40	4.0
C73	-	-	-	-	0.4	0.8	-	1.9	0.6	1.3	1.6	6.4	1.3	1.8	7.2	7.7	1.1	1.06	0.21	2.0
C74	2.7	-	-	-	-	-	-	0.5	-	-	-	1.3	-	1.8	-	-	0.3	0.46	0.18	0.3
C81	0.7	1.9	1.0	0.9	0.4	0.8	-	0.5	0.6	1.3	1.6	2.5	2.7	1.8	4.8	-	1.0	1.11	0.23	1.4
C82-C85,C96	2.7	0.6	1.9	0.9	2.0	2.4	2.7	1.9	2.4	3.8	7.1	20.3	11.9	8.9	26.5	19.3	4.2	4.47	0.46	6.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	1.0	0.6	1.9	0.8	6.4	8.0	14.2	4.8	19.3	1.6	1.73	0.28	2.6
C91	6.2	4.4	1.0	1.7	1.2	-	0.9	1.0	1.2	1.3	1.6	3.8	-	3.5	4.8	3.9	1.8	2.28	0.37	1.4
C92-C94	1.4	0.6	1.5	0.4	1.6	0.4	0.4	2.4	0.6	3.8	3.2	6.4	2.7	5.3	-	5.8	1.7	1.78	0.29	3.0
C95	-	-	-	-	-	-	-	-	0.6	-	-	-	-	1.8	2.4	1.9	0.2	0.18	0.09	0.1
O&U	-	-	-	-	1.2	0.8	0.4	0.5	5.3	12.6	11.0	22.9	26.5	42.6	31.3	34.8	5.9	6.42	0.54	11.7
All	21.2	17.5	7.8	12.0	13.0	13.9	21.4	50.7	76.0	139.4	218.9	448.6	428.4	653.2	719.3	624.8	107.6	118.0	2.35	200.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR	
C00	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.7	2.4	-	0.1	0.15	0.09	0.2	
C01-C02	-	-	-	-	-	-	-	0.9	2.6	2.9	9.9	7.5	10.3	8.3	7.1	-	1.8	1.98	0.30	5.1	
C03-C06	-	-	-	0.5	-	-	-	2.4	3.3	4.3	3.6	19.9	21.8	18.3	33.1	30.3	4.0	4.30	0.45	7.9	
C07-C08	-	-	-	-	0.4	-	0.5	0.9	-	0.7	-	3.7	1.3	-	2.4	1.9	0.5	0.44	0.14	1.0	
C09	-	-	-	-	-	-	0.5	-	-	-	1.8	-	1.3	6.7	-	-	0.3	0.37	0.13	0.5	
C10	-	-	-	-	-	-	-	-	0.7	-	1.8	-	-	-	2.4	1.9	0.2	0.21	0.10	0.4	
C11	-	-	-	-	-	-	-	0.5	-	-	0.9	2.5	-	-	-	1.9	0.2	0.21	0.10	0.6	
C12-C13	-	-	-	-	0.4	-	2.8	0.9	2.6	2.9	4.5	5.0	7.7	5.0	7.1	1.9	1.6	1.65	0.27	3.6	
C14	-	-	-	-	-	-	0.5	0.9	-	-	-	-	-	1.7	-	1.9	0.2	0.17	0.08	0.2	
C15	-	-	-	0.5	0.4	-	-	0.9	4.6	8.6	9.9	22.4	14.1	18.3	14.2	17.0	3.7	4.05	0.43	9.0	
C16	-	-	-	-	0.4	0.4	1.9	3.3	3.9	8.6	13.6	16.2	24.4	31.6	18.9	20.8	4.9	5.16	0.49	10.5	
C17	-	-	-	-	-	-	0.5	-	-	0.7	-	3.7	1.3	-	-	-	0.3	0.27	0.11	0.8	
C18	-	-	-	-	0.4	0.4	0.5	0.9	2.0	5.7	11.8	14.9	11.5	11.6	11.8	9.5	2.8	3.03	0.37	7.0	
C19-C20	-	-	-	-	0.4	0.4	0.9	1.9	3.9	5.0	1.8	11.2	12.8	5.0	18.9	7.6	2.4	2.50	0.34	5.5	
C21	-	-	-	-	-	-	-	-	-	0.7	-	1.2	-	3.3	-	1.9	0.2	0.23	0.10	0.3	
C22	-	-	-	-	-	-	-	0.5	-	1.4	0.9	7.5	6.4	1.7	11.8	15.1	1.2	1.30	0.24	2.3	
C23-C24	-	-	-	-	-	-	0.9	-	2.0	2.9	1.8	8.7	10.3	10.0	9.5	13.2	1.8	1.95	0.30	3.7	
C25	-	-	-	-	-	0.4	-	-	2.0	4.3	4.5	6.2	5.1	3.3	4.7	9.5	1.4	1.47	0.26	3.4	
C30-C31	-	-	-	-	-	-	0.5	0.5	1.3	1.4	0.9	2.5	1.3	6.7	2.4	5.7	0.8	0.78	0.19	1.3	
C32	-	-	-	-	-	-	-	-	-	0.7	3.6	1.2	1.3	1.7	-	-	0.3	0.37	0.13	1.0	
C33-C34	-	0.7	-	0.5	0.4	0.8	1.9	0.9	5.2	8.6	6.3	10.0	16.7	29.9	11.8	24.6	4.0	4.20	0.44	7.3	
C37-C38	-	-	-	0.5	-	0.8	-	0.5	-	1.4	-	1.2	1.3	1.7	2.4	-	0.4	0.41	0.13	0.7	
C40-C41	0.7	0.7	0.5	0.9	0.4	1.5	0.5	0.5	0.7	1.4	2.7	1.2	3.8	-	-	-	0.9	0.95	0.21	1.6	
C43	-	-	-	-	-	-	-	-	0.7	-	0.9	-	-	-	2.4	3.8	0.2	0.21	0.09	0.3	
C44	-	-	-	0.5	-	0.4	0.5	-	1.3	2.1	0.9	2.5	-	5.0	4.7	7.6	0.8	0.85	0.19	1.1	
C45	-	-	-	-	-	-	-	-	-	-	0.9	-	1.3	-	-	-	0.1	0.10	0.07	0.3	
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C47+C49	0.7	-	-	0.5	-	0.4	1.9	0.5	-	2.9	1.8	5.0	3.8	-	-	1.9	0.9	0.95	0.21	2.1	
C50	-	-	-	-	1.2	4.5	8.4	26.9	61.1	82.8	87.7	139.5	109.1	123.1	94.5	75.6	31.5	32.63	1.21	79.3	
C51	-	-	-	-	-	0.4	-	0.5	-	0.7	0.9	-	3.8	1.7	-	1.9	0.4	0.39	0.13	0.9	
C52	-	-	-	-	-	-	-	-	-	-	1.8	1.2	6.4	5.0	4.7	3.8	0.6	0.72	0.19	1.3	
C53	-	-	-	-	0.8	0.4	1.9	11.3	24.7	33.6	51.5	57.3	79.6	63.2	63.8	56.7	15.8	16.74	0.87	39.4	
C54	-	-	-	-	-	0.4	0.5	0.9	-	7.9	15.4	18.7	21.8	16.6	28.4	9.5	3.8	4.23	0.45	9.4	
C55	-	-	-	-	0.4	-	-	-	2.6	0.7	1.8	-	2.6	6.7	4.7	1.9	0.7	0.76	0.18	1.3	
C56	0.7	1.3	0.5	2.3	0.8	1.5	1.9	5.2	9.8	25.7	28.9	26.2	20.5	16.6	37.8	22.7	7.9	8.22	0.61	18.6	
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C58	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.04	0.1	
C64	1.4	0.7	-	-	0.4	0.4	0.5	-	1.3	1.4	1.8	5.0	1.3	-	2.4	1.9	0.8	0.91	0.22	1.6	
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	0.05	0.05	-	
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C67	-	-	-	-	-	-	-	-	-	2.1	1.8	2.5	-	-	4.7	7.6	0.5	0.56	0.16	1.0	
C68	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.04	0.1	
C69	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.9	0.2	0.37	0.17	-	
C70-C72	1.4	1.3	0.5	0.5	1.2	1.9	1.4	1.4	2.0	2.1	8.1	3.7	2.6	15.0	-	11.3	2.3	2.38	0.33	3.2	
C73	-	-	-	2.3	1.2	3.0	5.6	2.8	2.6	7.9	7.2	18.7	9.0	1.7	16.5	11.3	3.9	3.75	0.40	7.3	
C74	0.7	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.1	0.12	0.09	0.1
C81	-	0.7	1.0	0.5	1.2	0.4	0.5	-	-	0.7	0.9	2.5	2.6	-	2.4	1.9	0.7	0.73	0.18	0.9	
C82-C85,C96	2.1	-	0.5	0.5	0.8	1.9	1.4	1.9	2.6	3.6	4.5	13.7	15.4	11.6	11.8	1.9	2.9	3.13	0.39	6.0	
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C90	-	-	-	-	-	-	0.5	0.5	0.7	-	1.8	3.7	5.1	5.0	16.5	1.9	1.0	1.06	0.22	1.7	
C91	3.4	5.9	0.5	0.5	0.4	0.8	0.5	-	1.3	0.7	0.9	1.2	2.6	6.7	4.7	-	1.4	1.82	0.33	1.0	
C92-C94	-	0.7	0.5	-	2.3	0.8	0.9	1.9	1.3	2.9	3.6	3.7	1.3	8.3	-	3.8	1.6	1.48	0.25	2.4	
C95	-	0.7	0.5	-	-	-	-	-	-	0.7	1.8	-	1.3	-	-	1.9	0.3	0.33	0.13	0.6	
O&U	-	0.7	0.5	1.4	0.4	1.1	0.9	1.4	3.3	5.7	14.5	14.9	20.5	24.9	26.0	34.0	4.8	5.13	0.48	8.9	
All	13.7	13.0	5.1	11.5	14.1	22.5	38.7	71.7	151.5	246.4	320.1	467.0	464.5	477.4	489.2	429.2	117.6	123.8	2.37	262.7	

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	37.5	5	62.5	-	-	-	-	-	-	-	-	8	100.0
C01-C02	Tongue	29	17.2	138	81.7	-	-	2	1.2	-	-	-	-	169	100.0
C03-C06	Mouth	17	11.3	128	85.3	-	-	2	1.3	3	2.0	-	-	150	100.0
C07-C08	Salivary Gland	3	14.3	17	81.0	1	4.8	-	-	-	-	-	-	21	100.0
C09	Tonsil	2	5.7	33	94.3	-	-	-	-	-	-	-	-	35	100.0
C10	Oth. Oropharynx	5	14.3	25	71.4	-	-	2	5.7	3	8.6	-	-	35	100.0
C11	Nasopharynx	2	8.0	19	76.0	1	4.0	-	-	3	12.0	-	-	25	100.0
C12-C13	Hypopharynx	1	1.4	63	88.7	1	1.4	1	1.4	5	7.0	-	-	71	100.0
C14	Pharynx Unspecified	2	18.2	2	18.2	1	9.1	6	54.5	-	-	-	-	11	100.0
C15	Oesophagus	-	-	97	70.3	16	11.6	4	2.9	21	15.2	-	-	138	100.0
C16	Stomach	-	-	179	66.1	38	14.0	19	7.0	35	12.9	-	-	271	100.0
C17	Small Intestine	-	-	5	45.5	2	18.2	-	-	4	36.4	-	-	11	100.0
C18	Colon	-	-	52	64.2	9	11.1	2	2.5	18	22.2	-	-	81	100.0
C19-C20	Rectum	-	-	77	72.6	8	7.5	2	1.9	19	17.9	-	-	106	100.0
C21	Anus & Anal Canal	1	7.1	13	92.9	-	-	-	-	-	-	-	-	14	100.0
C22	Liver	-	-	63	67.7	26	28.0	4	4.3	-	-	-	-	93	100.0
C23-C24	Gallbladder etc.	-	-	26	56.5	20	43.5	-	-	-	-	-	-	46	100.0
C25	Pancreas	-	-	24	52.2	20	43.5	2	4.3	-	-	-	-	46	100.0
C30-C31	Nose, Sinuses etc.	2	18.2	7	63.6	2	18.2	-	-	-	-	-	-	11	100.0
C32	Larynx	9	9.1	83	83.8	1	1.0	2	2.0	4	4.0	-	-	99	100.0
C33-C34	Lung etc.	-	-	142	52.2	120	44.1	9	3.3	1	0.4	-	-	272	100.0
C37-C38	Other Thoracic Organs	-	-	7	87.5	1	12.5	-	-	-	-	-	-	8	100.0
C40-C41	Bone	-	-	16	72.7	6	27.3	-	-	-	-	-	-	22	100.0
C43	Melanoma of Skin	-	-	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C44	Other Skin	1	3.7	26	96.3	-	-	-	-	-	-	-	-	27	100.0
C45	Mesothelioma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	26	100.0	-	-	-	-	-	-	-	-	26	100.0
C50	Breast	3	27.3	6	54.5	2	18.2	-	-	-	-	-	-	11	100.0
C60	Penis	3	9.7	28	90.3	-	-	-	-	-	-	-	-	31	100.0
C61	Prostate	1	0.6	108	70.1	39	25.3	5	3.2	1	0.6	-	-	154	100.0
C62	Testis	3	27.3	8	72.7	-	-	-	-	-	-	-	-	11	100.0
C63	Other Male Genital	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C64	Kidney etc.	-	-	29	72.5	11	27.5	-	-	-	-	-	-	40	100.0
C65	Renal Pelvis	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	37	63.8	19	32.8	2	3.4	-	-	-	-	58	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	4	40.0	5	50.0	1	10.0	-	-	-	-	-	-	10	100.0
C70-C72	Brain, Nervous System	-	-	43	66.2	20	30.8	2	3.1	-	-	-	-	65	100.0
C73	Thyroid	-	-	21	80.8	5	19.2	-	-	-	-	-	-	26	100.0
C74	Adrenal Gland	-	-	4	57.1	3	42.9	-	-	-	-	-	-	7	100.0
C81	Hodgkins Disease	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C82-C85,C96	NHL	-	-	101	99.0	-	-	1	1.0	-	-	-	-	102	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	37	97.4	-	-	1	2.6	-	-	-	-	38	100.0
C91	Lymphoid Leuk.	-	-	44	100.0	-	-	-	-	-	-	-	-	44	100.0
C92-C94	Myeloid Leukaemia	-	-	42	100.0	-	-	-	-	-	-	-	-	42	100.0
C95	Leukaemia Uns	-	-	2	50.0	-	-	2	50.0	-	-	-	-	4	100.0
O&U	Other and Uns	8	5.6	48	33.6	56	39.2	27	18.9	4	2.8	-	-	143	100.0
	All Sites	99	3.8	1870	71.4	431	16.5	98	3.7	121	4.6	-	-	2619	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	7	16.3	34	79.1	-	-	2	4.7	-	-	-	-	43	100.0
C03-C06	Mouth	15	15.8	76	80.0	1	1.1	1	1.1	2	2.1	-	-	95	100.0
C07-C08	Salivary Gland	2	18.2	7	63.6	1	9.1	-	-	1	9.1	-	-	11	100.0
C09	Tonsil	-	-	7	87.5	-	-	-	-	1	12.5	-	-	8	100.0
C10	Oth. Oropharynx	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C11	Nasopharynx	1	20.0	3	60.0	1	20.0	-	-	-	-	-	-	5	100.0
C12-C13	Hypopharynx	1	2.6	35	89.7	1	2.6	-	-	2	5.1	-	-	39	100.0
C14	Pharynx Unspecified	-	-	3	60.0	-	-	2	40.0	-	-	-	-	5	100.0
C15	Oesophagus	1	1.1	64	71.9	2	2.2	1	1.1	21	23.6	-	-	89	100.0
C16	Stomach	-	-	69	59.5	26	22.4	7	6.0	14	12.1	-	-	116	100.0
C17	Small Intestine	-	-	2	33.3	2	33.3	-	-	2	33.3	-	-	6	100.0
C18	Colon	-	-	45	67.2	9	13.4	-	-	13	19.4	-	-	67	100.0
C19-C20	Rectum	-	-	42	73.7	5	8.8	1	1.8	9	15.8	-	-	57	100.0
C21	Anus & Anal Canal	-	-	4	80.0	1	20.0	-	-	-	-	-	-	5	100.0
C22	Liver	-	-	14	48.3	10	34.5	5	17.2	-	-	-	-	29	100.0
C23-C24	Gallbladder etc.	-	-	17	39.5	22	51.2	4	9.3	-	-	-	-	43	100.0
C25	Pancreas	-	-	17	51.5	12	36.4	4	12.1	-	-	-	-	33	100.0
C30-C31	Nose, Sinuses etc.	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C32	Larynx	-	-	7	87.5	-	-	-	-	1	12.5	-	-	8	100.0
C33-C34	Lung etc.	-	-	47	49.5	42	44.2	6	6.3	-	-	-	-	95	100.0
C37-C38	Other Thoracic Organs	-	-	5	50.0	5	50.0	-	-	-	-	-	-	10	100.0
C40-C41	Bone	-	-	15	68.2	7	31.8	-	-	-	-	-	-	22	100.0
C43	Melanoma of Skin	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C44	Other Skin	-	-	17	85.0	3	15.0	-	-	-	-	-	-	20	100.0
C45	Mesothelioma	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	21	95.5	1	4.5	-	-	-	-	-	-	22	100.0
C50	Breast	47	6.3	601	80.3	87	11.6	12	1.6	1	0.1	-	-	748	100.0
C51	Vulva	1	11.1	8	88.9	-	-	-	-	-	-	-	-	9	100.0
C52	Vagina	2	13.3	13	86.7	-	-	-	-	-	-	-	-	15	100.0
C53	Cervix Uteri	21	5.6	330	87.8	20	5.3	5	1.3	-	-	-	-	376	100.0
C54	Corpus Uteri	1	1.1	71	78.0	19	20.9	-	-	-	-	-	-	91	100.0
C55	Uterus Unspecified	-	-	11	64.7	2	11.8	4	23.5	-	-	-	-	17	100.0
C56	Ovary etc.	-	-	141	75.0	45	23.9	2	1.1	-	-	-	-	188	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	15	78.9	3	15.8	1	5.3	-	-	-	-	19	100.0
C65	Renal Pelvis	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	7	53.8	6	46.2	-	-	-	-	-	-	13	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C70-C72	Brain, Nervous System	-	-	34	61.8	21	38.2	-	-	-	-	-	-	55	100.0
C73	Thyroid	-	-	67	72.0	25	26.9	1	1.1	-	-	-	-	93	100.0
C74	Adrenal Gland	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C82-C85,C96	NHL	-	-	68	98.6	-	-	1	1.4	-	-	-	-	69	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C91	Lymphoid Leuk.	-	-	33	100.0	-	-	-	-	-	-	-	-	33	100.0
C92-C94	Myeloid Leukaemia	-	-	36	97.3	-	-	1	2.7	-	-	-	-	37	100.0
C95	Leukaemia Uns	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
O&U	Other and Uns	8	7.0	40	34.8	45	39.1	22	19.1	-	-	-	-	115	100.0
	All Sites	107	3.8	2113	75.6	426	15.2	83	3.0	67	2.4	-	-	2796	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	62.5	-	-	-	-	-	-	-	-	3	37.5	8	100.0
C01-C02	Tongue	137	81.1	-	-	1	0.6	-	-	-	-	31	18.3	169	100.0
C03-C06	Mouth	128	85.3	-	-	-	-	-	-	-	-	22	14.7	150	100.0
C07-C08	Salivary Gland	15	71.4	1	4.8	1	4.8	-	-	-	-	4	19.0	21	100.0
C09	Tonsil	33	94.3	-	-	-	-	-	-	-	-	2	5.7	35	100.0
C10	Oth. Oropharynx	24	68.6	-	-	1	2.9	-	-	-	-	10	28.6	35	100.0
C11	Nasopharynx	18	72.0	1	4.0	-	-	-	-	-	-	6	24.0	25	100.0
C12-C13	Hypopharynx	62	87.3	-	-	1	1.4	-	-	-	-	8	11.3	71	100.0
C14	Pharynx Unspecified	2	18.2	-	-	-	-	-	-	-	-	9	81.8	11	100.0
C15	Oesophagus	97	70.3	-	-	-	-	-	-	-	-	41	29.7	138	100.0
C16	Stomach	178	65.7	1	0.4	-	-	-	-	-	-	92	33.9	271	100.0
C17	Small Intestine	5	45.5	-	-	-	-	-	-	-	-	6	54.5	11	100.0
C18	Colon	52	64.2	-	-	-	-	-	-	-	-	29	35.8	81	100.0
C19-C20	Rectum	77	72.6	-	-	-	-	-	-	-	-	29	27.4	106	100.0
C21	Anus & Anal Canal	13	92.9	-	-	-	-	-	-	-	-	1	7.1	14	100.0
C22	Liver	55	59.1	1	1.1	7	7.5	-	-	-	-	30	32.3	93	100.0
C23-C24	Gallbladder etc.	26	56.5	-	-	-	-	-	-	-	-	20	43.5	46	100.0
C25	Pancreas	23	50.0	1	2.2	-	-	-	-	-	-	22	47.8	46	100.0
C30-C31	Nose, Sinuses etc.	6	54.5	1	9.1	-	-	-	-	-	-	4	36.4	11	100.0
C32	Larynx	83	83.8	-	-	-	-	-	-	-	-	16	16.2	99	100.0
C33-C34	Lung etc.	130	47.8	8	2.9	4	1.5	-	-	-	-	130	47.8	272	100.0
C37-C38	Other Thoracic Organs	6	75.0	-	-	1	12.5	-	-	-	-	1	12.5	8	100.0
C40-C41	Bone	15	68.2	-	-	1	4.5	-	-	-	-	6	27.3	22	100.0
C43	Melanoma of Skin	6	75.0	1	12.5	-	-	-	-	-	-	1	12.5	8	100.0
C44	Other Skin	26	96.3	-	-	-	-	-	-	-	-	1	3.7	27	100.0
C45	Mesothelioma	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	26	100.0	-	-	-	-	-	-	-	-	-	-	26	100.0
C50	Breast	6	54.5	-	-	-	-	-	-	-	-	5	45.5	11	100.0
C60	Penis	28	90.3	-	-	-	-	-	-	-	-	3	9.7	31	100.0
C61	Prostate	108	70.1	-	-	-	-	-	-	-	-	46	29.9	154	100.0
C62	Testis	8	72.7	-	-	-	-	-	-	-	-	3	27.3	11	100.0
C63	Other Male Genital	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C64	Kidney etc.	28	70.0	-	-	1	2.5	-	-	-	-	11	27.5	40	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	37	63.8	-	-	-	-	-	-	-	-	21	36.2	58	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	5	50.0	-	-	-	-	-	-	-	-	5	50.0	10	100.0
C70-C72	Brain, Nervous System	43	66.2	-	-	-	-	-	-	-	-	22	33.8	65	100.0
C73	Thyroid	21	80.8	-	-	-	-	-	-	-	-	5	19.2	26	100.0
C74	Adrenal Gland	4	57.1	-	-	-	-	-	-	-	-	3	42.9	7	100.0
C81	Hodgkins Disease	24	100.0	-	-	-	-	-	-	-	-	-	-	24	100.0
C82-C85,C96	NHL	99	97.1	-	-	-	-	-	-	2	2.0	1	1.0	102	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	5	13.2	-	-	-	-	-	-	32	84.2	1	2.6	38	100.0
C91	Lymphoid Leuk.	3	6.8	-	-	-	-	-	-	41	93.2	-	-	44	100.0
C92-C94	Myeloid Leukaemia	1	2.4	-	-	-	-	-	-	41	97.6	-	-	42	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	2	50.0	2	50.0	4	100.0
O&U	Other and Uns	6	4.2	36	25.2	6	4.2	-	-	-	-	95	66.4	143	100.0
	All Sites	1677	64.0	51	1.9	24	0.9	-	-	118	4.5	749	28.6	2619	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	34	79.1	-	-	-	-	-	-	-	-	9	20.9	43	100.0
C03-C06	Mouth	76	80.0	-	-	-	-	-	-	-	-	19	20.0	95	100.0
C07-C08	Salivary Gland	6	54.5	-	-	1	9.1	-	-	-	-	4	36.4	11	100.0
C09	Tonsil	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C10	Oth. Oropharynx	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C11	Nasopharynx	2	40.0	1	20.0	-	-	-	-	-	-	2	40.0	5	100.0
C12-C13	Hypopharynx	35	89.7	-	-	-	-	-	-	-	-	4	10.3	39	100.0
C14	Pharynx Unspecified	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C15	Oesophagus	64	71.9	-	-	-	-	-	-	-	-	25	28.1	89	100.0
C16	Stomach	65	56.0	3	2.6	1	0.9	-	-	-	-	47	40.5	116	100.0
C17	Small Intestine	2	33.3	-	-	-	-	-	-	-	-	4	66.7	6	100.0
C18	Colon	44	65.7	-	-	1	1.5	-	-	-	-	22	32.8	67	100.0
C19-C20	Rectum	42	73.7	-	-	-	-	-	-	-	-	15	26.3	57	100.0
C21	Anus & Anal Canal	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C22	Liver	11	37.9	1	3.4	2	6.9	-	-	-	-	15	51.7	29	100.0
C23-C24	Gallbladder etc.	16	37.2	1	2.3	-	-	-	-	-	-	26	60.5	43	100.0
C25	Pancreas	13	39.4	2	6.1	2	6.1	-	-	-	-	16	48.5	33	100.0
C30-C31	Nose, Sinuses etc.	18	100.0	-	-	-	-	-	-	-	-	-	-	18	100.0
C32	Larynx	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C33-C34	Lung etc.	40	42.1	1	1.1	6	6.3	-	-	-	-	48	50.5	95	100.0
C37-C38	Other Thoracic Organs	5	50.0	-	-	-	-	-	-	-	-	5	50.0	10	100.0
C40-C41	Bone	14	63.6	-	-	1	4.5	-	-	-	-	7	31.8	22	100.0
C43	Melanoma of Skin	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C44	Other Skin	17	85.0	-	-	-	-	-	-	-	-	3	15.0	20	100.0
C45	Mesothelioma	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	19	86.4	-	-	2	9.1	-	-	-	-	1	4.5	22	100.0
C50	Breast	571	76.3	4	0.5	26	3.5	-	-	-	-	147	19.7	748	100.0
C51	Vulva	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C52	Vagina	13	86.7	-	-	-	-	-	-	-	-	2	13.3	15	100.0
C53	Cervix Uteri	330	87.8	-	-	-	-	-	-	-	-	46	12.2	376	100.0
C54	Corpus Uteri	71	78.0	-	-	-	-	-	-	-	-	20	22.0	91	100.0
C55	Uterus Unspecified	11	64.7	-	-	-	-	-	-	-	-	6	35.3	17	100.0
C56	Ovary etc.	131	69.7	4	2.1	6	3.2	-	-	-	-	47	25.0	188	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C64	Kidney etc.	15	78.9	-	-	-	-	-	-	-	-	4	21.1	19	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	7	53.8	-	-	-	-	-	-	-	-	6	46.2	13	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C70-C72	Brain, Nervous System	34	61.8	-	-	-	-	-	-	-	-	21	38.2	55	100.0
C73	Thyroid	57	61.3	2	2.2	8	8.6	-	-	-	-	26	28.0	93	100.0
C74	Adrenal Gland	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	17	100.0	-	-	-	-	-	-	-	-	-	-	17	100.0
C82-C85,C96	NHL	67	97.1	-	-	-	-	-	-	1	1.4	1	1.4	69	100.0
C88	Malignant Immunoproliferative Disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	2	8.7	-	-	-	-	-	-	21	91.3	-	-	23	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	33	100.0	-	-	33	100.0
C92-C94	Myeloid Leukaemia	1	2.7	-	-	-	-	-	-	35	94.6	1	2.7	37	100.0
C95	Leukaemia Uns.	1	14.3	-	-	-	-	-	-	5	71.4	1	14.3	7	100.0
O&U	Other and Uns.	10	8.7	27	23.5	3	2.6	-	-	-	-	75	65.2	115	100.0
	All Sites	1913	68.4	46	1.6	59	2.1	-	-	95	3.4	683	24.4	2796	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	1	2	3	4	6	6	8	3	3	4	3	-	43	5.61
C03-C06	Mouth	-	-	-	-	-	-	-	2	5	4	6	2	5	6	2	4	-	36	4.69
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	6	0.78
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	4	0.52
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	4	2	-	2	2	2	-	14	1.83
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	3	0.39
C12-C13	Hypopharynx	-	-	-	1	1	-	1	-	-	1	1	6	3	5	4	4	-	27	3.52
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	2	-	2	-	-	1	1	4	-	10	1.30
C15	Oesophagus	-	-	-	-	-	-	1	1	5	6	6	10	2	9	7	7	-	54	7.04
C16	Stomach	-	-	-	-	-	1	1	4	4	9	7	8	12	11	22	13	-	92	11.99
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	3	0.39
C18	Colon	-	-	-	-	1	1	-	3	1	1	3	2	2	2	4	6	-	26	3.39
C19-C20	Rectum	-	-	-	-	2	-	-	1	1	-	3	2	4	5	4	1	-	23	3.00
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.13
C22	Liver	-	-	-	-	-	-	1	-	3	2	2	4	3	6	4	7	-	32	4.17
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	1	-	2	2	-	2	1	1	4	-	13	1.69
C25	Pancreas	-	-	-	-	-	-	-	1	-	-	2	2	2	2	1	2	-	12	1.56
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	0.26
C32	Larynx	-	-	-	-	-	-	-	-	-	3	2	6	3	4	1	3	-	22	2.87
C33-C34	Lung etc.	-	-	-	-	1	-	-	1	3	8	12	18	16	18	18	18	-	113	14.73
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	0.26
C40-C41	Bone	-	-	1	1	-	1	-	-	1	1	2	-	-	1	-	-	-	8	1.04
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	5	0.65
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.13
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.13
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	4	0.52
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	0.39
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.26
C61	Prostate	-	-	-	-	-	-	1	-	-	-	-	1	5	6	10	19	-	42	5.48
C62	Testis	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	0.26
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.13
C64	Kidney etc.	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	0.39
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	7	-	13	1.69
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	1	-	-	-	1	3	1	2	2	1	1	-	2	1	1	-	16	2.09
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.26
C74	Adrenal Gland	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.13
C81	Hodgkins Disease	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	3	0.39
C82-C85,C96	NHL	2	-	1	1	2	1	2	-	-	1	1	4	6	1	1	3	-	26	3.39
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	1	-	-	-	3	-	4	1	3	-	12	1.56
C91	Lymphoid Leuk.	2	1	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	9	1.17
C92-C94	Myeloid Leukaemia	1	-	-	-	3	2	-	3	-	2	1	-	-	4	-	1	-	17	2.22
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	4	0.52
O&U	Other and Uns	-	-	-	1	1	-	1	-	4	9	2	5	8	9	7	7	-	54	7.04
	All Sites	5	3	5	6	13	8	16	23	40	64	67	93	82	113	104	125	-	767	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.16
C01-C02	Tongue	-	-	-	-	-	-	-	2	-	3	3	1	2	-	1	-	-	12	1.90
C03-C06	Mouth	-	-	-	-	-	-	-	-	1	3	3	4	3	3	1	4	-	22	3.48
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.32
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.16
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.16
C12-C13	Hypopharynx	-	-	-	-	-	-	1	1	2	-	1	2	1	-	-	-	-	8	1.27
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	4	0.63
C15	Oesophagus	-	-	-	1	-	-	-	-	2	2	2	3	2	6	4	4	-	26	4.11
C16	Stomach	-	-	-	-	1	-	1	1	3	7	5	5	9	6	3	5	-	46	7.28
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.16
C18	Colon	-	-	-	-	-	1	-	-	2	2	1	3	2	2	1	-	-	14	2.22
C19-C20	Rectum	-	-	-	-	-	-	-	2	5	-	2	-	4	1	-	-	-	14	2.22
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.16
C22	Liver	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	4	-	8	1.27
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	1	-	-	4	1	-	2	6	-	14	2.22
C25	Pancreas	-	-	-	-	-	-	-	-	3	1	3	3	-	2	3	4	-	19	3.01
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	0.32
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.16
C33-C34	Lung etc.	-	-	-	-	-	1	1	2	2	2	1	2	6	12	4	9	-	42	6.65
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	0.32
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.16
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.16
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.32
C50	Breast	-	-	-	-	-	2	4	8	18	14	15	20	14	7	9	8	-	119	18.83
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.16
C53	Cervix Uteri	-	-	-	-	-	-	1	1	3	6	8	11	7	6	9	9	-	61	9.65
C54	Corpus Uteri	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	5	0.79
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	2	-	1	-	-	2	2	-	-	7	1.11
C56	Ovary etc.	-	-	-	-	-	-	-	3	2	5	9	6	3	3	3	5	-	39	6.17
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.16
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	5	0.79
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	0.63
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	1	2	1	2	-	-	2	2	4	-	-	3	1	3	-	21	3.32
C73	Thyroid	-	-	-	-	-	1	1	-	2	-	1	2	1	-	1	3	-	12	1.90
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	3	0.47
C82-C85,C96	NHL	1	-	1	-	-	-	-	1	-	1	2	2	1	4	1	-	-	14	2.22
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	6	0.95
C91	Lymphoid Leuk.	3	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	1.27
C92-C94	Myeloid Leukaemia	-	-	-	-	2	1	-	2	2	2	-	1	-	2	1	2	-	15	2.37
C95	Leukaemia Uns	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	3	0.47
O&U	Other and Uns	-	-	-	1	-	2	1	3	1	3	10	6	7	10	7	12	-	63	9.97
	All Sites	4	3	4	4	5	11	10	30	53	62	77	77	68	73	62	89	-	632	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	0.4	0.9	1.4	2.4	3.8	4.7	10.2	4.0	5.3	9.6	5.8	1.8	1.8	0.28	4.1
C03-C06	-	-	-	-	-	-	-	1.0	2.9	2.5	4.7	2.5	6.6	10.6	4.8	7.7	1.5	1.6	0.26	3.2
C07-C08	-	-	-	-	-	-	-	-	-	-	-	3.8	-	3.5	-	1.9	0.2	0.3	0.12	0.5
C09	-	-	-	-	-	-	-	-	-	0.6	-	1.3	-	3.5	-	-	0.2	0.2	0.10	0.3
C10	-	-	-	-	-	-	-	-	0.6	0.6	3.2	2.5	-	3.5	4.8	3.9	0.6	0.6	0.17	1.1
C11	-	-	-	-	-	-	-	-	0.6	-	-	-	1.3	-	2.4	-	0.1	0.1	0.08	0.3
C12-C13	-	-	-	0.4	0.4	-	0.4	-	-	0.6	0.8	7.6	4.0	8.9	9.6	7.7	1.1	1.3	0.24	1.7
C14	-	-	-	-	-	-	-	-	1.2	-	1.6	-	-	1.8	2.4	7.7	0.4	0.4	0.13	0.5
C15	-	-	-	-	-	-	0.4	0.5	2.9	3.8	4.7	12.7	2.7	16.0	16.8	13.5	2.2	2.4	0.33	4.1
C16	-	-	-	-	-	0.4	0.4	1.9	2.4	5.7	5.5	10.2	15.9	19.5	52.9	25.1	3.8	4.1	0.44	6.2
C17	-	-	-	-	-	-	-	-	-	0.6	-	1.3	-	1.8	-	-	0.1	0.1	0.08	0.3
C18	-	-	-	-	0.4	0.4	-	1.4	0.6	0.6	2.4	2.5	2.7	3.5	9.6	11.6	1.1	1.1	0.22	1.6
C19-C20	-	-	-	-	0.8	-	-	0.5	0.6	-	2.4	2.5	5.3	8.9	9.6	1.9	0.9	1.1	0.22	1.6
C21	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	-	0.04	0.1
C22	-	-	-	-	-	-	0.4	-	1.8	1.3	1.6	5.1	4.0	10.6	9.6	13.5	1.3	1.4	0.26	2.0
C23-C24	-	-	-	-	-	-	-	0.5	-	1.3	1.6	-	2.7	1.8	2.4	7.7	0.5	0.5	0.15	0.9
C25	-	-	-	-	-	-	-	0.5	-	-	1.6	2.5	2.7	3.5	2.4	3.9	0.5	0.5	0.16	1.0
C30-C31	-	-	-	-	-	-	0.4	-	-	-	-	-	-	1.8	-	-	0.1	0.1	0.06	-
C32	-	-	-	-	-	-	-	-	-	1.9	1.6	7.6	4.0	7.1	2.4	5.8	0.9	1.0	0.22	2.1
C33-C34	-	-	-	-	0.4	-	-	0.5	1.8	5.0	9.5	22.9	21.2	31.9	43.3	34.8	4.6	5.2	0.50	8.6
C37-C38	-	-	-	-	-	-	0.4	-	-	-	-	-	1.3	-	-	-	0.1	0.1	0.06	0.2
C40-C41	-	-	0.5	0.4	-	0.4	-	-	0.6	0.6	1.6	-	-	1.8	-	-	0.3	0.3	0.11	0.5
C43	-	-	-	-	-	-	-	-	-	1.3	0.8	-	-	1.8	2.4	-	0.2	0.2	0.10	0.4
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	0.1	0.05	-
C45	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	0.1	0.05	0.2
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.9	-	-	-	-	0.6	-	-	-	-	1.8	-	-	0.2	0.2	0.08	0.1
C50	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	3.9	0.1	0.1	0.08	0.2
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	1.9	0.1	0.1	0.06	-
C61	-	-	-	-	-	-	0.4	-	-	-	-	1.3	6.6	10.6	24.1	36.8	1.7	1.9	0.29	1.0
C62	-	-	-	-	0.4	-	-	-	-	0.6	-	-	-	-	-	-	0.1	0.1	0.05	0.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.1	0.05	0.2
C64	-	0.6	-	-	-	-	-	-	-	-	-	1.3	-	1.8	-	-	0.1	0.2	0.10	0.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	1.3	1.3	-	9.6	13.5	0.5	0.6	0.16	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.6	-	-	-	0.4	1.3	0.5	1.2	1.3	0.8	1.3	-	3.5	2.4	1.9	0.7	0.6	0.16	0.9
C73	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	1.9	0.1	0.1	0.07	0.2
C74	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.03	0.1
C81	-	-	-	-	0.4	-	0.4	-	-	-	0.8	-	-	-	-	-	0.1	0.1	0.06	0.1
C82-C85,C96	1.4	-	0.5	0.4	0.8	0.4	0.9	-	-	0.6	0.8	5.1	8.0	1.8	2.4	5.8	1.1	1.2	0.25	1.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	0.5	-	-	-	3.8	-	7.1	2.4	5.8	0.5	0.6	0.16	0.6
C91	1.4	0.6	1.5	-	-	-	-	-	0.6	-	-	1.3	-	-	2.4	-	0.4	0.5	0.17	0.3
C92-C94	0.7	-	-	-	1.2	0.8	-	1.4	-	1.3	0.8	-	-	7.1	-	1.9	0.7	0.7	0.18	0.6
C95	-	-	-	-	-	-	-	-	0.6	-	-	-	-	1.8	2.4	1.9	0.2	0.2	0.09	0.1
O&U	-	-	-	0.4	0.4	-	0.4	-	2.4	5.7	1.6	6.4	10.6	16.0	16.8	13.5	2.2	2.4	0.33	4.0
All	3.4	1.9	2.4	2.6	5.3	3.2	7.1	11.0	23.6	40.2	52.8	118.2	108.8	200.6	250.2	241.8	31.5	34.2	1.26	52.3

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C01-C02	-	-	-	-	-	-	-	0.9	-	2.1	2.7	1.2	2.6	-	2.4	-	0.5	0.5	0.15	1.5
C03-C06	-	-	-	-	-	-	-	-	0.7	2.1	2.7	5.0	3.8	5.0	2.4	7.6	0.9	1.0	0.22	2.1
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	0.9	-	-	1.7	-	-	0.1	0.1	0.07	0.1
C10	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.05	0.1
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.9	-	-	0.04	-
C12-C13	-	-	-	-	-	-	0.5	0.5	1.3	-	0.9	2.5	1.3	-	-	-	0.3	0.3	0.12	1.0
C14	-	-	-	-	-	-	-	0.5	-	0.7	-	-	-	1.7	-	1.9	0.2	0.2	0.08	0.2
C15	-	-	-	0.5	-	-	-	-	1.3	1.4	1.8	3.7	2.6	10.0	9.5	7.6	1.1	1.2	0.23	1.6
C16	-	-	-	-	0.4	-	0.5	0.5	2.0	5.0	4.5	6.2	11.5	10.0	7.1	9.5	1.9	2.1	0.31	4.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.05	-
C18	-	-	-	-	-	0.4	-	-	1.3	1.4	0.9	3.7	2.6	3.3	2.4	-	0.6	0.6	0.17	1.5
C19-C20	-	-	-	-	-	-	-	0.9	3.3	-	1.8	-	5.1	1.7	-	-	0.6	0.6	0.16	1.8
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.05	-
C22	-	-	-	-	-	-	-	0.5	-	0.7	-	-	-	-	4.7	7.6	0.3	0.3	0.11	0.2
C23-C24	-	-	-	-	-	-	-	-	0.7	-	-	5.0	1.3	-	4.7	11.3	0.6	0.6	0.16	0.9
C25	-	-	-	-	-	-	-	-	2.0	0.7	2.7	3.7	-	3.3	7.1	7.6	0.8	0.8	0.19	1.4
C30-C31	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	1.9	0.1	0.1	0.05	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	0.05	-
C33-C34	-	-	-	-	-	0.4	0.5	0.9	1.3	1.4	0.9	2.5	7.7	20.0	9.5	17.0	1.8	1.9	0.29	2.2
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	0.4	-	-	-	0.7	-	-	-	-	-	-	0.1	0.1	0.05	0.1
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.9	-	-	0.04	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.1	0.05	0.2
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	1.9	0.1	0.1	0.06	0.2
C50	-	-	-	-	-	0.8	1.9	3.8	11.7	10.0	13.6	24.9	18.0	11.6	21.3	15.1	5.0	5.2	0.48	12.7
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.05	0.1
C53	-	-	-	-	-	-	0.5	0.5	2.0	4.3	7.2	13.7	9.0	10.0	21.3	17.0	2.6	2.8	0.36	5.4
C54	-	-	-	-	-	-	-	0.5	-	0.7	-	1.2	1.3	-	-	1.9	0.2	0.2	0.10	0.6
C55	-	-	-	-	-	-	-	-	1.3	-	0.9	-	-	3.3	4.7	-	0.3	0.3	0.12	0.4
C56	-	-	-	-	-	-	-	1.4	1.3	3.6	8.1	7.5	3.8	5.0	7.1	9.5	1.6	1.7	0.28	4.0
C57	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	0.7	0.9	-	1.3	-	2.4	1.9	0.2	0.2	0.10	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	5.7	0.2	0.2	0.08	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.5	0.9	0.4	0.8	-	-	1.3	1.4	3.6	-	-	5.0	2.4	5.7	0.9	0.9	0.19	1.1
C73	-	-	-	-	-	0.4	0.5	-	1.3	-	0.9	2.5	1.3	-	2.4	5.7	0.5	0.5	0.14	0.9
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	0.5	-	0.7	-	-	1.3	-	-	-	0.1	0.1	0.07	0.4
C82-C85,C96	0.7	-	0.5	-	-	-	-	0.5	-	0.7	1.8	2.5	1.3	6.7	2.4	-	0.6	0.7	0.19	1.0
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	0.7	-	1.2	-	1.7	4.7	1.9	0.3	0.3	0.11	0.3
C91	2.1	2.0	0.5	-	-	-	-	-	-	-	-	-	-	-	2.4	-	0.3	0.5	0.19	-
C92-C94	-	-	-	-	0.8	0.4	-	0.9	1.3	1.4	-	1.2	-	3.3	2.4	3.8	0.6	0.6	0.15	0.9
C95	-	-	0.5	-	-	-	-	-	-	-	1.8	-	-	-	-	-	0.1	0.1	0.08	0.3
O&U	-	-	-	0.5	-	0.8	0.5	1.4	0.7	2.1	9.0	7.5	9.0	16.6	16.5	22.7	2.6	2.8	0.35	4.4
All	2.7	2.0	2.1	1.8	2.0	4.1	4.7	14.2	34.5	44.3	69.6	95.9	87.3	121.4	146.5	168.3	26.6	28.0	1.13	52.8

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHN-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.6	0.6	0.8	0.8
C03-C06	Mouth	0.4	0.4	0.8	0.8
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	0.1	0.1	0.2	0.2
C10	Oth. Oropharynx	0.1	0.1	0.2	0.2
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.4	0.4
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.4	0.4	0.8	0.8
C16	Stomach	0.8	0.8	1.6	1.6
C17	Small Intestine	-	-	0.1	0.1
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.4	0.4	0.6	0.6
C21	Anus & Anal Canal	-	-	0.1	0.1
C22	Liver	0.3	0.3	0.5	0.5
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.3	0.3
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	0.3	0.3	0.6	0.6
C33-C34	Lung etc.	0.8	0.8	1.6	1.6
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.2	0.2
C61	Prostate	0.2	0.2	0.8	0.8
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.4	0.4
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.3	0.3	0.5	0.5
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.2	0.2
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U	Other and Uns	0.4	0.4	0.8	0.8
	All Sites	7.34	7.08	14.21	13.24

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE CHN-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years) 2009 - Females

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.2	0.2
C03-C06	Mouth	0.3	0.3	0.5	0.5
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.5	0.5
C16	Stomach	0.4	0.4	0.6	0.6
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.3	0.3	0.5	0.5
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	2.6	2.6	3.6	3.7
C51	Vulva	-	-	-	-
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	1.3	1.3	1.9	1.9
C54	Corpus Uteri	0.3	0.3	0.6	0.6
C55	Uterus Unspecified	-	-	0.1	0.1
C56	Ovary etc.	0.6	0.6	0.9	0.9
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	0.1	0.1
C68	Uns. Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.3	0.3	0.4	0.4
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.2	0.2	0.4	0.4
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.6	0.6
	All Sites	9.20	8.79	14.03	13.09

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)