

POPULATION BASED CANCER REGISTRY, KAMRUP URBAN DISTRICT

Dr. B. Borooh Cancer Institute, Guwahati

Dr A.C. Katak

Director, Dr. B. Borooh Cancer Institute

Dr J.D. Sharma

Principal Investigator, Professor, HOD Pathology

Population Based Cancer Registry (PBCR) Guwahati was established in 2003 in the department of Pathology of Dr B. Borooh Cancer Institute (BBCI), Guwahati which is a Regional Cancer Centre. Since its inception the registry has been collecting information on cancer of a sample of resident population of Kamrup Urban District (KUD) of Assam continuously with financial and technical support of Indian Council of Medical Research (ICMR-NCRP). Aim of the registry is to measure the burden of cancer and generate site specific research methodology for control of cancer in KUD.

PBCR Guwahati, covers whole of Kamrup Urban with a population of 1273910 of which 672316 are males and 601594 are females for the year 2011 (applying difference distribution method using 2001 as base year). Kamrup district covers an area of 4107 sq. km. out of which Kamrup Urban District (KUD) has an area of 267.08 sq. km. The population density is 581 per sq. km. It is situated in 26.11 north latitude and 96.46 east longitude approximately 200 metres (656 feet) above sea level.

Since cancer is not a notifiable disease the process of data collection is an active one with participation from different sources of registration. Dr. B Borooh Cancer Institute is the main source of registration where direct interview is possible for all registered cases. The diagnostic and treatment details are available from case files and clinician notes. In addition to BBCI, there are 40 hospitals, 31 diagnostic centres, one pain and palliative care centre and a state referral board. The extraction of records is done through personal interview and record linkage. Our registry staff is engaged in collecting all cause mortality data within the registry area from 2008 onwards by paying periodic visits to the 18 birth and death registration centres. Matching of all cause mortality data with incidence data has resulted in better mortality registration thus improving the M/I ratio and reduction in the number of DCOs. Data entry of the data collected in prescribed core proforma (NCRP-ICMR) is done using PBCRDM 2.1 software which is an all in one comprehensive package to suit all the activities of a registry. Subsequently, quality checks, duplicate checks and matching is carried out using PBCRDM 2.1. Data thus accrued are sent to NCRP headquarter for a series of further checks before preparation of final tabulation.

PBCR Guwahati has been performing data entry in real-time since 2011. The result is that the proportion of primary site unknown has reduced, the availability of demographic, clinical and treatment details has increased and so has the number of cases microscopically diagnosed. The time taken for submission of data has reduced significantly from one year to few months.

Name of Registry Staff		
Dr Debanjana Barman, MD	:	Medical Research Officer
Mrs Arpita Sharma, MCA	:	Computer Programmer
Ms Nazmina Hussain, MSc(Statistics)	:	Statistician
Ms Gitanjali Devi	:	Statistician
Mr Jamil Ahmed Barbhuiya, MSW	:	Social Investigator
Mr Ranjan Lahon, MA (Sociology)	:	Social Investigator
Ms Barsha Roy, MA (Sociology)	:	Social Investigator
Mr Kamal Kumar Deka, MSc(IT)	:	Computer Operator

**TABLE KUD-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2011
Kamrup Urban District**

Name of the Institution	Number	%
Dr. B. Borooah Cancer Institute, Gopinath Nagar, Guwahati-16	2262	51.2
Ekopath, G S Road, Guwahati	225	5.1
Guwahati Medical College Hospital, Bhangagarh, Guwahati	190	4.3
BDRC, Ulubari	169	3.8
International Hospital, G S Road, Guwahati	136	3.1
Pain and Palliative Clinic	131	3.0
Saharias Path Lab, Guwahati	118	2.7
Arjya Hospital	100	2.3
Nemcare Hospital, G S Road, Guwahati-5	83	1.9
Central Hospital, NF Railway Maligaon	70	1.6
Dispur Hospital, Dispur, Guwahati-6	64	1.4
Ayur Sundra Diagnostic Centre	54	1.2
Guwahati Neurological Research Centre, Dispur, Guwahati-6	44	1.0
Downtown Hospital, G S Road, Guwahati-6	42	1.0
Others	728	16.5
Total	4416	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2011.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure KUD -1
Population Pyramid showing Age Distribution: 2009-2011
KAMRUP URBAN DISTRICT




TABLE KUD-2
Population by Five Year Age Group and Gender: 2009-2011
Number and Relative Proportion (%)
KAMRUP URBAN DISTRICT

Age Group	Males		Females	
	Number	%	Number	%
00-04	117431	6.00	111114	6.38
05-09	167343	8.55	159103	9.13
10-14	194743	9.95	185825	10.67
15-19	170077	8.69	159782	9.17
20-24	187422	9.57	171425	9.84
25-29	198831	10.15	199454	11.45
30-34	190830	9.75	173568	9.97
35-39	198474	10.14	172615	9.91
40-44	144051	7.36	109234	6.27
45-49	118308	6.04	95586	5.49
50-54	91247	4.66	64346	3.69
55-59	63080	3.22	42614	2.45
60-64	46151	2.36	35571	2.04
65-69	30975	1.58	28255	1.62
70-74	20403	1.04	16114	0.93
75+	18711	0.96	17110	0.98
Total	1958077	100.00	1741716	100.00

TABLE KUD-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2011 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	0.12
C01-C02	Tongue	-	-	-	-	-	2	3	4	14	12	27	18	23	17	10	6	-	136	5.42
C03-C06	Mouth	-	-	-	1	-	-	3	-	13	12	11	17	20	12	9	9	-	107	4.27
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	3	-	9	0.36
C09	Tonsil	-	-	-	-	-	-	-	4	11	12	10	21	8	8	11	9	-	94	3.75
C10	Oth. Oropharynx	-	-	-	-	-	-	1	-	3	8	8	8	7	9	5	4	-	53	2.11
C11	Nasopharynx	-	2	-	1	-	1	-	2	1	-	3	-	1	2	1	-	-	14	0.56
C12-C13	Hypopharynx	-	-	-	-	-	-	2	10	20	18	32	34	32	19	22	18	-	207	8.25
C14	Pharynx Unspecified	-	-	-	-	-	-	1	-	1	3	3	3	3	5	1	11	-	31	1.24
C15	Oesophagus	-	-	-	-	-	-	3	14	29	45	46	45	46	61	24	50	-	363	14.47
C16	Stomach	-	-	-	-	-	2	4	3	16	14	12	22	20	21	25	31	-	170	6.78
C17	Small Intestine	-	-	-	-	-	-	1	-	1	-	2	-	2	-	-	-	-	6	0.24
C18	Colon	-	-	-	-	1	2	3	3	6	2	4	3	5	8	7	6	-	50	1.99
C19-C20	Rectum	-	-	-	-	2	2	3	6	4	9	10	7	6	4	7	5	-	65	2.59
C21	Anus & Anal Canal	-	-	-	-	-	-	-	2	1	3	1	2	2	-	1	-	-	12	0.48
C22	Liver	-	-	-	-	-	3	-	2	8	6	4	6	10	8	5	12	-	64	2.55
C23-C24	Gallbladder etc.	-	-	-	-	1	1	-	5	7	13	9	9	16	17	13	8	-	99	3.95
C25	Pancreas	-	-	-	-	-	-	1	1	5	4	8	5	6	2	1	6	-	39	1.56
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	1	-	-	-	2	1	-	1	-	-	-	-	6	0.24
C32	Larynx	-	-	-	-	-	-	-	3	6	8	14	12	17	14	15	15	-	104	4.15
C33-C34	Lung etc.	-	-	-	-	-	1	-	2	7	13	19	23	28	33	28	29	-	183	7.30
C37-C38	Other Thoracic Organs	-	-	-	-	-	2	-	-	-	3	1	2	3	-	-	2	-	13	0.52
C40-C41	Bone	1	-	-	1	3	4	2	3	-	1	1	-	1	2	-	2	-	21	0.84
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.04
C44	Other Skin	2	-	1	1	1	1	1	4	-	6	7	6	12	9	5	7	-	63	2.51
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	4	0.16
C50	Breast	-	-	-	-	-	-	-	-	2	2	2	1	1	1	1	-	-	10	0.40
C60	Penis	-	-	-	-	-	-	1	3	1	3	4	1	1	-	3	2	-	19	0.76
C61	Prostate	-	-	-	-	-	-	2	-	-	-	5	6	10	11	30	52	-	116	4.63
C62	Testis	1	1	-	1	2	1	1	4	1	-	1	-	-	-	-	1	-	14	0.56
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.04
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	4	-	3	7	-	1	-	15	0.60
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	3	1	4	1	5	4	2	9	11	5	-	45	1.79
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	0.12
C70-C72	Brain, NS	-	2	-	-	2	2	5	6	4	9	6	3	5	4	2	5	-	55	2.19
C73	Thyroid	-	-	-	-	2	-	2	-	-	4	2	3	1	1	1	1	-	17	0.68
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	1	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	6	0.24
C82-C85,C96	NHL	-	1	-	1	4	2	1	2	1	2	4	6	9	3	3	3	-	42	1.67
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	4	4	3	5	7	-	-	-	24	0.96
C91	Lymphoid Leuk.	4	2	1	3	1	2	-	1	-	-	-	1	-	3	-	-	-	18	0.72
C92-C94	Myeloid Leukaemia	3	2	2	1	2	2	4	3	3	2	3	-	1	2	-	-	-	30	1.20
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.04
O&U*	Other and Uns	-	1	4	-	5	4	3	4	7	15	18	38	20	28	12	15	1	175	6.98
	All Sites	14	12	8	10	27	36	50	93	181	237	292	312	329	330	254	322	1	2508	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2011 - Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	5	0.26
C01-C02	Tongue	-	-	-	-	-	-	2	1	6	6	3	8	1	3	3	5	-	38	1.99
C03-C06	Mouth	-	-	-	-	1	1	5	1	4	7	6	13	10	14	11	8	-	81	4.25
C07-C08	Salivary Gland	-	-	-	-	-	-	1	-	1	2	1	-	1	2	-	-	-	8	0.42
C09	Tonsil	-	1	-	-	-	-	1	-	2	2	2	3	5	5	3	1	-	25	1.31
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	4	1	2	3	2	-	1	-	13	0.68
C11	Nasopharynx	-	-	-	1	1	-	-	-	-	2	1	-	1	-	-	1	-	7	0.37
C12-C13	Hypopharynx	-	-	-	-	-	1	2	2	1	4	5	9	3	3	5	5	-	40	2.10
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	-	8	0.42
C15	Oesophagus	-	-	-	-	1	-	1	7	15	23	26	33	28	26	23	16	-	199	10.43
C16	Stomach	-	-	-	-	-	1	4	5	8	9	9	8	13	9	8	11	-	85	4.45
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	1	1	-	2	-	5	4	3	5	3	7	4	-	35	1.83
C19-C20	Rectum	-	-	-	-	1	2	-	2	2	5	5	3	6	3	5	7	-	41	2.15
C21	Anus & Anal Canal	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	4	0.21
C22	Liver	-	-	-	-	-	-	2	1	2	5	4	-	2	5	2	3	-	26	1.36
C23-C24	Gallbladder etc.	-	-	-	-	-	-	3	15	19	20	19	13	19	18	18	18	-	162	8.49
C25	Pancreas	-	-	-	-	-	-	1	-	1	1	-	-	1	1	4	2	-	11	0.58
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.05
C32	Larynx	-	-	-	-	-	-	-	2	1	2	2	-	1	1	-	3	-	12	0.63
C33-C34	Lung etc.	-	-	-	-	-	1	1	4	4	9	11	13	8	12	9	11	-	83	4.35
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	0.10
C40-C41	Bone	-	-	1	2	-	-	-	-	-	-	1	2	-	1	3	1	-	11	0.58
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	2	1	3	2	2	2	2	6	2	2	4	-	28	1.47
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	3	0.16
C50	Breast	-	-	-	-	4	10	22	41	49	59	39	37	23	22	8	10	-	324	16.98
C51	Vulva	-	-	-	-	-	-	-	2	-	-	3	-	1	1	-	1	-	8	0.42
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	4	0.21
C53	Cervix Uteri	-	-	-	-	-	1	7	17	21	34	19	22	21	14	8	12	-	176	9.22
C54	Corpus Uteri	-	-	-	-	1	1	2	4	5	8	4	8	6	5	4	1	-	49	2.57
C55	Uterus Unspecified	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	-	-	5	0.26
C56	Ovary etc.	-	-	-	2	2	8	12	19	24	26	17	10	10	11	6	7	-	154	8.07
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	2	-	-	-	-	1	1	-	2	3	-	1	5	2	-	-	17	0.89
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	1	1	4	2	1	-	2	-	12	0.63
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.10
C70-C72	Brain, NS	2	2	1	3	1	1	1	3	3	3	3	2	1	2	-	2	-	30	1.57
C73	Thyroid	-	-	-	2	-	5	4	2	1	2	1	5	4	-	1	2	-	29	1.52
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	2	1	-	1	2	-	-	-	-	2	-	-	-	-	8	0.42
C82-C85,C96	NHL	2	1	-	-	-	1	2	2	1	3	8	1	3	3	4	1	-	32	1.68
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	4	-	12	0.63
C91	Lymphoid Leuk.	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	6	0.31
C92-C94	Myeloid Leukaemia	-	1	2	1	1	-	1	7	1	3	1	1	1	-	2	-	-	22	1.15
C95	Leukaemia Uns	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.05
O&U*	Other and Uns	-	-	1	1	2	1	5	7	10	18	4	7	9	10	8	6	-	89	4.66
	All Sites	9	8	5	15	18	38	85	155	184	270	207	218	205	191	149	151	-	1908	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	2.2	3.2	-	5.3	0.2	0.29	0.17	0.3
C01-C02	-	-	-	-	-	1.0	1.6	2.0	9.7	10.1	29.6	28.5	49.8	54.9	49.0	32.1	6.9	9.37	0.85	19.1
C03-C06	-	-	-	0.6	-	-	1.6	-	9.0	10.1	12.1	26.9	43.3	38.7	44.1	48.1	5.5	7.72	0.78	14.7
C07-C08	-	-	-	-	-	-	-	-	0.7	0.8	1.1	3.2	-	-	4.9	16.0	0.5	0.69	0.24	0.9
C09	-	-	-	-	-	-	-	2.0	7.6	10.1	11.0	33.3	17.3	25.8	53.9	48.1	4.8	6.58	0.72	12.1
C10	-	-	-	-	-	-	0.5	-	2.1	6.8	8.8	12.7	15.2	29.1	24.5	21.4	2.7	3.90	0.56	6.7
C11	-	1.2	-	0.6	-	0.5	-	1.0	0.7	-	3.3	-	2.2	6.5	4.9	-	0.7	0.86	0.24	1.1
C12-C13	-	-	-	-	-	-	1.0	5.0	13.9	15.2	35.1	53.9	69.3	61.3	107.8	96.2	10.6	14.71	1.08	28.2
C14	-	-	-	-	-	-	0.5	-	0.7	2.5	3.3	4.8	6.5	16.1	4.9	58.8	1.6	2.60	0.49	2.6
C15	-	-	-	-	-	-	1.6	7.1	20.1	38.0	50.4	71.3	99.7	196.9	117.6	267.2	18.5	26.97	1.49	42.8
C16	-	-	-	-	-	1.0	2.1	1.5	11.1	11.8	13.2	34.9	43.3	67.8	122.5	165.7	8.7	13.26	1.07	16.9
C17	-	-	-	-	-	-	0.5	-	0.7	-	2.2	-	4.3	-	-	-	0.3	0.36	0.15	1.0
C18	-	-	-	-	0.5	1.0	1.6	1.5	4.2	1.7	4.4	4.8	10.8	25.8	34.3	32.1	2.6	3.60	0.55	4.1
C19-C20	-	-	-	-	1.1	1.0	1.6	3.0	2.8	7.6	11.0	11.1	13.0	12.9	34.3	26.7	3.3	4.18	0.56	7.5
C21	-	-	-	-	-	-	-	1.0	0.7	2.5	1.1	3.2	4.3	-	4.9	-	0.6	0.71	0.22	2.0
C22	-	-	-	-	-	1.5	-	1.0	5.6	5.1	4.4	9.5	21.7	25.8	24.5	64.1	3.3	4.83	0.64	7.0
C23-C24	-	-	-	-	0.5	0.5	-	2.5	4.9	11.0	9.9	14.3	34.7	54.9	63.7	42.8	5.1	7.41	0.78	11.5
C25	-	-	-	-	-	-	0.5	0.5	3.5	3.4	8.8	7.9	13.0	6.5	4.9	32.1	2.0	2.68	0.45	5.5
C30-C31	-	-	-	-	0.5	0.5	-	-	-	1.7	1.1	-	2.2	-	-	-	0.3	0.33	0.14	0.8
C32	-	-	-	-	-	-	-	1.5	4.2	6.8	15.3	19.0	36.8	45.2	73.5	80.2	5.3	8.18	0.84	12.1
C33-C34	-	-	-	-	-	0.5	-	1.0	4.9	11.0	20.8	36.5	60.7	106.5	137.2	155.0	9.3	15.02	1.15	19.2
C37-C38	-	-	-	-	-	1.0	-	-	-	2.5	1.1	3.2	6.5	-	-	10.7	0.7	0.89	0.26	1.9
C40-C41	0.9	-	-	0.6	1.6	2.0	1.0	1.5	-	0.8	1.1	-	2.2	6.5	-	10.7	1.1	1.20	0.29	0.9
C43	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	0.1	0.09	0.09	0.3
C44	1.7	-	0.5	0.6	0.5	0.5	0.5	2.0	-	5.1	7.7	9.5	26.0	29.1	24.5	37.4	3.2	4.76	0.63	7.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.9	-	-	-	-	0.5	-	-	-	-	-	1.6	-	-	-	5.3	0.2	0.31	0.17	0.2
C50	-	-	-	-	-	-	-	-	1.4	1.7	2.2	1.6	2.2	3.2	4.9	-	0.5	0.64	0.21	1.4
C60	-	-	-	-	-	-	0.5	1.5	0.7	2.5	4.4	1.6	2.2	-	14.7	10.7	1.0	1.19	0.30	2.1
C61	-	-	-	-	-	-	1.0	-	-	-	5.5	9.5	21.7	35.5	147.0	277.9	5.9	11.15	1.05	4.9
C62	0.9	0.6	-	0.6	1.1	0.5	0.5	2.0	0.7	-	1.1	-	-	-	-	5.3	0.7	0.70	0.21	0.7
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.3	0.1	0.11	0.11	-
C64	-	-	-	-	-	-	-	-	-	-	4.4	-	6.5	22.6	-	5.3	0.8	1.26	0.33	1.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	1.6	0.5	2.8	0.8	5.5	6.3	4.3	29.1	53.9	26.7	2.3	3.53	0.55	3.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.3	0.2	0.31	0.18	-
C70-C72	-	1.2	-	-	1.1	1.0	2.6	3.0	2.8	7.6	6.6	4.8	10.8	12.9	9.8	26.7	2.8	3.32	0.49	5.7
C73	-	-	-	-	1.1	-	1.0	-	-	3.4	2.2	4.8	2.2	3.2	4.9	5.3	0.9	1.04	0.27	1.9
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	0.6	-	-	-	-	-	0.5	2.1	-	-	-	-	3.2	-	-	0.3	0.31	0.14	0.5
C82-C85,C96	-	0.6	-	0.6	2.1	1.0	0.5	1.0	0.7	1.7	4.4	9.5	19.5	9.7	14.7	16.0	2.1	2.88	0.47	5.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.7	3.4	4.4	4.8	10.8	22.6	-	-	1.2	1.77	0.37	3.5
C91	3.4	1.2	0.5	1.8	0.5	1.0	-	0.5	-	-	-	1.6	-	9.7	-	-	0.9	1.24	0.31	0.3
C92-C94	2.6	1.2	1.0	0.6	1.1	1.0	2.1	1.5	2.1	1.7	3.3	-	2.2	6.5	-	-	1.5	1.62	0.32	1.8
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	3.2	-	-	0.1	0.10	0.10	-
O&U*	-	0.6	2.1	-	2.7	2.0	1.6	2.0	4.9	12.7	19.7	60.2	43.3	90.4	58.8	80.2	8.9	12.51	1.00	20.3
All	11.9	7.2	4.1	5.9	14.4	18.1	26.2	46.9	125.6	200.3	320.0	494.6	712.9	1065.4	1244.9	1720.9	128.1	185.2	3.88	279.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	1.6	4.7	-	3.5	-	5.8	0.3	0.49	0.22	0.9
C01-C02	-	-	-	-	-	-	1.2	0.6	5.5	6.3	4.7	18.8	2.8	10.6	18.6	29.2	2.2	3.18	0.54	5.9
C03-C06	-	-	-	-	0.6	0.5	2.9	0.6	3.7	7.3	9.3	30.5	28.1	49.5	68.3	46.8	4.7	7.55	0.87	11.3
C07-C08	-	-	-	-	-	-	0.6	-	0.9	2.1	1.6	-	2.8	7.1	-	-	0.5	0.62	0.23	1.2
C09	-	0.6	-	-	-	-	0.6	-	1.8	2.1	3.1	7.0	14.1	17.7	18.6	5.8	1.4	2.35	0.49	4.0
C10	-	-	-	-	-	-	-	-	-	4.2	1.6	4.7	8.4	7.1	-	5.8	0.7	1.18	0.34	2.8
C11	-	-	-	0.6	0.6	-	-	-	-	2.1	1.6	-	2.8	-	-	5.8	0.4	0.54	0.21	1.0
C12-C13	-	-	-	-	-	0.5	1.2	1.2	0.9	4.2	7.8	21.1	8.4	10.6	31.0	29.2	2.3	3.58	0.59	6.3
C14	-	-	-	-	-	-	-	0.6	-	1.0	1.6	2.3	2.8	3.5	6.2	5.8	0.5	0.73	0.27	1.2
C15	-	-	-	-	0.6	-	0.6	4.1	13.7	24.1	40.4	77.4	78.7	92.0	142.7	93.5	11.4	18.34	1.35	34.8
C16	-	-	-	-	-	0.5	2.3	2.9	7.3	9.4	14.0	18.8	36.5	31.9	49.6	64.3	4.9	7.50	0.86	13.2
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	0.6	0.5	-	1.2	-	5.2	6.2	7.0	14.1	10.6	43.4	23.4	2.0	3.28	0.58	5.0
C19-C20	-	-	-	-	0.6	1.0	-	1.2	1.8	5.2	7.8	7.0	16.9	10.6	31.0	40.9	2.4	3.72	0.61	5.9
C21	-	-	-	0.6	-	-	0.6	-	-	-	-	-	-	7.1	-	-	0.2	0.30	0.16	-
C22	-	-	-	-	-	-	1.2	0.6	1.8	5.2	6.2	-	5.6	17.7	12.4	17.5	1.5	2.19	0.45	3.2
C23-C24	-	-	-	-	-	-	1.7	8.7	17.4	20.9	29.5	30.5	53.4	63.7	111.7	105.2	9.3	14.01	1.16	24.7
C25	-	-	-	-	-	-	0.6	-	0.9	1.0	-	-	2.8	3.5	24.8	11.7	0.6	1.10	0.35	0.7
C30-C31	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	-	0.1	0.03	0.03	0.1
C32	-	-	-	-	-	-	-	1.2	0.9	2.1	3.1	-	2.8	3.5	-	17.5	0.7	0.97	0.30	1.7
C33-C34	-	-	-	-	-	0.5	0.6	2.3	3.7	9.4	17.1	30.5	22.5	42.5	55.9	64.3	4.8	7.65	0.87	12.6
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	5.6	-	-	-	0.1	0.22	0.16	0.7
C40-C41	-	-	0.5	1.3	-	-	-	-	-	-	1.6	4.7	-	3.5	18.6	5.8	0.6	1.02	0.32	0.9
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	1.0	0.6	1.7	1.8	2.1	3.1	4.7	16.9	7.1	12.4	23.4	1.6	2.40	0.49	4.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.6	-	-	0.6	-	-	-	-	-	-	-	2.8	-	-	-	0.2	0.22	0.14	0.4
C50	-	-	-	-	2.3	5.0	12.7	23.8	44.9	61.7	60.6	86.8	64.7	77.9	49.6	58.4	18.6	22.76	1.36	54.5
C51	-	-	-	-	-	-	-	1.2	-	-	4.7	-	2.8	3.5	-	5.8	0.5	0.64	0.24	1.3
C52	-	-	-	-	-	-	-	-	-	1.0	-	7.0	-	-	-	-	0.2	0.34	0.17	1.1
C53	-	-	-	-	-	0.5	4.0	9.8	19.2	35.6	29.5	51.6	59.0	49.5	49.6	70.1	10.1	13.95	1.12	31.6
C54	-	-	-	-	0.6	0.5	1.2	2.3	4.6	8.4	6.2	18.8	16.9	17.7	24.8	5.8	2.8	3.95	0.60	8.6
C55	-	-	-	-	-	-	0.6	0.6	-	1.0	-	-	-	-	12.4	-	0.3	0.38	0.19	0.3
C56	-	-	-	1.3	1.2	4.0	6.9	11.0	22.0	27.2	26.4	23.5	28.1	38.9	37.2	40.9	8.8	10.67	0.93	22.6
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	1.3	-	-	-	-	0.6	0.6	-	2.1	4.7	-	2.8	17.7	12.4	-	1.0	1.45	0.37	1.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	0.9	1.0	1.6	9.4	5.6	3.5	-	11.7	0.7	1.14	0.33	2.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.22	0.15	-
C70-C72	1.8	1.3	0.5	1.9	0.6	0.5	0.6	1.7	2.7	3.1	4.7	4.7	2.8	7.1	-	11.7	1.7	2.12	0.41	3.2
C73	-	-	-	1.3	-	2.5	2.3	1.2	0.9	2.1	1.6	11.7	11.2	-	6.2	11.7	1.7	2.06	0.42	4.0
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	1.3	0.6	-	0.6	1.2	-	-	-	-	5.6	-	-	-	0.5	0.49	0.19	0.9
C82-C85,C96	1.8	0.6	-	-	-	0.5	1.2	1.2	0.9	3.1	12.4	2.3	8.4	10.6	24.8	5.8	1.8	2.69	0.50	4.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	4.7	11.2	7.1	-	23.4	0.7	1.32	0.38	2.1
C91	2.7	-	-	-	-	-	0.6	-	-	-	-	2.3	-	3.5	-	-	0.3	0.56	0.24	0.3
C92-C94	-	0.6	1.1	0.6	0.6	-	0.6	4.1	0.9	3.1	1.6	2.3	2.8	-	12.4	-	1.3	1.32	0.31	2.5
C95	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.1	0.04	0.04	-
O&U*	-	-	0.5	0.6	1.2	0.5	2.9	4.1	9.2	18.8	6.2	16.4	25.3	35.4	49.6	35.1	5.1	7.07	0.80	12.6
All	8.1	5.0	2.7	9.4	10.5	19.1	49.0	89.8	168.4	282.5	321.7	511.6	576.3	676.0	924.7	882.5	109.5	156.3	3.79	296.9

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2011 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	7	5.1	120	88.2	1	0.7	7	5.1	1	0.7	-	-	136	100.0
C03-C06	Mouth	8	7.5	93	86.9	1	0.9	5	4.7	-	-	-	-	107	100.0
C07-C08	Salivary Gland	2	22.2	7	77.8	-	-	-	-	-	-	-	-	9	100.0
C09	Tonsil	2	2.1	90	95.7	-	-	2	2.1	-	-	-	-	94	100.0
C10	Oth. Oropharynx	3	5.7	45	84.9	-	-	4	7.5	1	1.9	-	-	53	100.0
C11	Nasopharynx	4	28.6	7	50.0	1	7.1	2	14.3	-	-	-	-	14	100.0
C12-C13	Hypopharynx	13	6.3	186	89.9	1	0.5	7	3.4	-	-	-	-	207	100.0
C14	Pharynx Unspecified	3	9.7	13	41.9	-	-	15	48.4	-	-	-	-	31	100.0
C15	Oesophagus	23	6.3	286	78.8	5	1.4	46	12.7	3	0.8	-	-	363	100.0
C16	Stomach	8	4.7	126	74.1	12	7.1	23	13.5	1	0.6	-	-	170	100.0
C17	Small Intestine	-	-	5	83.3	1	16.7	-	-	-	-	-	-	6	100.0
C18	Colon	5	10.0	31	62.0	4	8.0	8	16.0	2	4.0	-	-	50	100.0
C19-C20	Rectum	3	4.6	51	78.5	3	4.6	6	9.2	2	3.1	-	-	65	100.0
C21	Anus & Anal Canal	1	8.3	10	83.3	-	-	1	8.3	-	-	-	-	12	100.0
C22	Liver	5	7.8	31	48.4	-	-	27	42.2	1	1.6	-	-	64	100.0
C23-C24	Gallbladder etc.	11	11.1	53	53.5	13	13.1	18	18.2	4	4.0	-	-	99	100.0
C25	Pancreas	9	23.1	16	41.0	6	15.4	5	12.8	3	7.7	-	-	39	100.0
C30-C31	Nose, Sinuses etc.	1	16.7	5	83.3	-	-	-	-	-	-	-	-	6	100.0
C32	Larynx	10	9.6	79	76.0	1	1.0	12	11.5	2	1.9	-	-	104	100.0
C33-C34	Lung etc.	20	10.9	129	70.5	12	6.6	21	11.5	1	0.5	-	-	183	100.0
C37-C38	Other Thoracic Organs	1	7.7	7	53.8	1	7.7	4	30.8	-	-	-	-	13	100.0
C40-C41	Bone	3	14.3	12	57.1	-	-	6	28.6	-	-	-	-	21	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C44	Other Skin	5	7.9	53	84.1	3	4.8	2	3.2	-	-	-	-	63	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	25.0	3	75.0	-	-	-	-	-	-	-	-	4	100.0
C50	Breast	-	-	8	80.0	-	-	2	20.0	-	-	-	-	10	100.0
C60	Penis	2	10.5	16	84.2	1	5.3	-	-	-	-	-	-	19	100.0
C61	Prostate	5	4.3	104	89.7	3	2.6	4	3.4	-	-	-	-	116	100.0
C62	Testis	1	7.1	13	92.9	-	-	-	-	-	-	-	-	14	100.0
C63	Other Male Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	2	13.3	7	46.7	-	-	6	40.0	-	-	-	-	15	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	9	20.0	32	71.1	-	-	4	8.9	-	-	-	-	45	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	11	20.0	33	60.0	5	9.1	6	10.9	-	-	-	-	55	100.0
C73	Thyroid	2	11.8	14	82.4	-	-	-	-	1	5.9	-	-	17	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C82-C85,C96	NHL	-	-	40	95.2	1	2.4	1	2.4	-	-	-	-	42	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	20	83.3	-	-	4	16.7	-	-	-	-	24	100.0
C91	Lymphoid Leuk.	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C92-C94	Myeloid Leukaemia	-	-	30	100.0	-	-	-	-	-	-	-	-	30	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
O&U*	Other and Uns	13	7.4	118	67.4	2	1.1	41	23.4	1	0.6	-	-	175	100.0
	All Sites	195	7.8	1922	76.6	77	3.1	291	11.6	23	0.9	-	-	2508	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2011 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	2	5.3	36	94.7	-	-	-	-	-	-	-	-	38	100.0
C03-C06	Mouth	7	8.6	71	87.7	-	-	3	3.7	-	-	-	-	81	100.0
C07-C08	Salivary Gland	1	12.5	7	87.5	-	-	-	-	-	-	-	-	8	100.0
C09	Tonsil	2	8.0	23	92.0	-	-	-	-	-	-	-	-	25	100.0
C10	Oth. Oropharynx	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C11	Nasopharynx	1	14.3	5	71.4	-	-	-	-	1	14.3	-	-	7	100.0
C12-C13	Hypopharynx	1	2.5	36	90.0	1	2.5	2	5.0	-	-	-	-	40	100.0
C14	Pharynx Unspecified	2	25.0	3	37.5	-	-	3	37.5	-	-	-	-	8	100.0
C15	Oesophagus	6	3.0	171	85.9	1	0.5	19	9.5	2	1.0	-	-	199	100.0
C16	Stomach	9	10.6	61	71.8	4	4.7	10	11.8	1	1.2	-	-	85	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	3	8.6	24	68.6	4	11.4	2	5.7	2	5.7	-	-	35	100.0
C19-C20	Rectum	3	7.3	28	68.3	5	12.2	5	12.2	-	-	-	-	41	100.0
C21	Anus & Anal Canal	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C22	Liver	3	11.5	14	53.8	-	-	9	34.6	-	-	-	-	26	100.0
C23-C24	Gallbladder etc.	21	13.0	97	59.9	23	14.2	17	10.5	4	2.5	-	-	162	100.0
C25	Pancreas	4	36.4	5	45.5	2	18.2	-	-	-	-	-	-	11	100.0
C30-C31	Nose, Sinuses etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	2	16.7	8	66.7	-	-	2	16.7	-	-	-	-	12	100.0
C33-C34	Lung etc.	6	7.2	56	67.5	6	7.2	14	16.9	1	1.2	-	-	83	100.0
C37-C38	Other Thoracic Organs	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	-	-	10	90.9	1	9.1	-	-	-	-	-	-	11	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	4	14.3	23	82.1	1	3.6	-	-	-	-	-	-	28	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	15	4.6	293	90.4	8	2.5	7	2.2	1	0.3	-	-	324	100.0
C51	Vulva	3	37.5	5	62.5	-	-	-	-	-	-	-	-	8	100.0
C52	Vagina	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C53	Cervix Uteri	12	6.8	153	86.9	3	1.7	8	4.5	-	-	-	-	176	100.0
C54	Corpus Uteri	3	6.1	44	89.8	-	-	1	2.0	1	2.0	-	-	49	100.0
C55	Uterus Unspecified	-	-	2	40.0	-	-	3	60.0	-	-	-	-	5	100.0
C56	Ovary etc.	21	13.6	106	68.8	18	11.7	9	5.8	-	-	-	-	154	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	13	76.5	-	-	4	23.5	-	-	-	-	17	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	3	25.0	7	58.3	-	-	2	16.7	-	-	-	-	12	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	4	13.3	20	66.7	1	3.3	5	16.7	-	-	-	-	30	100.0
C73	Thyroid	4	13.8	23	79.3	-	-	2	6.9	-	-	-	-	29	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C82-C85,C96	NHL	-	-	31	96.9	1	3.1	-	-	-	-	-	-	32	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	10	83.3	-	-	2	16.7	-	-	-	-	12	100.0
C91	Lymphoid Leuk.	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C92-C94	Myeloid Leukaemia	-	-	21	95.5	-	-	1	4.5	-	-	-	-	22	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
O&U*	Other and Uns	3	3.4	73	82.0	4	4.5	9	10.1	-	-	-	-	89	100.0
	All Sites	145	7.6	1526	80.0	83	4.4	141	7.4	13	0.7	-	-	1908	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2011 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C01-C02	Tongue	114	83.8	-	-	6	4.4	-	-	-	-	16	11.8	136	100.0
C03-C06	Mouth	92	86.0	-	-	1	0.9	-	-	-	-	14	13.1	107	100.0
C07-C08	Salivary Gland	4	44.4	-	-	3	33.3	-	-	-	-	2	22.2	9	100.0
C09	Tonsil	84	89.4	-	-	6	6.4	-	-	-	-	4	4.3	94	100.0
C10	Oth. Oropharynx	42	79.2	1	1.9	2	3.8	-	-	-	-	8	15.1	53	100.0
C11	Nasopharynx	6	42.9	-	-	1	7.1	-	-	-	-	7	50.0	14	100.0
C12-C13	Hypopharynx	181	87.4	1	0.5	4	1.9	-	-	-	-	21	10.1	207	100.0
C14	Pharynx Unspecified	13	41.9	-	-	-	-	-	-	-	-	18	58.1	31	100.0
C15	Oesophagus	280	77.1	1	0.3	5	1.4	-	-	-	-	77	21.2	363	100.0
C16	Stomach	122	71.8	-	-	4	2.4	-	-	-	-	44	25.9	170	100.0
C17	Small Intestine	4	66.7	-	-	1	16.7	-	-	-	-	1	16.7	6	100.0
C18	Colon	30	60.0	1	2.0	-	-	-	-	-	-	19	38.0	50	100.0
C19-C20	Rectum	51	78.5	-	-	-	-	-	-	-	-	14	21.5	65	100.0
C21	Anus & Anal Canal	10	83.3	-	-	-	-	-	-	-	-	2	16.7	12	100.0
C22	Liver	12	18.8	-	-	19	29.7	-	-	-	-	33	51.6	64	100.0
C23-C24	Gallbladder etc.	42	42.4	1	1.0	10	10.1	-	-	-	-	46	46.5	99	100.0
C25	Pancreas	9	23.1	3	7.7	4	10.3	-	-	-	-	23	59.0	39	100.0
C30-C31	Nose, Sinuses etc.	4	66.7	-	-	1	16.7	-	-	-	-	1	16.7	6	100.0
C32	Larynx	75	72.1	1	1.0	3	2.9	-	-	-	-	25	24.0	104	100.0
C33-C34	Lung etc.	39	21.3	3	1.6	87	47.5	-	-	-	-	54	29.5	183	100.0
C37-C38	Other Thoracic Organs	3	23.1	-	-	4	30.8	-	-	-	-	6	46.2	13	100.0
C40-C41	Bone	11	52.4	-	-	1	4.8	-	-	-	-	9	42.9	21	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C44	Other Skin	47	74.6	-	-	6	9.5	-	-	-	-	10	15.9	63	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C50	Breast	5	50.0	-	-	3	30.0	-	-	-	-	2	20.0	10	100.0
C60	Penis	16	84.2	-	-	-	-	-	-	-	-	3	15.8	19	100.0
C61	Prostate	87	75.0	1	0.9	16	13.8	-	-	-	-	12	10.3	116	100.0
C62	Testis	11	78.6	-	-	2	14.3	-	-	-	-	1	7.1	14	100.0
C63	Other Male Genital	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	4	26.7	-	-	3	20.0	-	-	-	-	8	53.3	15	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	32	71.1	-	-	-	-	-	-	-	-	13	28.9	45	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C70-C72	Brain, Nervous System	32	58.2	-	-	-	-	-	-	1	1.8	22	40.0	55	100.0
C73	Thyroid	6	35.3	-	-	8	47.1	-	-	-	-	3	17.6	17	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	16.7	-	-	5	83.3	-	-	-	-	-	-	6	100.0
C82-C85,C96	NHL	4	9.5	-	-	36	85.7	-	-	-	-	2	4.8	42	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	2	8.3	-	-	-	-	-	-	18	75.0	4	16.7	24	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	18	100.0	-	-	18	100.0
C92-C94	Myeloid Leukaemia	1	3.3	-	-	-	-	1	3.3	28	93.3	-	-	30	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
O&U*	Other and Uns	6	3.4	17	9.7	95	54.3	-	-	-	-	57	32.6	175	100.0
	All Sites	1489	59.4	30	1.2	337	13.4	1	-	65	2.6	586	23.4	2508	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2011 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	33	86.8	-	-	3	7.9	-	-	-	-	2	5.3	38	100.0
C03-C06	Mouth	70	86.4	-	-	1	1.2	-	-	-	-	10	12.3	81	100.0
C07-C08	Salivary Gland	6	75.0	-	-	1	12.5	-	-	-	-	1	12.5	8	100.0
C09	Tonsil	21	84.0	-	-	2	8.0	-	-	-	-	2	8.0	25	100.0
C10	Oth. Oropharynx	13	100.0	-	-	-	-	-	-	-	-	-	-	13	100.0
C11	Nasopharynx	4	57.1	-	-	1	14.3	-	-	-	-	2	28.6	7	100.0
C12-C13	Hypopharynx	35	87.5	-	-	1	2.5	-	-	-	-	4	10.0	40	100.0
C14	Pharynx Unspecified	3	37.5	-	-	-	-	-	-	-	-	5	62.5	8	100.0
C15	Oesophagus	171	85.9	-	-	-	-	-	-	-	-	28	14.1	199	100.0
C16	Stomach	55	64.7	-	-	6	7.1	-	-	-	-	24	28.2	85	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	22	62.9	-	-	2	5.7	-	-	-	-	11	31.4	35	100.0
C19-C20	Rectum	28	68.3	-	-	-	-	-	-	-	-	13	31.7	41	100.0
C21	Anus & Anal Canal	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C22	Liver	6	23.1	-	-	8	30.8	-	-	-	-	12	46.2	26	100.0
C23-C24	Gallbladder etc.	60	37.0	2	1.2	35	21.6	-	-	-	-	65	40.1	162	100.0
C25	Pancreas	4	36.4	-	-	1	9.1	-	-	-	-	6	54.5	11	100.0
C30-C31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	6	50.0	1	8.3	1	8.3	-	-	-	-	4	33.3	12	100.0
C33-C34	Lung etc.	15	18.1	-	-	41	49.4	-	-	-	-	27	32.5	83	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C40-C41	Bone	8	72.7	-	-	2	18.2	-	-	-	-	1	9.1	11	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	19	67.9	-	-	4	14.3	-	-	-	-	5	17.9	28	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	225	69.4	-	-	68	21.0	-	-	-	-	31	9.6	324	100.0
C51	Vulva	5	62.5	-	-	-	-	-	-	-	-	3	37.5	8	100.0
C52	Vagina	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C53	Cervix Uteri	149	84.7	-	-	3	1.7	-	-	1	0.6	23	13.1	176	100.0
C54	Corpus Uteri	44	89.8	-	-	-	-	-	-	-	-	5	10.2	49	100.0
C55	Uterus Unspecified	1	20.0	1	20.0	-	-	-	-	-	-	3	60.0	5	100.0
C56	Ovary etc.	95	61.7	-	-	11	7.1	-	-	-	-	48	31.2	154	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	10	58.8	-	-	3	17.6	-	-	-	-	4	23.5	17	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	7	58.3	-	-	-	-	-	-	-	-	5	41.7	12	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	19	63.3	-	-	1	3.3	-	-	-	-	10	33.3	30	100.0
C73	Thyroid	12	41.4	-	-	11	37.9	-	-	-	-	6	20.7	29	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	12.5	-	-	7	87.5	-	-	-	-	-	-	8	100.0
C82-C85,C96	NHL	4	12.5	-	-	27	84.4	-	-	-	-	1	3.1	32	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	10	83.3	2	16.7	12	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	6	100.0	-	-	6	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	1	4.5	20	90.9	1	4.5	22	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
O&U*	Other and Uns	5	5.6	16	18.0	52	58.4	-	-	-	-	16	18.0	89	100.0
	All Sites	1174	61.5	20	1.0	294	15.4	1	0.1	37	1.9	382	20.0	1908	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2011 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.14
C01-C02	Tongue	-	-	-	-	-	1	-	-	-	-	6	4	6	3	2	5	-	27	3.70
C03-C06	Mouth	-	-	-	-	-	-	-	-	1	1	2	3	7	2	3	-	-	19	2.61
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	2	2	1	2	2	3	2	2	-	16	2.19
C10	Oth. Oropharynx	-	-	-	-	-	-	1	-	-	1	1	-	2	3	1	1	-	10	1.37
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	0.41
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	-	2	5	11	7	4	5	6	-	41	5.62
C14	Pharynx Unspecified	-	-	-	-	-	-	1	2	1	5	3	2	2	4	4	4	-	28	3.84
C15	Oesophagus	-	-	-	-	-	-	2	4	4	18	9	15	14	19	12	25	-	122	16.74
C16	Stomach	-	-	-	-	-	-	1	1	-	2	9	8	9	8	6	16	-	60	8.23
C17	Small Intestine	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	3	0.41
C18	Colon	-	-	-	-	-	-	1	1	-	2	3	1	-	2	1	2	-	13	1.78
C19-C20	Rectum	-	-	-	-	-	2	1	1	1	3	2	5	2	-	1	4	-	22	3.02
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	3	0.41
C22	Liver	-	-	-	-	-	1	-	-	3	4	-	4	8	5	5	8	-	38	5.21
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	2	1	3	4	5	5	4	6	4	-	34	4.66
C25	Pancreas	-	-	-	-	-	-	-	-	3	1	2	3	2	1	-	2	-	14	1.92
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.14
C32	Larynx	-	-	-	-	-	-	-	-	2	2	1	5	5	10	4	10	-	39	5.35
C33-C34	Lung etc.	-	-	-	-	-	1	-	-	1	6	8	10	15	14	11	11	-	77	10.56
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	4	0.55
C40-C41	Bone	-	-	-	-	-	-	-	3	-	-	1	-	1	1	-	-	-	6	0.82
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.14
C44	Other Skin	-	-	-	-	-	-	-	1	-	-	3	-	3	1	-	-	-	8	1.10
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.14
C50	Breast	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	3	0.41
C60	Penis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.14
C61	Prostate	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	12	-	21	2.88
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	2	-	1	4	-	-	-	7	0.96
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	-	5	0.69
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	1	-	2	1	5	1	1	3	1	3	-	18	2.47
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.14
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.14
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	6	0.82
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.14
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.14
O&U *	Other and Uns	-	-	-	-	-	-	2	2	3	12	7	12	7	10	11	7	-	73	10.01
	All Sites	-	-	-	-	-	6	13	19	27	70	79	93	104	110	82	126	-	729	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2011 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	4	1.10
C03-C06	Mouth	-	-	-	-	1	-	-	-	1	2	1	3	2	-	3	4	-	17	4.67
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.27
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	0.82
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.55
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	0.82
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	5	1.37
C15	Oesophagus	-	-	-	-	-	-	-	1	4	7	1	10	6	7	4	5	-	45	12.36
C16	Stomach	-	-	-	-	1	1	1	2	3	3	2	1	1	2	3	3	-	23	6.32
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	4	1.10
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	6	1.65
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	2	-	-	3	2	1	-	3	-	2	-	13	3.57
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	2	4	5	7	3	7	6	5	8	-	47	12.91
C25	Pancreas	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	0.82
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	5	1.37
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	2	3	2	6	2	1	4	3	-	25	6.87
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.27
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.27
C44	Other Skin	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.27
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.27
C50	Breast	-	-	-	-	-	-	2	-	1	8	4	6	1	2	2	3	-	29	7.97
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.55
C53	Cervix Uteri	-	-	-	-	-	-	2	2	-	2	-	4	4	2	2	3	-	21	5.77
C54	Corpus Uteri	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	4	1.10
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	4	1.10
C56	Ovary etc.	-	-	-	-	1	-	-	5	4	7	3	3	2	6	3	4	-	38	10.44
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	5	1.37
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	0.82
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	-	-	1	1	2	-	-	1	2	-	-	-	7	1.92
C73	Thyroid	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	6	1.65
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	4	1.10
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.55
C95	Leukaemia Uns	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.27
O&U*	Other and Uns	-	-	-	1	-	-	-	2	2	7	3	3	2	5	2	1	-	28	7.69
	All Sites	-	-	-	1	3	4	7	19	26	53	30	50	38	48	40	45	-	364	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	0.1	-	0.04	0.1
C01-C02	-	-	-	-	-	0.5	-	-	-	-	6.6	6.3	13.0	9.7	9.8	26.7	1.4	2.2	0.43	3.6
C03-C06	-	-	-	-	-	-	-	-	0.7	0.8	2.2	4.8	15.2	6.5	14.7	-	1.0	1.5	0.35	3.2
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	1.4	1.7	1.1	3.2	4.3	9.7	9.8	10.7	0.8	1.2	0.32	1.7
C10	-	-	-	-	-	-	0.5	-	-	0.8	1.1	-	4.3	9.7	4.9	5.3	0.5	0.8	0.27	0.9
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	4.9	-	0.2	0.3	0.17	-
C12-C13	-	-	-	-	-	-	-	0.5	-	1.7	5.5	17.4	15.2	12.9	24.5	32.1	2.1	3.2	0.52	5.5
C14	-	-	-	-	-	-	0.5	1.0	0.7	4.2	3.3	3.2	4.3	12.9	19.6	21.4	1.4	2.1	0.41	2.6
C15	-	-	-	-	-	-	1.0	2.0	2.8	15.2	9.9	23.8	30.3	61.3	58.8	133.6	6.2	9.6	0.91	12.4
C16	-	-	-	-	-	-	0.5	0.5	-	1.7	9.9	12.7	19.5	25.8	29.4	85.5	3.1	5.0	0.67	6.2
C17	-	-	-	-	-	-	0.5	-	0.7	-	-	-	-	3.2	-	-	0.2	0.2	0.11	0.1
C18	-	-	-	-	-	-	0.5	0.5	-	1.7	3.3	1.6	-	6.5	4.9	10.7	0.7	0.9	0.27	1.2
C19-C20	-	-	-	-	-	1.0	0.5	0.5	0.7	2.5	2.2	7.9	4.3	-	4.9	21.4	1.1	1.5	0.33	2.7
C21	-	-	-	-	-	-	-	-	0.7	0.8	-	-	-	-	4.9	-	0.2	0.2	0.12	0.3
C22	-	-	-	-	-	0.5	-	-	2.1	3.4	-	6.3	17.3	16.1	24.5	42.8	1.9	3.1	0.53	4.1
C23-C24	-	-	-	-	-	-	-	1.0	0.7	2.5	4.4	7.9	10.8	12.9	29.4	21.4	1.7	2.6	0.47	3.9
C25	-	-	-	-	-	-	-	-	2.1	0.8	2.2	4.8	4.3	3.2	-	10.7	0.7	1.0	0.27	2.1
C30-C31	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C32	-	-	-	-	-	-	-	-	1.4	1.7	1.1	7.9	10.8	32.3	19.6	53.4	2.0	3.4	0.56	3.2
C33-C34	-	-	-	-	-	0.5	-	-	0.7	5.1	8.8	15.9	32.5	45.2	53.9	58.8	3.9	6.4	0.75	8.8
C37-C38	-	-	-	-	-	-	-	-	-	0.8	1.1	-	2.2	-	-	5.3	0.2	0.3	0.16	0.6
C40-C41	-	-	-	-	-	-	-	1.5	-	-	1.1	-	2.2	3.2	-	-	0.3	0.3	0.15	0.7
C43	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	0.1	0.1	0.09	0.3
C44	-	-	-	-	-	-	-	0.5	-	-	3.3	-	6.5	3.2	-	-	0.4	0.6	0.20	1.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.3	0.1	0.1	0.11	-
C50	-	-	-	-	-	-	-	-	-	0.8	1.1	1.6	-	-	-	-	0.2	0.2	0.10	0.5
C60	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	0.1	-	0.03	0.1
C61	-	-	-	-	-	-	0.5	-	-	-	1.1	-	2.2	6.5	19.6	64.1	1.1	2.0	0.45	0.5
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	2.2	-	2.2	12.9	-	-	0.4	0.6	0.23	0.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	0.5	-	-	-	-	1.6	-	-	4.9	10.7	0.3	0.4	0.19	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	0.5	-	1.4	0.8	5.5	1.6	2.2	9.7	4.9	16.0	0.9	1.3	0.32	1.8
C73	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	0.1	0.1	0.09	0.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	2.2	-	2.2	9.7	-	-	0.3	0.5	0.20	0.6
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	3.2	-	-	0.1	0.1	0.10	-
O&U*	-	-	-	-	-	-	1.0	1.0	2.1	10.1	7.7	19.0	15.2	32.3	53.9	37.4	3.7	5.4	0.66	8.2
All	-	-	-	-	-	3.0	6.8	9.6	18.7	59.2	86.6	147.4	225.3	355.1	401.9	673.4	37.2	57.3	2.21	79.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KUD-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	1.0	-	2.3	-	-	6.2	5.8	0.2	0.4	0.20	0.5
C03-C06	-	-	-	-	0.6	-	-	-	0.9	2.1	1.6	7.0	5.6	-	18.6	23.4	1.0	1.7	0.41	2.5
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	0.1	0.1	0.11	-
C09	-	-	-	-	-	-	-	-	-	-	-	2.3	2.8	3.5	-	-	0.2	0.3	0.18	0.7
C10	-	-	-	-	-	-	-	-	-	-	-	2.3	-	-	-	5.8	0.1	0.2	0.15	0.3
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	1.6	-	-	-	6.2	5.8	0.2	0.3	0.19	0.3
C14	-	-	-	-	-	-	-	-	-	1.0	-	-	-	7.1	6.2	5.8	0.3	0.5	0.24	0.2
C15	-	-	-	-	-	-	-	0.6	3.7	7.3	1.6	23.5	16.9	24.8	24.8	29.2	2.6	4.2	0.65	7.7
C16	-	-	-	-	0.6	0.5	0.6	1.2	2.7	3.1	3.1	2.3	2.8	7.1	18.6	17.5	1.3	1.8	0.41	2.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	1.6	2.3	-	3.5	6.2	-	0.2	0.4	0.20	0.6
C19-C20	-	-	-	-	-	-	-	-	-	-	1.6	2.3	5.6	-	12.4	-	0.3	0.6	0.27	1.3
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	1.2	-	-	3.1	3.1	2.3	-	10.6	-	11.7	0.7	1.1	0.31	1.4
C23-C24	-	-	-	-	-	-	-	1.2	3.7	5.2	10.9	7.0	19.7	21.2	31.0	46.8	2.7	4.4	0.67	7.1
C25	-	-	-	-	-	-	-	-	0.9	-	-	-	2.8	-	-	5.8	0.2	0.3	0.17	0.5
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	0.6	0.9	-	1.6	2.3	2.8	-	-	-	0.3	0.4	0.18	1.2
C33-C34	-	-	-	-	-	-	-	1.2	1.8	3.1	3.1	14.1	5.6	3.5	24.8	17.5	1.4	2.3	0.47	4.2
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.8	0.1	0.1	0.12	-
C44	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C50	-	-	-	-	-	-	1.2	-	0.9	8.4	6.2	14.1	2.8	7.1	12.4	17.5	1.7	2.4	0.47	5.0
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	1.0	-	2.3	-	-	-	-	0.1	0.2	0.11	0.5
C53	-	-	-	-	-	-	1.2	1.2	-	2.1	-	9.4	11.2	7.1	12.4	17.5	1.2	1.9	0.44	3.3
C54	-	-	-	-	-	-	-	0.6	-	-	-	2.3	2.8	3.5	-	-	0.2	0.3	0.18	0.8
C55	-	-	-	-	-	-	-	-	-	1.0	-	-	2.8	-	12.4	-	0.2	0.4	0.22	0.6
C56	-	-	-	-	0.6	-	-	2.9	3.7	7.3	4.7	7.0	5.6	21.2	18.6	23.4	2.2	3.1	0.53	5.1
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	1.6	-	-	7.1	12.4	-	0.3	0.5	0.24	0.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	2.3	-	3.5	-	5.8	0.2	0.3	0.18	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	0.6	0.9	2.1	-	-	2.8	7.1	-	-	0.4	0.5	0.22	1.1
C73	-	-	-	-	-	-	-	-	0.9	-	-	-	5.6	-	6.2	11.7	0.3	0.6	0.27	0.9
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	2.3	2.8	7.1	-	-	0.2	0.4	0.21	0.7
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	-	-	-	-	-	-	-	3.5	6.2	-	0.1	0.2	0.16	-
C95	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
O&U*	-	-	-	0.6	-	-	-	1.2	1.8	7.3	4.7	7.0	5.6	17.7	12.4	5.8	1.6	2.3	0.46	4.4
All	-	-	-	0.6	1.8	2.0	4.0	11.0	23.8	55.4	46.6	117.3	106.8	169.9	248.2	263.0	20.9	32.6	1.79	53.9

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE KUD-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009-2011 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.7	0.7	1.2	1.2
C03-C06	Mouth	0.5	0.5	0.9	0.9
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	0.4	0.4	0.8	0.8
C10	Oth. Oropharynx	0.2	0.2	0.5	0.5
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	1.0	1.0	1.8	1.8
C14	Pharynx Unspecified	0.1	0.1	0.2	0.2
C15	Oesophagus	1.4	1.4	3.0	3.0
C16	Stomach	0.6	0.6	1.5	1.5
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.3	0.3	0.5	0.5
C21	Anus & Anal Canal	0.1	0.1	0.1	0.1
C22	Liver	0.2	0.2	0.5	0.5
C23-C24	Gallbladder etc.	0.4	0.4	1.0	1.0
C25	Pancreas	0.2	0.2	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.4	0.4	1.0	1.0
C33-C34	Lung etc.	0.7	0.7	1.9	1.9
C37-C38	Other Thoracic Organs	0.1	0.1	0.1	0.1
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.3	0.3	0.5	0.5
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.2	0.2	1.1	1.1
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.5	0.5
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.8	0.8	1.5	1.5
	All Sites	9.94	9.46	21.49	19.34

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE KUD-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009-2011 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.4	0.4	1.0	1.0
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	0.1	0.1	0.3	0.3
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.2	0.2	0.4	0.4
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	1.2	1.2	2.3	2.4
C16	Stomach	0.5	0.5	0.9	0.9
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.2	0.2	0.4	0.4
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.3	0.3
C23-C24	Gallbladder etc.	0.8	0.8	1.7	1.7
C25	Pancreas	-	-	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.4	0.4	0.9	0.9
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.2	0.2
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.2	0.2	0.3	0.3
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	1.8	1.8	2.4	2.4
C51	Vulva	-	-	0.1	0.1
C52	Vagina	-	-	-	-
C53	Cervix Uteri	1.0	1.0	1.5	1.5
C54	Corpus Uteri	0.3	0.3	0.5	0.5
C55	Uterus Unspecified	-	-	0.1	0.1
C56	Ovary etc.	0.8	0.8	1.1	1.1
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.2	0.2	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.1	0.1
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.4	0.4	0.9	0.9
	All Sites	10.27	9.76	18.27	16.70

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)