

POPULATION BASED CANCER REGISTRY, KOLKATA

Chittaranjan National Cancer Institute (CNCI) and Saroj Gupta Cancer Centre & Research Institute (SGCCRI)

Dr Jaydip Biswas, Principal Investigator & Director, CNCI

Dr M N Bandyopadhyay, Co-Principal Investigator (SGCCRI)

Dr Karabi Datta, Co-Principal Investigator

Dr P S Basu, Clinical Co-ordinator

Dr S Mondal, Statistician

NCRP had taken over PBCR of Kolkata from January 1, 2005. The Municipality (KMC) is the area of coverage (185 sq km). The estimated population (2008-09) is 9.42 million (male: 5.08 million, female: 4.34 million). Proportion of aged population is relatively high.

During 2008-09, the CR, AAR & TR were 100.8, 92.8 & 158.0 for males and 110.2, 99.4 & 221.1 for females. The CMR, AAMR & TMR were 48.1, 43.6 & 61.9 for males and 44.8, 39.6 & 73.3 for females. Relative Frequencies (%) of commonest cancers in male were Lung (18.0), Prostate (7.5), Mouth (6.9), Larynx (5.4) and Bladder (4.2). The same for commonest cancers in female were Breast (26.4), Cervix (11.6), Ovary (6.9), Gallbladder (5.7) and Lung (5.0). Tobacco related cancers were 44.7 and 14.1 in males and females respectively.

During the processing and finalization of this data there were some problems faced for which some causes were identified and some solutions proposed.

After initial compilation of data, the proportion of DCO cases was very high. The SIs had to revisit most of the centres repeatedly with mortality details collected from KMC. This method was successful to bring down the DCO proportion to an acceptable 7.9%. However, this procedure is a very labour intensive procedure.

The MI ratio for 2008-09 was 44.3. The high value is likely to be due to an inflated mortality figure as recorded in KMC. This is thought to be primarily due to the common practice of mentioning the local (Kolkata) addresses as permanent addresses when death certificates are issued. This could be evaluated by a door to door survey – yet another labour intensive procedure with limited manpower. Missing incident cases could also be the other contributing factor.

The number of participating centres remains 52. Increased personal contacts, frequent awareness drives in the newer therapeutic and diagnostic centres are thought to be the way to increase the number. The PBCR has taken some initiative in this direction. An increase in the number of participating centres could yield more incident cases.

In December 2010, the Govt. of West Bengal had passed an administrative order that made cancer a notifiable disease. However, the general response and compliance had been suboptimal so far. The PBCR of Kolkata continues to be an active procedure of data collection.

The decreasing volume of contribution in some of the existing centres is a problem. Shortage of manpower in the participating centres, missing addresses and other essential details of the patients are a few of the important causes. Some financial/other assistance to these centres could partly solve the problem.

Staff

DEO cum Social Investigator	:	Biswajit Bhattacharjee
Social Investigators	:	Biswanath Ghosh
		Indrani Nandi
		Soumya Roy
		Pranati Sarkar
		Soma Das

TABLE KOL-1: Main Sources of Registration of Incident Cases of Cancer: 2008-2009 - Kolkata

Name of the Institution	Number	%
CNCI	1327	13.4
CCWH	1228	12.4
NRS	889	9.0
Sambhunath Pandit Hospital	691	7.0
CMC	627	6.3
SSKM	614	6.2
TMH Bombay	524	5.3
AMRI	498	5.0
SC Bose Cancer Research Centre (Park Point)	491	5.0
R G Kar	416	4.2
Bellevue	217	2.2
CMRI	204	2.1
Wockhardt	196	2.0
NG Medicare	181	1.8
Subodh Mita Cancer Hospital	176	1.8
EKO-X-Ray	174	1.8
Woodlands	170	1.7
Marwari Hospital	169	1.7
RKMSP	168	1.7
BP Poddar Hospital & Research Inst	166	1.7
Ruby General Hospital	159	1.6
Roy & Trivedi	120	1.2
Others	508	5.1
Total	9913	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2008-2009.

2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure KOL -1
Population Pyramid showing Age Distribution: 2008-2009
KOLKATA




TABLE KOL-2
Population by Five Year Age Group and Gender: 2008-2009
Number and Relative Proportion (%)
KOLKATA

Age Group	Males		Females	
	Number	%	Number	%
00-04	247652	4.87	228643	5.27
05-09	328170	6.45	282621	6.51
10-14	392175	7.71	355847	8.20
15-19	458321	9.01	392275	9.04
20-24	483403	9.50	394954	9.10
25-29	470862	9.26	400648	9.23
30-34	435340	8.56	357447	8.23
35-39	433448	8.52	394387	9.09
40-44	392583	7.72	311909	7.19
45-49	360485	7.09	296607	6.83
50-54	283754	5.58	215438	4.96
55-59	220943	4.34	171023	3.94
60-64	178718	3.51	157273	3.62
65-69	151370	2.98	144285	3.32
70-74	106721	2.10	101368	2.34
75+	143560	2.82	136338	3.14
Total	5087505	100.00	4341063	100.00

TABLE KOL-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2008-2009 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	1	-	2	3	1	4	5	4	-	21	0.41
C01-C02	Tongue	-	-	-	-	2	7	10	20	16	17	24	18	26	22	12	23	-	197	3.84
C03-C06	Mouth	-	-	-	3	1	1	11	28	24	41	50	51	49	42	25	25	-	351	6.85
C07-C08	Salivary Gland	-	-	2	2	1	-	2	2	2	8	8	6	7	4	7	6	-	57	1.11
C09	Tonsil	-	-	-	1	-	-	2	1	3	3	5	7	3	5	4	10	-	44	0.86
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	-	2	3	1	1	9	-	17	0.33
C11	Nasopharynx	-	1	3	2	-	1	2	4	1	2	3	7	2	1	3	3	-	35	0.68
C12-C13	Hypopharynx	-	-	-	-	-	-	2	4	1	7	16	11	24	15	18	16	-	114	2.22
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	2	2	2	-	4	3	5	8	-	27	0.53
C15	Oesophagus	-	-	-	-	-	-	-	3	5	10	11	31	32	19	23	21	-	155	3.02
C16	Stomach	1	-	-	-	6	-	1	10	9	20	17	27	33	30	28	31	-	213	4.15
C17	Small Intestine	-	-	-	-	-	1	-	-	-	2	1	2	1	-	1	-	-	8	0.16
C18	Colon	-	-	-	2	2	4	8	11	10	10	20	18	25	25	22	26	-	183	3.57
C19-C20	Rectum	-	-	2	2	-	5	8	3	7	12	12	13	10	15	8	17	-	114	2.22
C21	Anus & Anal Canal	-	-	-	-	-	1	1	1	1	2	5	6	2	2	2	3	-	26	0.51
C22	Liver	-	-	-	1	1	1	1	9	2	13	12	17	23	18	22	20	-	140	2.73
C23-C24	Gallbladder etc.	1	-	-	-	1	2	1	6	5	12	15	16	20	21	15	25	-	140	2.73
C25	Pancreas	-	-	-	-	-	1	1	5	2	8	11	11	18	14	15	18	-	104	2.03
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	3	3	3	2	4	3	4	7	-	30	0.59
C32	Larynx	-	-	-	-	-	-	1	4	14	21	39	44	36	45	28	43	-	275	5.36
C33-C34	Lung etc.	-	1	-	-	3	3	7	6	29	59	98	130	154	152	127	151	-	920	17.94
C37-C38	Other Thoracic Organs	-	-	-	1	2	-	-	2	-	1	1	-	3	3	-	1	-	14	0.27
C40-C41	Bone	2	3	7	10	9	2	7	5	5	7	5	3	5	6	11	3	-	90	1.76
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	1	3	8	6	5	9	7	14	8	11	20	-	92	1.79
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	2	3	1	1	2	7	7	5	2	6	4	10	3	3	4	-	60	1.17
C50	Breast	-	-	-	-	-	-	1	5	2	3	3	7	2	3	3	5	-	34	0.66
C60	Penis	-	-	-	-	-	2	2	1	3	3	4	5	7	6	7	9	-	49	0.96
C61	Prostate	-	-	-	-	-	-	-	3	4	6	17	31	53	79	79	114	-	386	7.53
C62	Testis	2	1	-	1	2	6	2	6	4	3	3	3	2	3	2	4	-	44	0.86
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.02
C64	Kidney etc.	3	3	1	-	-	-	-	-	6	9	15	12	10	20	14	12	-	105	2.05
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	0.04
C67	Bladder	3	-	-	-	-	-	1	5	5	16	22	32	29	36	29	39	-	217	4.23
C68	Uns.Urinary Organs	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	5	0.10
C69	Eye	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	7	0.14
C70-C72	Brain, NS	5	6	6	1	3	10	5	6	5	12	17	14	9	6	2	9	-	116	2.26
C73	Thyroid	-	-	-	-	-	2	3	4	3	5	7	5	1	2	7	7	-	46	0.90
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.04
C81	Hodgkins Disease	2	-	2	4	8	2	3	4	6	4	6	4	4	9	5	2	-	65	1.27
C82-C85,C96	NHL	3	2	3	8	2	7	5	14	13	12	21	24	23	15	20	11	-	183	3.57
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	1	-	1	-	-	-	2	5	7	5	12	4	20	4	9	-	70	1.37
C91	Lymphoid Leuk.	2	6	8	3	-	-	3	2	3	1	2	5	3	2	1	8	-	49	0.96
C92-C94	Myeloid Leukaemia	3	2	3	2	4	4	4	6	7	5	7	8	6	4	3	4	-	72	1.40
C95	Leukaemia Uns	-	-	1	-	1	-	-	1	2	2	1	2	1	1	2	-	-	14	0.27
O&U*	Other and Uns	1	3	2	1	-	1	4	9	12	12	25	29	31	35	32	36	-	233	4.54
	All Sites	31	32	43	46	49	67	109	209	235	369	530	631	696	703	611	766	-	5127	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2008-2009 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	4	0.08
C01-C02	Tongue	-	1	-	-	-	-	2	7	10	14	11	12	12	13	7	11	-	100	2.09
C03-C06	Mouth	-	-	-	-	2	-	3	11	12	17	9	12	19	15	14	27	-	141	2.95
C07-C08	Salivary Gland	-	-	-	-	1	1	1	1	1	3	1	-	2	2	3	3	-	19	0.40
C09	Tonsil	-	-	-	-	-	-	-	-	4	1	2	3	3	6	-	3	-	22	0.46
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4	0.08
C11	Nasopharynx	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	-	-	6	0.13
C12-C13	Hypopharynx	-	-	-	1	-	-	-	-	1	-	-	-	2	2	2	-	1	9	0.19
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3	0.06
C15	Oesophagus	-	-	-	-	-	-	2	-	4	5	6	7	17	5	11	25	-	82	1.71
C16	Stomach	-	-	-	-	-	3	7	8	10	13	22	19	10	21	17	18	-	148	3.09
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	5	0.10
C18	Colon	-	-	-	-	-	3	3	5	11	14	8	11	15	15	13	17	-	115	2.40
C19-C20	Rectum	1	-	-	1	-	5	6	2	6	7	10	11	13	10	5	9	-	86	1.80
C21	Anus & Anal Canal	-	-	-	-	1	-	-	-	1	-	1	3	3	4	-	1	-	14	0.29
C22	Liver	1	-	-	-	-	1	2	5	5	12	9	9	10	11	7	17	-	89	1.86
C23-C24	Gallbladder etc.	-	-	-	1	-	6	5	11	26	28	34	35	36	37	22	31	1	273	5.70
C25	Pancreas	-	-	-	1	-	1	2	6	3	9	6	11	9	7	3	7	-	65	1.36
C30-C31	Nose, Sinuses etc.	-	-	1	-	-	-	-	2	-	1	1	2	-	-	-	-	-	7	0.15
C32	Larynx	-	-	-	1	-	-	-	1	4	3	4	1	7	3	5	8	-	37	0.77
C33-C34	Lung etc.	-	-	-	1	1	2	8	10	12	28	28	29	32	36	27	26	-	240	5.01
C37-C38	Other Thoracic Organs	-	-	-	-	1	-	-	2	1	-	2	4	1	1	1	-	-	13	0.27
C40-C41	Bone	-	1	3	2	5	1	2	3	2	4	5	5	2	4	4	2	-	45	0.94
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	2	1	3	8	6	5	8	6	6	13	8	8	-	74	1.55
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	2	2	1	1	3	2	2	2	3	3	4	4	-	2	1	-	32	0.67
C50	Breast	1	-	1	1	8	27	49	128	151	197	184	159	137	92	79	47	-	1261	26.35
C51	Vulva	-	-	-	-	-	-	-	1	2	3	3	1	3	1	7	3	-	24	0.50
C52	Vagina	-	-	-	-	-	-	1	3	2	1	4	6	6	5	-	3	-	31	0.65
C53	Cervix Uteri	-	-	-	-	-	8	16	34	65	86	95	84	65	43	26	33	-	555	11.60
C54	Corpus Uteri	-	-	-	-	-	1	4	4	20	14	27	27	30	12	20	9	-	168	3.51
C55	Uterus Unspecified	-	-	-	-	1	-	2	1	3	7	7	6	8	4	3	9	-	51	1.07
C56	Ovary etc.	1	-	1	6	4	5	10	26	35	63	39	46	31	30	15	16	-	328	6.85
C57	Other Female Genital	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	4	0.08
C58	Placenta	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	4	0.08
C64	Kidney etc.	-	1	1	-	-	-	2	3	4	10	6	11	6	6	3	2	-	55	1.15
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	1	1	3	1	5	11	8	7	10	8	-	55	1.15
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	0.08
C70-C72	Brain, NS	-	2	2	2	5	5	6	5	4	5	7	7	6	6	1	4	-	67	1.40
C73	Thyroid	-	-	-	3	5	8	8	10	9	10	7	4	6	8	2	4	-	84	1.76
C74	Adrenal Gland	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	4	0.08
C81	Hodgkins Disease	-	1	2	3	2	-	2	2	2	-	5	3	3	3	-	1	-	29	0.61
C82-C85,C96	NHL	1	2	2	2	1	5	4	4	8	9	10	12	16	16	11	10	-	113	2.36
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	3	-	-	-	-	-	-	-	-	3	9	9	5	7	6	8	-	50	1.04
C91	Lymphoid Leuk.	2	5	-	-	5	1	-	-	1	2	1	3	3	2	-	1	-	26	0.54
C92-C94	Myeloid Leukaemia	-	2	2	1	2	4	1	5	8	1	1	5	2	4	-	2	-	40	0.84
C95	Leukaemia Uns	1	-	1	1	-	-	-	1	-	1	2	1	1	2	-	1	1	13	0.27
O&U*	Other and Uns	-	1	2	3	1	-	5	14	16	17	19	24	19	15	26	24	1	187	3.91
	All Sites	14	18	20	31	48	91	161	331	456	606	604	607	561	470	363	401	4	4786	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2008-2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.2	0.3	-	0.7	1.4	0.6	2.6	4.7	2.8	0.4	0.37	0.08	0.5
C01-C02	-	-	-	-	0.4	1.5	2.3	4.6	4.1	4.7	8.5	8.1	14.5	14.5	11.2	16.0	3.9	3.41	0.25	6.9
C03-C06	-	-	-	0.7	0.2	0.2	2.5	6.5	6.1	11.4	17.6	23.1	27.4	27.7	23.4	17.4	6.9	6.23	0.34	14.0
C07-C08	-	-	0.5	0.4	0.2	-	0.5	0.5	0.5	2.2	2.8	2.7	3.9	2.6	6.6	4.2	1.1	1.02	0.14	1.9
C09	-	-	-	0.2	-	-	0.5	0.2	0.8	0.8	1.8	3.2	1.7	3.3	3.7	7.0	0.9	0.75	0.11	1.3
C10	-	-	-	-	-	-	-	-	0.3	-	-	0.9	1.7	0.7	0.9	6.3	0.3	0.28	0.07	0.4
C11	-	0.3	0.8	0.4	-	0.2	0.5	0.9	0.3	0.6	1.1	3.2	1.1	0.7	2.8	2.1	0.7	0.63	0.11	1.1
C12-C13	-	-	-	-	-	-	0.5	0.9	0.3	1.9	5.6	5.0	13.4	9.9	16.9	11.1	2.2	2.09	0.20	3.9
C14	-	-	-	-	-	-	-	0.2	0.5	0.6	0.7	-	2.2	2.0	4.7	5.6	0.5	0.47	0.09	0.7
C15	-	-	-	-	-	-	-	0.7	1.3	2.8	3.9	14.0	17.9	12.6	21.6	14.6	3.0	2.86	0.23	5.7
C16	0.4	-	-	-	1.2	-	0.2	2.3	2.3	5.5	6.0	12.2	18.5	19.8	26.2	21.6	4.2	3.85	0.27	6.9
C17	-	-	-	-	-	0.2	-	-	-	0.6	0.4	0.9	0.6	-	0.9	-	0.2	0.15	0.05	0.4
C18	-	-	-	0.4	0.4	0.8	1.8	2.5	2.5	2.8	7.0	8.1	14.0	16.5	20.6	18.1	3.6	3.23	0.24	5.5
C19-C20	-	-	0.5	0.4	-	1.1	1.8	0.7	1.8	3.3	4.2	5.9	5.6	9.9	7.5	11.8	2.2	1.98	0.19	3.3
C21	-	-	-	-	-	0.2	0.2	0.2	0.3	0.6	1.8	2.7	1.1	1.3	1.9	2.1	0.5	0.45	0.09	1.0
C22	-	-	-	0.2	0.2	0.2	0.2	2.1	0.5	3.6	4.2	7.7	12.9	11.9	20.6	13.9	2.8	2.52	0.22	4.5
C23-C24	0.4	-	-	-	0.2	0.4	0.2	1.4	1.3	3.3	5.3	7.2	11.2	13.9	14.1	17.4	2.8	2.52	0.22	4.4
C25	-	-	-	-	-	0.2	0.2	1.2	0.5	2.2	3.9	5.0	10.1	9.2	14.1	12.5	2.0	1.87	0.19	3.3
C30-C31	-	-	-	-	-	0.2	-	-	0.8	0.8	1.1	0.9	2.2	2.0	3.7	4.9	0.6	0.52	0.10	0.9
C32	-	-	-	-	-	-	0.2	0.9	3.6	5.8	13.7	19.9	20.1	29.7	26.2	30.0	5.4	4.94	0.30	9.4
C33-C34	-	0.3	-	-	0.6	0.6	1.6	1.4	7.4	16.4	34.5	58.8	86.2	100.4	119.0	105.2	18.1	16.76	0.56	29.1
C37-C38	-	-	-	0.2	0.4	-	-	0.5	-	0.3	0.4	-	1.7	2.0	-	0.7	0.3	0.26	0.07	0.4
C40-C41	0.8	0.9	1.8	2.2	1.9	0.4	1.6	1.2	1.3	1.9	1.8	1.4	2.8	4.0	10.3	2.1	1.8	1.71	0.19	1.7
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	0.2	0.7	1.8	1.5	1.4	3.2	3.2	7.8	5.3	10.3	13.9	1.8	1.59	0.17	2.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.6	0.8	0.2	0.2	0.4	1.6	1.6	1.3	0.6	2.1	1.8	5.6	2.0	2.8	2.8	1.2	1.08	0.14	2.0
C50	-	-	-	-	-	-	0.2	1.2	0.5	0.8	1.1	3.2	1.1	2.0	2.8	3.5	0.7	0.57	0.10	1.2
C60	-	-	-	-	-	0.4	0.5	0.2	0.8	0.8	1.4	2.3	3.9	4.0	6.6	6.3	1.0	0.86	0.13	1.4
C61	-	-	-	-	-	-	-	0.7	1.0	1.7	6.0	14.0	29.7	52.2	74.0	79.4	7.6	6.88	0.35	7.3
C62	0.8	0.3	-	0.2	0.4	1.3	0.5	1.4	1.0	0.8	1.1	1.4	1.1	2.0	1.9	2.8	0.9	0.81	0.13	1.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.02	0.02	0.1
C64	1.2	0.9	0.3	-	-	-	-	-	1.5	2.5	5.3	5.4	5.6	13.2	13.1	8.4	2.1	2.03	0.21	3.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	0.3	-	-	0.6	-	-	-	-	0.04	0.03	0.1
C67	1.2	-	-	-	-	-	0.2	1.2	1.3	4.4	7.8	14.5	16.2	23.8	27.2	27.2	4.3	3.99	0.28	6.5
C68	-	-	-	-	-	-	0.2	-	0.3	0.3	-	-	-	-	0.9	0.7	0.1	0.08	0.04	0.1
C69	1.2	0.3	-	-	-	-	-	-	-	-	-	0.5	-	-	-	1.4	0.1	0.22	0.09	0.1
C70-C72	2.0	1.8	1.5	0.2	0.6	2.1	1.1	1.4	1.3	3.3	6.0	6.3	5.0	4.0	1.9	6.3	2.3	2.27	0.22	3.6
C73	-	-	-	-	-	0.4	0.7	0.9	0.8	1.4	2.5	2.3	0.6	1.3	6.6	4.9	0.9	0.76	0.11	1.4
C74	-	-	-	-	-	-	-	-	-	-	-	0.5	-	0.7	-	-	-	0.04	0.03	0.1
C81	0.8	-	0.5	0.9	1.7	0.4	0.7	0.9	1.5	1.1	2.1	1.8	2.2	5.9	4.7	1.4	1.3	1.21	0.16	1.6
C82-C85,C96	1.2	0.6	0.8	1.7	0.4	1.5	1.1	3.2	3.3	3.3	7.4	10.9	12.9	9.9	18.7	7.7	3.6	3.39	0.26	6.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	0.3	-	0.2	-	-	-	0.5	1.3	1.9	1.8	5.4	2.2	13.2	3.7	6.3	1.4	1.26	0.15	2.0
C91	0.8	1.8	2.0	0.7	-	-	0.7	0.5	0.8	0.3	0.7	2.3	1.7	1.3	0.9	5.6	1.0	1.02	0.15	0.9
C92-C94	1.2	0.6	0.8	0.4	0.8	0.8	0.9	1.4	1.8	1.4	2.5	3.6	3.4	2.6	2.8	2.8	1.4	1.37	0.17	2.2
C95	-	-	0.3	-	0.2	-	-	0.2	0.5	0.6	0.4	0.9	0.6	0.7	1.9	-	0.3	0.25	0.07	0.5
O&U*	0.4	0.9	0.5	0.2	-	0.2	0.9	2.1	3.1	3.3	8.8	13.1	17.3	23.1	30.0	25.1	4.6	4.24	0.28	7.0
All	12.5	9.8	11.0	10.0	10.1	14.2	25.0	48.2	59.9	102.4	186.8	285.6	389.4	464.4	572.5	533.6	100.8	92.8	1.32	158.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2008-2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	-	-	1.0	-	0.1	0.07	0.04	0.2
C01-C02	-	0.4	-	-	-	-	0.6	1.8	3.2	4.7	5.1	7.0	7.6	9.0	6.9	8.1	2.3	2.06	0.21	4.6
C03-C06	-	-	-	-	0.5	-	0.8	2.8	3.8	5.7	4.2	7.0	12.1	10.4	13.8	19.8	3.2	2.79	0.24	5.5
C07-C08	-	-	-	-	0.3	0.2	0.3	0.3	0.3	1.0	0.5	-	1.3	1.4	3.0	2.2	0.4	0.37	0.09	0.5
C09	-	-	-	-	-	-	-	-	1.3	0.3	0.9	1.8	1.9	4.2	-	2.2	0.5	0.46	0.10	0.9
C10	-	-	-	-	-	-	-	-	-	0.7	-	-	-	1.4	-	-	0.1	0.08	0.04	0.1
C11	-	-	-	-	-	-	0.3	0.5	-	0.3	-	0.6	-	-	1.0	-	0.1	0.11	0.05	0.2
C12-C13	-	-	-	0.3	-	-	-	-	0.3	-	-	-	1.3	1.4	2.0	-	0.2	0.17	0.06	0.2
C14	-	-	-	-	-	-	-	-	-	0.3	-	-	0.6	-	1.0	-	0.1	0.07	0.04	0.1
C15	-	-	-	-	-	-	0.6	-	1.3	1.7	2.8	4.1	10.8	3.5	10.9	18.3	1.9	1.63	0.18	2.9
C16	-	-	-	-	-	0.7	2.0	2.0	3.2	4.4	10.2	11.1	6.4	14.6	16.8	13.2	3.4	3.00	0.25	5.8
C17	-	-	-	-	-	-	-	-	-	-	0.9	1.2	0.6	-	-	-	0.1	0.12	0.05	0.4
C18	-	-	-	-	-	0.7	0.8	1.3	3.5	4.7	3.7	6.4	9.5	10.4	12.8	12.5	2.6	2.32	0.22	4.5
C19-C20	0.4	-	-	0.3	-	1.2	1.7	0.5	1.9	2.4	4.6	6.4	8.3	6.9	4.9	6.6	2.0	1.82	0.20	3.6
C21	-	-	-	-	0.3	-	-	-	0.3	-	0.5	1.8	1.9	2.8	-	0.7	0.3	0.31	0.08	0.6
C22	0.4	-	-	-	-	0.2	0.6	1.3	1.6	4.0	4.2	5.3	6.4	7.6	6.9	12.5	2.1	1.81	0.20	3.5
C23-C24	-	-	-	0.3	-	1.5	1.4	2.8	8.3	9.4	15.8	20.5	22.9	25.6	21.7	22.7	6.3	5.64	0.35	12.1
C25	-	-	-	0.3	-	0.2	0.6	1.5	1.0	3.0	2.8	6.4	5.7	4.9	3.0	5.1	1.5	1.34	0.17	3.1
C30-C31	-	-	0.3	-	-	-	-	0.5	-	0.3	0.5	1.2	-	-	-	-	0.2	0.15	0.06	0.4
C32	-	-	-	0.3	-	-	-	0.3	1.3	1.0	1.9	0.6	4.5	2.1	4.9	5.9	0.9	0.75	0.13	1.4
C33-C34	-	-	-	0.3	0.3	0.5	2.2	2.5	3.8	9.4	13.0	17.0	20.3	25.0	26.6	19.1	5.5	4.97	0.32	10.0
C37-C38	-	-	-	-	0.3	-	-	0.5	0.3	-	0.9	2.3	0.6	0.7	1.0	-	0.3	0.28	0.08	0.7
C40-C41	-	0.4	0.8	0.5	1.3	0.2	0.6	0.8	0.6	1.3	2.3	2.9	1.3	2.8	3.9	1.5	1.0	0.95	0.14	1.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	0.5	0.2	0.8	2.0	1.9	1.7	3.7	3.5	3.8	9.0	7.9	5.9	1.7	1.47	0.17	2.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.7	0.6	0.3	0.3	0.7	0.6	0.5	0.6	1.0	1.4	2.3	2.5	-	2.0	0.7	0.7	0.71	0.13	1.3
C50	0.4	-	0.3	0.3	2.0	6.7	13.7	32.5	48.4	66.4	85.4	93.0	87.1	63.8	77.9	34.5	29.0	26.10	0.74	65.5
C51	-	-	-	-	-	-	-	0.3	0.6	1.0	1.4	0.6	1.9	0.7	6.9	2.2	0.6	0.49	0.10	0.9
C52	-	-	-	-	-	-	0.3	0.8	0.6	0.3	1.9	3.5	3.8	3.5	-	2.2	0.7	0.65	0.12	1.6
C53	-	-	-	-	-	2.0	4.5	8.6	20.8	29.0	44.1	49.1	41.3	29.8	25.6	24.2	12.8	11.65	0.50	30.1
C54	-	-	-	-	-	0.2	1.1	1.0	6.4	4.7	12.5	15.8	19.1	8.3	19.7	6.6	3.9	3.61	0.28	8.9
C55	-	-	-	-	0.3	-	0.6	0.3	1.0	2.4	3.2	3.5	5.1	2.8	3.0	6.6	1.2	1.05	0.15	2.3
C56	0.4	-	0.3	1.5	1.0	1.2	2.8	6.6	11.2	21.2	18.1	26.9	19.7	20.8	14.8	11.7	7.6	6.83	0.38	16.5
C57	-	-	-	-	-	-	-	0.3	-	0.7	0.5	-	-	-	-	-	0.1	0.08	0.04	0.3
C58	-	-	-	-	-	-	0.3	-	0.3	-	-	0.6	-	-	-	0.7	0.1	0.07	0.04	0.1
C64	-	0.4	0.3	-	-	-	0.6	0.8	1.3	3.4	2.8	6.4	3.8	4.2	3.0	1.5	1.3	1.18	0.16	2.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	0.3	0.3	1.0	0.3	2.3	6.4	5.1	4.9	9.9	5.9	1.3	1.15	0.16	2.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.1	0.17	0.09	-
C70-C72	-	0.7	0.6	0.5	1.3	1.2	1.7	1.3	1.3	1.7	3.2	4.1	3.8	4.2	1.0	2.9	1.5	1.41	0.17	2.4
C73	-	-	-	0.8	1.3	2.0	2.2	2.5	2.9	3.4	3.2	2.3	3.8	5.5	2.0	2.9	1.9	1.66	0.18	3.0
C74	-	-	-	-	-	-	-	0.3	-	0.7	-	-	0.6	-	-	-	0.1	0.08	0.04	0.3
C81	-	0.4	0.6	0.8	0.5	-	0.6	0.5	0.6	-	2.3	1.8	1.9	2.1	-	0.7	0.7	0.64	0.12	1.1
C82-C85,C96	0.4	0.7	0.6	0.5	0.3	1.2	1.1	1.0	2.6	3.0	4.6	7.0	10.2	11.1	10.9	7.3	2.6	2.42	0.23	4.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	1.3	-	-	-	-	-	-	-	-	1.0	4.2	5.3	3.2	4.9	5.9	5.9	1.2	1.15	0.17	2.0
C91	0.9	1.8	-	-	1.3	0.2	-	-	0.3	0.7	0.5	1.8	1.9	1.4	-	0.7	0.6	0.69	0.14	0.7
C92-C94	-	0.7	0.6	0.3	0.5	1.0	0.3	1.3	2.6	0.3	0.5	2.9	1.3	2.8	-	1.5	0.9	0.84	0.14	1.4
C95	0.4	-	0.3	0.3	-	-	-	0.3	-	0.3	0.9	0.6	0.6	1.4	-	0.7	0.3	0.29	0.09	0.4
O&U*	-	0.4	0.6	0.8	0.3	-	1.4	3.5	5.1	5.7	8.8	14.0	12.1	10.4	25.6	17.6	4.3	3.79	0.28	7.6
All	6.1	6.4	5.6	7.9	12.2	22.7	45.0	83.9	146.2	204.3	280.4	354.9	356.7	325.7	358.1	294.1	110.2	99.4	1.46	221.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2008-2009 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	19	90.5	-	-	2	9.5	-	-	-	-	21	100.0
C01-C02	Tongue	-	-	190	96.4	-	-	6	3.0	1	0.5	-	-	197	100.0
C03-C06	Mouth	6	1.7	336	95.7	-	-	9	2.6	-	-	-	-	351	100.0
C07-C08	Salivary Gland	-	-	54	94.7	-	-	3	5.3	-	-	-	-	57	100.0
C09	Tonsil	-	-	40	90.9	-	-	4	9.1	-	-	-	-	44	100.0
C10	Oth. Oropharynx	-	-	15	88.2	-	-	2	11.8	-	-	-	-	17	100.0
C11	Nasopharynx	-	-	31	88.6	-	-	4	11.4	-	-	-	-	35	100.0
C12-C13	Hypopharynx	-	-	111	97.4	-	-	3	2.6	-	-	-	-	114	100.0
C14	Pharynx Unspecified	1	3.7	15	55.6	-	-	11	40.7	-	-	-	-	27	100.0
C15	Oesophagus	1	0.6	135	87.1	2	1.3	16	10.3	1	0.6	-	-	155	100.0
C16	Stomach	-	-	188	88.3	-	-	24	11.3	1	0.5	-	-	213	100.0
C17	Small Intestine	-	-	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C18	Colon	-	-	157	85.8	1	0.5	24	13.1	1	0.5	-	-	183	100.0
C19-C20	Rectum	-	-	104	91.2	-	-	10	8.8	-	-	-	-	114	100.0
C21	Anus & Anal Canal	-	-	25	96.2	-	-	1	3.8	-	-	-	-	26	100.0
C22	Liver	-	-	109	77.9	-	-	31	22.1	-	-	-	-	140	100.0
C23-C24	Gallbladder etc.	-	-	112	80.0	1	0.7	23	16.4	2	1.4	2	1.4	140	100.0
C25	Pancreas	-	-	88	84.6	-	-	15	14.4	1	1.0	-	-	104	100.0
C30-C31	Nose, Sinuses etc.	-	-	28	93.3	-	-	1	3.3	-	-	1	3.3	30	100.0
C32	Larynx	-	-	258	93.8	1	0.4	16	5.8	-	-	-	-	275	100.0
C33-C34	Lung etc.	2	0.2	836	90.9	1	0.1	78	8.5	3	0.3	-	-	920	100.0
C37-C38	Other Thoracic Organs	-	-	13	92.9	-	-	1	7.1	-	-	-	-	14	100.0
C40-C41	Bone	-	-	82	91.1	1	1.1	7	7.8	-	-	-	-	90	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	92	100.0	-	-	-	-	-	-	-	-	92	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	59	98.3	-	-	1	1.7	-	-	-	-	60	100.0
C50	Breast	-	-	29	85.3	-	-	5	14.7	-	-	-	-	34	100.0
C60	Penis	-	-	47	95.9	-	-	2	4.1	-	-	-	-	49	100.0
C61	Prostate	-	-	365	94.6	-	-	20	5.2	1	0.3	-	-	386	100.0
C62	Testis	-	-	42	95.5	-	-	2	4.5	-	-	-	-	44	100.0
C63	Other Male Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	101	96.2	-	-	4	3.8	-	-	-	-	105	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	-	-	204	94.0	1	0.5	12	5.5	-	-	-	-	217	100.0
C68	Uns. Urinary Organs	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C69	Eye	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C70-C72	Brain, Nervous System	-	-	102	87.9	-	-	14	12.1	-	-	-	-	116	100.0
C73	Thyroid	-	-	42	91.3	-	-	4	8.7	-	-	-	-	46	100.0
C74	Adrenal Gland	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	-	-	59	90.8	-	-	6	9.2	-	-	-	-	65	100.0
C82-C85,C96	NHL	-	-	175	95.6	-	-	8	4.4	-	-	-	-	183	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	59	84.3	1	1.4	10	14.3	-	-	-	-	70	100.0
C91	Lymphoid Leuk.	-	-	44	89.8	-	-	5	10.2	-	-	-	-	49	100.0
C92-C94	Myeloid Leukaemia	-	-	69	95.8	-	-	3	4.2	-	-	-	-	72	100.0
C95	Leukaemia Uns	-	-	12	85.7	-	-	2	14.3	-	-	-	-	14	100.0
O&U*	Other and Uns	1	0.4	152	65.2	3	1.3	45	19.3	-	-	32	13.7	233	100.0
	All Sites	11	0.2	4623	90.2	12	0.2	435	8.5	11	0.2	35	0.7	5127	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2008-2009 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	-	-	97	97.0	-	-	3	3.0	-	-	-	-	100	100.0
C03-C06	Mouth	2	1.4	133	94.3	-	-	6	4.3	-	-	-	-	141	100.0
C07-C08	Salivary Gland	-	-	14	73.7	-	-	5	26.3	-	-	-	-	19	100.0
C09	Tonsil	-	-	21	95.5	-	-	1	4.5	-	-	-	-	22	100.0
C10	Oth. Oropharynx	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C11	Nasopharynx	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C12-C13	Hypopharynx	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C14	Pharynx Unspecified	-	-	2	66.7	-	-	1	33.3	-	-	-	-	3	100.0
C15	Oesophagus	-	-	73	89.0	-	-	8	9.8	-	-	1	1.2	82	100.0
C16	Stomach	1	0.7	130	87.8	-	-	16	10.8	1	0.7	-	-	148	100.0
C17	Small Intestine	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C18	Colon	-	-	100	87.0	-	-	14	12.2	-	-	1	0.9	115	100.0
C19-C20	Rectum	1	1.2	79	91.9	-	-	5	5.8	1	1.2	-	-	86	100.0
C21	Anus & Anal Canal	-	-	13	92.9	-	-	-	-	1	7.1	-	-	14	100.0
C22	Liver	-	-	67	75.3	2	2.2	20	22.5	-	-	-	-	89	100.0
C23-C24	Gallbladder etc.	-	-	216	79.1	2	0.7	55	20.1	-	-	-	-	273	100.0
C25	Pancreas	-	-	53	81.5	-	-	12	18.5	-	-	-	-	65	100.0
C30-C31	Nose, Sinuses etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C32	Larynx	1	2.7	33	89.2	-	-	3	8.1	-	-	-	-	37	100.0
C33-C34	Lung etc.	1	0.4	210	87.5	1	0.4	27	11.3	1	0.4	-	-	240	100.0
C37-C38	Other Thoracic Organs	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C40-C41	Bone	-	-	40	88.9	-	-	5	11.1	-	-	-	-	45	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	74	100.0	-	-	-	-	-	-	-	-	74	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	30	93.8	-	-	2	6.3	-	-	-	-	32	100.0
C50	Breast	-	-	1232	97.7	1	0.1	28	2.2	-	-	-	-	1261	100.0
C51	Vulva	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C52	Vagina	-	-	29	93.5	-	-	2	6.5	-	-	-	-	31	100.0
C53	Cervix Uteri	5	0.9	535	96.4	-	-	15	2.7	-	-	-	-	555	100.0
C54	Corpus Uteri	1	0.6	162	96.4	-	-	5	3.0	-	-	-	-	168	100.0
C55	Uterus Unspecified	-	-	38	74.5	-	-	13	25.5	-	-	-	-	51	100.0
C56	Ovary etc.	1	0.3	303	92.4	2	0.6	21	6.4	-	-	1	0.3	328	100.0
C57	Other Female Genital	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C58	Placenta	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C64	Kidney etc.	-	-	51	92.7	-	-	4	7.3	-	-	-	-	55	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	52	94.5	-	-	3	5.5	-	-	-	-	55	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	57	85.1	-	-	9	13.4	1	1.5	-	-	67	100.0
C73	Thyroid	-	-	81	96.4	-	-	3	3.6	-	-	-	-	84	100.0
C74	Adrenal Gland	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C81	Hodgkins Disease	-	-	27	93.1	-	-	2	6.9	-	-	-	-	29	100.0
C82-C85,C96	NHL	-	-	106	93.8	-	-	7	6.2	-	-	-	-	113	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	44	88.0	-	-	5	10.0	1	2.0	-	-	50	100.0
C91	Lymphoid Leuk.	-	-	23	88.5	-	-	3	11.5	-	-	-	-	26	100.0
C92-C94	Myeloid Leukaemia	-	-	33	82.5	-	-	7	17.5	-	-	-	-	40	100.0
C95	Leukaemia Uns	-	-	8	61.5	-	-	5	38.5	-	-	-	-	13	100.0
O&U *	Other and Uns	-	-	127	67.9	1	0.5	36	19.3	3	1.6	20	10.7	187	100.0
	All Sites	13	0.3	4380	91.5	9	0.2	352	7.4	9	0.2	23	0.5	4786	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2008-2009 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	18	85.7	-	-	1	4.8	-	-	-	-	2	9.5	21	100.0
C01-C02	Tongue	169	85.8	1	0.5	20	10.2	-	-	-	-	7	3.6	197	100.0
C03-C06	Mouth	310	88.3	1	0.3	25	7.1	-	-	-	-	15	4.3	351	100.0
C07-C08	Salivary Gland	36	63.2	2	3.5	16	28.1	-	-	-	-	3	5.3	57	100.0
C09	Tonsil	34	77.3	1	2.3	5	11.4	-	-	-	-	4	9.1	44	100.0
C10	Oth. Oropharynx	13	76.5	-	-	2	11.8	-	-	-	-	2	11.8	17	100.0
C11	Nasopharynx	27	77.1	1	2.9	3	8.6	-	-	-	-	4	11.4	35	100.0
C12-C13	Hypopharynx	94	82.5	-	-	17	14.9	-	-	-	-	3	2.6	114	100.0
C14	Pharynx Unspecified	14	51.9	-	-	1	3.7	-	-	-	-	12	44.4	27	100.0
C15	Oesophagus	130	83.9	1	0.6	4	2.6	-	-	-	-	20	12.9	155	100.0
C16	Stomach	173	81.2	1	0.5	14	6.6	-	-	-	-	25	11.7	213	100.0
C17	Small Intestine	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C18	Colon	149	81.4	1	0.5	7	3.8	-	-	-	-	26	14.2	183	100.0
C19-C20	Rectum	102	89.5	-	-	2	1.8	-	-	-	-	10	8.8	114	100.0
C21	Anus & Anal Canal	24	92.3	-	-	1	3.8	-	-	-	-	1	3.8	26	100.0
C22	Liver	33	23.6	1	0.7	75	53.6	-	-	-	-	31	22.1	140	100.0
C23-C24	Gallbladder etc.	93	66.4	1	0.7	18	12.9	-	-	-	-	28	20.0	140	100.0
C25	Pancreas	67	64.4	1	1.0	20	19.2	-	-	-	-	16	15.4	104	100.0
C30-C31	Nose, Sinuses etc.	27	90.0	-	-	1	3.3	-	-	-	-	2	6.7	30	100.0
C32	Larynx	225	81.8	1	0.4	32	11.6	-	-	-	-	17	6.2	275	100.0
C33-C34	Lung etc.	201	21.8	4	0.4	629	68.4	1	0.1	1	0.1	84	9.1	920	100.0
C37-C38	Other Thoracic Organs	7	50.0	-	-	6	42.9	-	-	-	-	1	7.1	14	100.0
C40-C41	Bone	59	65.6	-	-	22	24.4	-	-	1	1.1	8	8.9	90	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	86	93.5	3	3.3	3	3.3	-	-	-	-	-	-	92	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	50	83.3	-	-	9	15.0	-	-	-	-	1	1.7	60	100.0
C50	Breast	25	73.5	-	-	4	11.8	-	-	-	-	5	14.7	34	100.0
C60	Penis	41	83.7	1	2.0	5	10.2	-	-	-	-	2	4.1	49	100.0
C61	Prostate	318	82.4	2	0.5	45	11.7	-	-	-	-	21	5.4	386	100.0
C62	Testis	38	86.4	-	-	4	9.1	-	-	-	-	2	4.5	44	100.0
C63	Other Male Genital	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	88	83.8	-	-	13	12.4	-	-	-	-	4	3.8	105	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	196	90.3	2	0.9	6	2.8	-	-	-	-	13	6.0	217	100.0
C68	Uns. Urinary Organs	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C69	Eye	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C70-C72	Brain, Nervous System	92	79.3	-	-	10	8.6	-	-	-	-	14	12.1	116	100.0
C73	Thyroid	20	43.5	2	4.3	19	41.3	-	-	1	2.2	4	8.7	46	100.0
C74	Adrenal Gland	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	32	49.2	-	-	26	40.0	-	-	1	1.5	6	9.2	65	100.0
C82-C85,C96	NHL	97	53.0	-	-	72	39.3	-	-	6	3.3	8	4.4	183	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	5	7.1	-	-	4	5.7	-	-	50	71.4	11	15.7	70	100.0
C91	Lymphoid Leuk.	2	4.1	-	-	1	2.0	-	-	41	83.7	5	10.2	49	100.0
C92-C94	Myeloid Leukaemia	1	1.4	-	-	-	-	-	-	68	94.4	3	4.2	72	100.0
C95	Leukaemia Uns	1	7.1	-	-	-	-	-	-	11	78.6	2	14.3	14	100.0
O&U*	Other and Uns	32	13.7	51	21.9	69	29.6	-	-	-	-	81	34.8	233	100.0
	AllSites	3151	61.5	78	1.5	1213	23.7	1	-	180	3.5	504	9.8	5127	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2008-2009 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	88	88.0	-	-	9	9.0	-	-	-	-	3	3.0	100	100.0
C03-C06	Mouth	119	84.4	-	-	14	9.9	-	-	-	-	8	5.7	141	100.0
C07-C08	Salivary Gland	9	47.4	-	-	5	26.3	-	-	-	-	5	26.3	19	100.0
C09	Tonsil	19	86.4	1	4.5	1	4.5	-	-	-	-	1	4.5	22	100.0
C10	Oth. Oropharynx	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C11	Nasopharynx	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C12-C13	Hypopharynx	8	88.9	-	-	1	11.1	-	-	-	-	-	-	9	100.0
C14	Pharynx Unspecified	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C15	Oesophagus	71	86.6	-	-	2	2.4	-	-	-	-	9	11.0	82	100.0
C16	Stomach	121	81.8	-	-	9	6.1	-	-	-	-	18	12.2	148	100.0
C17	Small Intestine	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C18	Colon	96	83.5	-	-	4	3.5	-	-	-	-	15	13.0	115	100.0
C19-C20	Rectum	79	91.9	-	-	-	-	-	-	-	-	7	8.1	86	100.0
C21	Anus & Anal Canal	13	92.9	-	-	-	-	-	-	-	-	1	7.1	14	100.0
C22	Liver	26	29.2	-	-	41	46.1	-	-	-	-	22	24.7	89	100.0
C23-C24	Gallbladder etc.	171	62.6	-	-	45	16.5	-	-	-	-	57	20.9	273	100.0
C25	Pancreas	38	58.5	-	-	15	23.1	-	-	-	-	12	18.5	65	100.0
C30-C31	Nose, Sinuses etc.	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C32	Larynx	30	81.1	-	-	3	8.1	-	-	-	-	4	10.8	37	100.0
C33-C34	Lung etc.	59	24.6	-	-	150	62.5	-	-	1	0.4	30	12.5	240	100.0
C37-C38	Other Thoracic Organs	6	46.2	-	-	7	53.8	-	-	-	-	-	-	13	100.0
C40-C41	Bone	26	57.8	1	2.2	12	26.7	-	-	1	2.2	5	11.1	45	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	65	87.8	-	-	9	12.2	-	-	-	-	-	-	74	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	27	84.4	-	-	3	9.4	-	-	-	-	2	6.3	32	100.0
C50	Breast	926	73.4	1	0.1	301	23.9	-	-	4	0.3	29	2.3	1261	100.0
C51	Vulva	24	100.0	-	-	-	-	-	-	-	-	-	-	24	100.0
C52	Vagina	27	87.1	1	3.2	1	3.2	-	-	-	-	2	6.5	31	100.0
C53	Cervix Uteri	517	93.2	1	0.2	17	3.1	-	-	-	-	20	3.6	555	100.0
C54	Corpus Uteri	156	92.9	-	-	6	3.6	-	-	-	-	6	3.6	168	100.0
C55	Uterus Unspecified	37	72.5	-	-	1	2.0	-	-	-	-	13	25.5	51	100.0
C56	Ovary etc.	269	82.0	4	1.2	29	8.8	-	-	1	0.3	25	7.6	328	100.0
C57	Other Female Genital	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C58	Placenta	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C64	Kidney etc.	39	70.9	-	-	12	21.8	-	-	-	-	4	7.3	55	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	52	94.5	-	-	-	-	-	-	-	-	3	5.5	55	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C70-C72	Brain, Nervous System	52	77.6	1	1.5	4	6.0	-	-	-	-	10	14.9	67	100.0
C73	Thyroid	56	66.7	-	-	25	29.8	-	-	-	-	3	3.6	84	100.0
C74	Adrenal Gland	2	50.0	-	-	2	50.0	-	-	-	-	-	-	4	100.0
C81	Hodgkins Disease	14	48.3	-	-	12	41.4	-	-	1	3.4	2	6.9	29	100.0
C82-C85,C96	NHL	59	52.2	1	0.9	44	38.9	-	-	2	1.8	7	6.2	113	100.0
C88	Malignant Immunoproliferative Disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	4	8.0	-	-	-	-	-	-	40	80.0	6	12.0	50	100.0
C91	Lymphoid Leuk.	1	3.8	-	-	1	3.8	-	-	21	80.8	3	11.5	26	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	33	82.5	7	17.5	40	100.0
C95	Leukaemia Uns.	-	-	-	-	-	-	-	-	8	61.5	5	38.5	13	100.0
O&U*	Other and Uns.	36	19.3	46	24.6	45	24.1	-	-	-	-	60	32.1	187	100.0
	All Sites	3378	70.6	57	1.2	833	17.4	-	-	112	2.3	406	8.5	4786	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2008-2009 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.08
C01-C02	Tongue	-	-	-	-	1	2	4	3	1	7	6	6	5	6	7	9	-	57	2.33
C03-C06	Mouth	-	-	-	-	-	1	2	3	2	8	8	14	6	10	11	16	-	81	3.31
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	1	2	1	3	3	2	3	-	15	0.61
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	3	-	10	0.41
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	3	-	9	0.37
C11	Nasopharynx	-	-	1	-	-	-	-	2	-	-	3	1	-	-	1	4	-	12	0.49
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	-	11	0.45
C14	Pharynx Unspecified	-	-	-	-	-	-	2	-	1	-	3	2	-	9	7	13	-	37	1.51
C15	Oesophagus	-	-	-	-	-	-	-	-	6	8	8	10	15	13	16	17	-	93	3.80
C16	Stomach	1	-	-	-	-	1	3	2	4	6	12	16	18	18	16	29	-	126	5.15
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.04
C18	Colon	-	-	-	1	1	-	4	3	-	4	5	4	13	18	6	33	-	92	3.76
C19-C20	Rectum	-	-	1	-	-	1	1	4	2	3	4	7	4	8	4	11	-	50	2.04
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	3	-	7	0.29
C22	Liver	-	-	-	2	2	1	1	13	2	8	8	16	20	20	23	24	-	140	5.73
C23-C24	Gallbladder etc.	-	-	-	-	-	1	-	4	4	4	8	13	15	13	14	34	-	110	4.50
C25	Pancreas	-	-	-	-	-	-	-	4	5	4	12	5	15	13	15	22	-	95	3.89
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	4	0.16
C32	Larynx	-	-	-	-	-	-	-	-	2	10	19	9	18	16	8	31	-	113	4.62
C33-C34	Lung etc.	-	-	-	-	2	-	3	3	13	25	57	76	89	99	93	137	-	597	24.42
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	1	2	-	-	1	-	1	-	2	1	-	8	0.33
C40-C41	Bone	-	-	3	2	1	-	1	-	1	4	2	3	4	2	4	1	-	28	1.15
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	2	1	1	-	2	-	-	1	1	-	-	8	0.33
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	1	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	6	0.25
C50	Breast	-	-	-	-	-	-	-	2	2	3	2	3	1	1	4	3	-	21	0.86
C60	Penis	-	-	-	-	-	-	-	-	-	-	2	2	-	3	2	3	-	12	0.49
C61	Prostate	-	-	-	-	-	-	-	-	-	-	2	6	17	16	36	88	-	165	6.75
C62	Testis	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	5	0.20
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.04
C64	Kidney etc.	-	2	-	-	-	1	-	-	1	1	3	3	6	10	2	8	-	37	1.51
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.04
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	1	1	5	2	5	9	9	15	-	48	1.96
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.08
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.04
C70-C72	Brain, NS	1	2	-	-	-	-	3	-	1	5	6	8	7	6	5	10	-	54	2.21
C73	Thyroid	-	-	-	-	-	-	2	-	-	2	-	1	-	2	2	4	-	13	0.53
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	1	2	1	-	1	-	-	-	-	3	-	3	4	1	-	19	0.78
C82-C85, C96	NHL	1	1	2	1	-	1	4	2	2	8	4	6	6	6	9	13	-	66	2.70
C88	Malignant Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	1	-	-	-	-	-	1	-	2	4	5	6	12	8	10	-	49	2.00
C91	Lymphoid Leuk.	4	5	3	2	-	1	2	1	3	2	-	4	4	-	2	4	-	37	1.51
C92-C94	Myeloid Leukaemia	2	1	-	-	-	2	1	3	1	2	1	1	5	4	2	4	-	29	1.19
C95	Leukaemia Uns	-	-	-	2	-	-	2	1	2	3	-	1	2	2	1	1	-	17	0.70
O&U*	Other and Uns	1	3	1	-	1	1	3	5	7	6	9	16	23	22	23	35	-	156	6.38
	All Sites	10	17	12	12	9	13	43	60	65	129	209	247	316	355	345	603	-	2445	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2008-2009 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.05
C01-C02	Tongue	-	-	-	-	-	-	-	2	2	3	2	3	3	2	-	8	-	25	1.29
C03-C06	Mouth	-	1	-	-	-	-	-	1	1	-	1	1	5	3	4	11	-	28	1.44
C07-C08	Salivary Gland	-	-	-	-	1	-	-	-	-	2	-	-	-	3	4	1	-	11	0.57
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	0.15
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.10
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	3	0.15
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	6	0.31
C15	Oesophagus	-	-	-	-	-	-	1	-	-	4	9	2	9	3	8	15	-	51	2.62
C16	Stomach	-	-	-	-	-	1	1	5	5	8	13	8	7	10	11	14	-	83	4.27
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.05
C18	Colon	-	-	-	-	-	-	1	7	5	6	4	7	10	11	6	14	-	71	3.65
C19-C20	Rectum	-	-	-	-	1	2	-	1	2	-	4	1	5	8	3	12	-	39	2.01
C21	Anus & Anal Canal	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	-	-	7	0.36
C22	Liver	-	-	-	-	-	1	1	1	4	12	9	8	10	19	13	24	-	102	5.25
C23-C24	Gallbladder etc.	-	-	-	-	-	2	4	6	13	16	20	19	26	31	26	51	1	215	11.06
C25	Pancreas	-	-	-	-	-	-	1	2	3	3	3	5	7	8	8	12	-	52	2.67
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	0.10
C32	Larynx	-	-	-	1	-	-	1	-	-	-	-	1	1	3	3	5	-	15	0.77
C33-C34	Lung etc.	-	-	-	-	-	1	3	4	7	11	14	20	18	23	25	30	-	156	8.02
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	7	0.36
C40-C41	Bone	-	-	1	1	-	-	1	1	-	-	-	2	1	2	4	2	-	15	0.77
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	1	-	8	0.41
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	4	0.21
C50	Breast	-	-	-	-	3	3	2	17	26	35	41	46	46	40	25	32	-	316	16.26
C51	Vulva	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	2	-	7	0.36
C52	Vagina	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	2	-	6	0.31
C53	Cervix Uteri	-	-	-	-	-	-	3	6	14	17	21	12	22	14	16	15	-	140	7.20
C54	Corpus Uteri	-	-	-	-	-	-	1	-	-	-	5	3	3	4	5	4	-	25	1.29
C55	Uterus Unspecified	-	-	-	-	-	-	3	3	-	4	5	4	7	6	8	15	-	55	2.83
C56	Ovary etc.	-	-	-	-	-	1	5	8	13	24	25	21	16	19	10	15	-	157	8.08
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.05
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	1	1	1	1	2	-	2	1	1	1	-	11	0.57
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.05
C67	Bladder	-	-	-	-	-	-	-	-	-	1	2	1	1	3	8	7	-	23	1.18
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.10
C70-C72	Brain, NS	-	-	-	1	1	-	1	2	-	1	3	7	7	6	3	4	-	36	1.85
C73	Thyroid	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	3	-	8	0.41
C74	Adrenal Gland	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.05
C81	Hodgkins Disease	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	6	0.31
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	2	5	1	4	5	7	7	6	-	37	1.90
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	-	-	1	-	1	-	-	1	-	5	3	1	9	2	6	-	30	1.54
C91	Lymphoid Leuk.	4	5	1	-	1	-	-	-	1	3	2	1	1	-	-	-	-	19	0.98
C92-C94	Myeloid Leukaemia	-	-	2	-	3	2	-	1	3	4	3	3	3	3	2	1	-	30	1.54
C95	Leukaemia Uns	-	-	1	2	2	-	-	-	-	2	1	-	2	2	1	1	1	15	0.77
O&U*	Other and Uns	-	-	-	-	1	-	3	6	6	6	6	17	14	12	15	25	-	111	5.71
	All Sites	5	7	6	6	13	15	33	78	114	171	213	206	241	259	227	348	2	1944	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2008-2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	-	-	0.02	-
C01-C02	-	-	-	-	0.2	0.4	0.9	0.7	0.3	1.9	2.1	2.7	2.8	4.0	6.6	6.3	1.1	1.0	0.13	1.6
C03-C06	-	-	-	-	-	0.2	0.5	0.7	0.5	2.2	2.8	6.3	3.4	6.6	10.3	11.1	1.6	1.4	0.16	2.4
C07-C08	-	-	-	-	-	-	-	-	-	0.3	0.7	0.5	1.7	2.0	1.9	2.1	0.3	0.3	0.07	0.4
C09	-	-	-	-	-	-	-	-	-	-	1.1	0.5	0.6	0.7	0.9	2.1	0.2	0.2	0.06	0.3
C10	-	-	-	-	-	-	-	-	-	0.3	0.7	0.5	-	0.7	0.9	2.1	0.2	0.2	0.05	0.2
C11	-	-	0.3	-	-	-	-	0.5	-	-	1.1	0.5	-	-	0.9	2.8	0.2	0.2	0.06	0.3
C12-C13	-	-	-	-	-	-	-	-	-	-	0.4	0.5	1.1	2.0	1.9	1.4	0.2	0.2	0.06	0.3
C14	-	-	-	-	-	-	0.5	-	0.3	-	1.1	0.9	-	5.9	6.6	9.1	0.7	0.6	0.10	0.3
C15	-	-	-	-	-	-	-	-	1.5	2.2	2.8	4.5	8.4	8.6	15.0	11.8	1.8	1.7	0.18	2.8
C16	0.4	-	-	-	-	0.2	0.7	0.5	1.0	1.7	4.2	7.2	10.1	11.9	15.0	20.2	2.5	2.3	0.21	3.5
C17	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.02	0.1
C18	-	-	-	0.2	0.2	-	0.9	0.7	-	1.1	1.8	1.8	7.3	11.9	5.6	23.0	1.8	1.6	0.17	1.8
C19-C20	-	-	0.3	-	-	0.2	0.2	0.9	0.5	0.8	1.4	3.2	2.2	5.3	3.7	7.7	1.0	0.9	0.12	1.4
C21	-	-	-	-	-	-	-	-	0.3	-	-	0.5	1.1	-	-	2.1	0.1	0.1	0.05	0.3
C22	-	-	-	0.4	0.4	0.2	0.2	3.0	0.5	2.2	2.8	7.2	11.2	13.2	21.6	16.7	2.8	2.5	0.21	3.9
C23-C24	-	-	-	-	-	0.2	-	0.9	1.0	1.1	2.8	5.9	8.4	8.6	13.1	23.7	2.2	1.9	0.18	2.9
C25	-	-	-	-	-	-	-	0.9	1.3	1.1	4.2	2.3	8.4	8.6	14.1	15.3	1.9	1.7	0.17	2.7
C30-C31	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	1.4	0.1	0.1	0.03	0.1
C32	-	-	-	-	-	-	-	-	0.5	2.8	6.7	4.1	10.1	10.6	7.5	21.6	2.2	2.0	0.19	3.5
C33-C34	-	-	-	-	0.4	-	0.7	0.7	3.3	6.9	20.1	34.4	49.8	65.4	87.1	95.4	11.7	10.7	0.44	16.2
C37-C38	-	-	-	-	-	-	0.2	0.5	-	-	0.4	-	0.6	-	1.9	0.7	0.2	0.1	0.05	0.2
C40-C41	-	-	0.8	0.4	0.2	-	0.2	-	0.3	1.1	0.7	1.4	2.2	1.3	3.7	0.7	0.6	0.5	0.10	0.8
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	0.5	0.2	0.3	-	0.7	-	-	0.7	0.9	-	0.2	0.1	0.05	0.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.3	-	-	-	-	0.2	-	-	-	-	0.5	-	1.3	-	0.7	0.1	0.1	0.05	0.1
C50	-	-	-	-	-	-	-	0.5	0.5	0.8	0.7	1.4	0.6	0.7	3.7	2.1	0.4	0.4	0.08	0.7
C60	-	-	-	-	-	-	-	-	-	-	0.7	0.9	-	2.0	1.9	2.1	0.2	0.2	0.06	0.2
C61	-	-	-	-	-	-	-	-	-	-	0.7	2.7	9.5	10.6	33.7	61.3	3.2	2.7	0.22	1.7
C62	-	0.3	-	-	-	-	-	-	-	-	0.4	0.5	-	0.7	-	0.7	0.1	0.1	0.05	0.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	0.02	-
C64	-	0.6	-	-	-	0.2	-	-	0.3	0.3	1.1	1.4	3.4	6.6	1.9	5.6	0.7	0.7	0.12	0.9
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.01	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	0.2	0.3	0.3	1.8	0.9	2.8	5.9	8.4	10.4	0.9	0.8	0.12	0.9
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	0.7	-	-	0.02	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.01	-
C70-C72	0.4	0.6	-	-	-	-	0.7	-	0.3	1.4	2.1	3.6	3.9	4.0	4.7	7.0	1.1	1.0	0.14	1.6
C73	-	-	-	-	-	-	0.5	-	-	0.6	-	0.5	-	1.3	1.9	2.8	0.3	0.2	0.06	0.2
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	0.3	0.4	0.2	-	0.2	-	-	-	1.1	-	1.7	2.0	3.7	0.7	0.4	0.4	0.08	0.4
C82-C85,C96	0.4	0.3	0.5	0.2	-	0.2	0.9	0.5	0.5	2.2	1.4	2.7	3.4	4.0	8.4	9.1	1.3	1.2	0.15	1.6
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	0.3	-	-	-	-	-	0.2	-	0.6	1.4	2.3	3.4	7.9	7.5	7.0	1.0	0.9	0.13	1.1
C91	1.6	1.5	0.8	0.4	-	0.2	0.5	0.2	0.8	0.6	-	1.8	2.2	-	1.9	2.8	0.7	0.8	0.15	0.8
C92-C94	0.8	0.3	-	-	-	0.4	0.2	0.7	0.3	0.6	0.4	0.5	2.8	2.6	1.9	2.8	0.6	0.6	0.12	0.8
C95	-	-	-	0.4	-	-	0.5	0.2	0.5	0.8	-	0.5	1.1	1.3	0.9	0.7	0.3	0.3	0.07	0.5
O&U*	0.4	0.9	0.3	-	0.2	0.2	0.7	1.2	1.8	1.7	3.2	7.2	12.9	14.5	21.6	24.4	3.1	2.8	0.23	4.0
All	4.0	5.2	3.1	2.6	1.9	2.8	9.9	13.8	16.6	35.8	73.7	111.8	176.8	234.5	323.3	420.0	48.1	43.6	0.90	61.9

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KOL-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2008-2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	0.02	-
C01-C02	-	-	-	-	-	-	-	0.5	0.6	1.0	0.9	1.8	1.9	1.4	-	5.9	0.6	0.5	0.10	1.0
C03-C06	-	0.4	-	-	-	-	-	0.3	0.3	-	0.5	0.6	3.2	2.1	3.9	8.1	0.6	0.5	0.11	0.7
C07-C08	-	-	-	-	0.3	-	-	-	-	0.7	-	-	-	2.1	3.9	0.7	0.3	0.2	0.07	0.1
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	1.5	0.1	0.1	0.03	-
C10	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.7	-	-	0.03	0.1
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	0.5	-	0.6	-	-	0.7	0.1	0.1	0.04	0.2
C14	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.7	3.0	0.7	0.1	0.1	0.05	0.1
C15	-	-	-	-	-	-	0.3	-	-	1.3	4.2	1.2	5.7	2.1	7.9	11.0	1.2	1.0	0.15	1.8
C16	-	-	-	-	-	0.2	0.3	1.3	1.6	2.7	6.0	4.7	4.5	6.9	10.9	10.3	1.9	1.7	0.19	3.2
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.01	-
C18	-	-	-	-	-	-	0.3	1.8	1.6	2.0	1.9	4.1	6.4	7.6	5.9	10.3	1.6	1.4	0.17	2.7
C19-C20	-	-	-	-	0.3	0.5	-	0.3	0.6	-	1.9	0.6	3.2	5.5	3.0	8.8	0.9	0.8	0.12	1.0
C21	-	-	-	-	-	-	-	0.3	-	-	0.9	1.8	0.6	-	-	-	0.2	0.2	0.06	0.5
C22	-	-	-	-	-	0.2	0.3	0.3	1.3	4.0	4.2	4.7	6.4	13.2	12.8	17.6	2.3	2.0	0.20	3.2
C23-C24	-	-	-	-	-	0.5	1.1	1.5	4.2	5.4	9.3	11.1	16.5	21.5	25.6	37.4	5.0	4.2	0.30	7.2
C25	-	-	-	-	-	-	0.3	0.5	1.0	1.0	1.4	2.9	4.5	5.5	7.9	8.8	1.2	1.0	0.15	1.7
C30-C31	-	-	-	-	-	-	-	0.3	-	-	0.5	-	-	-	-	-	-	-	0.03	0.1
C32	-	-	-	0.3	-	-	0.3	-	-	-	-	0.6	0.6	2.1	3.0	3.7	0.3	0.3	0.07	0.2
C33-C34	-	-	-	-	-	0.2	0.8	1.0	2.2	3.7	6.5	11.7	11.4	15.9	24.7	22.0	3.6	3.2	0.26	5.4
C37-C38	-	-	-	-	-	-	-	-	0.3	-	0.9	0.6	1.9	-	-	-	0.2	0.2	0.06	0.5
C40-C41	-	-	0.3	0.3	-	-	0.3	0.3	-	-	-	1.2	0.6	1.4	3.9	1.5	0.3	0.3	0.08	0.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	0.3	-	0.9	-	0.6	1.4	1.0	0.7	0.2	0.2	0.06	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.3	-	-	-	-	-	0.3	-	-	0.6	0.6	-	-	-	0.1	0.1	0.05	0.2
C50	-	-	-	-	0.8	0.7	0.6	4.3	8.3	11.8	19.0	26.9	29.2	27.7	24.7	23.5	7.3	6.6	0.38	15.0
C51	-	-	-	-	-	-	-	-	-	0.3	0.9	-	-	0.7	1.0	1.5	0.2	0.1	0.05	0.2
C52	-	-	-	-	-	-	-	0.3	-	0.3	0.5	-	-	-	1.0	1.5	0.1	0.1	0.04	0.2
C53	-	-	-	-	-	-	0.8	1.5	4.5	5.7	9.7	7.0	14.0	9.7	15.8	11.0	3.2	2.9	0.25	6.6
C54	-	-	-	-	-	-	0.3	-	-	-	2.3	1.8	1.9	2.8	4.9	2.9	0.6	0.5	0.11	0.8
C55	-	-	-	-	-	-	0.8	0.8	-	1.3	2.3	2.3	4.5	4.2	7.9	11.0	1.3	1.1	0.15	1.7
C56	-	-	-	-	-	0.2	1.4	2.0	4.2	8.1	11.6	12.3	10.2	13.2	9.9	11.0	3.6	3.3	0.26	7.5
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.01	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	0.3	0.3	0.3	0.3	0.9	-	1.3	0.7	1.0	0.7	0.3	0.2	0.07	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	0.02	0.1
C67	-	-	-	-	-	-	-	-	-	0.3	0.9	0.6	0.6	2.1	7.9	5.1	0.5	0.4	0.09	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	-	-	0.02	-
C70-C72	-	-	-	0.3	0.3	-	0.3	0.5	-	0.3	1.4	4.1	4.5	4.2	3.0	2.9	0.8	0.8	0.13	1.5
C73	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.6	0.7	1.0	2.2	0.2	0.1	0.05	0.2
C74	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	0.02	-
C81	-	0.4	-	-	-	0.2	-	-	0.3	-	0.5	-	-	0.7	-	0.7	0.1	0.1	0.06	0.1
C82-C85,C96	-	-	-	-	-	-	-	-	0.6	1.7	0.5	2.3	3.2	4.9	6.9	4.4	0.9	0.8	0.13	1.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	0.4	-	-	0.3	-	0.2	-	-	0.3	-	2.3	1.8	0.6	6.2	2.0	4.4	0.7	0.6	0.12	0.7
C91	1.7	1.8	0.3	-	0.3	-	-	-	0.3	1.0	0.9	0.6	0.6	-	-	-	0.4	0.6	0.15	0.6
C92-C94	-	-	0.6	-	0.8	0.5	-	0.3	1.0	1.3	1.4	1.8	1.9	2.1	2.0	0.7	0.7	0.6	0.12	1.2
C95	-	-	0.3	0.5	0.5	-	-	-	-	0.7	0.5	-	1.3	1.4	1.0	0.7	0.3	0.3	0.08	0.4
O&U*	-	-	-	-	0.3	-	0.8	1.5	1.9	2.0	2.8	9.9	8.9	8.3	14.8	18.3	2.6	2.2	0.21	3.9
All	2.2	2.5	1.7	1.5	3.3	3.7	9.2	19.8	36.5	57.7	98.9	120.5	153.2	179.5	223.9	255.2	44.8	39.6	0.92	73.3

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE KOL-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2008-2009 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	0.1	0.1
C01-C02	Tongue	0.2	0.2	0.4	0.4
C03-C06	Mouth	0.5	0.5	0.7	0.7
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	-	-	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	0.1	0.1	0.3	0.3
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	0.2	0.2	0.4	0.4
C16	Stomach	0.2	0.2	0.5	0.5
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	0.1	0.1
C22	Liver	0.2	0.2	0.3	0.3
C23-C24	Gallbladder etc.	0.2	0.2	0.3	0.3
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	0.3	0.3	0.6	0.6
C33-C34	Lung etc.	1.0	1.0	2.1	2.1
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.2	0.2
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.3	0.3	0.9	0.9
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.2	0.2	0.5	0.5
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	-	-	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.2	0.2	0.4	0.4
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.5	0.5
	All Sites	5.82	5.66	11.01	10.42

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE KOL-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2008-2009 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.2	0.2
C03-C06	Mouth	0.2	0.2	0.3	0.3
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.1	0.1	0.2	0.2
C16	Stomach	0.2	0.2	0.4	0.4
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.3	0.3
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.4	0.4	0.6	0.7
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	0.1	0.1
C33-C34	Lung etc.	0.3	0.3	0.6	0.6
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	2.2	2.2	2.8	2.9
C51	Vulva	-	-	0.1	0.1
C52	Vagina	0.1	0.1	0.1	0.1
C53	Cervix Uteri	1.0	1.0	1.3	1.3
C54	Corpus Uteri	0.3	0.3	0.4	0.4
C55	Uterus Unspecified	0.1	0.1	0.1	0.1
C56	Ovary etc.	0.6	0.6	0.7	0.7
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.2	0.2
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	0.1	0.1
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.1	0.1
C91	Lymphoid Leuk.	-	-	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.4	0.4
	All Sites	7.66	7.38	11.08	10.49

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)