

POPULATION BASED CANCER REGISTRY, MEGHALAYA

Civil Hospital, Shillong

Dr R.S. Dympep, Principal Investigator, Pathologist, Pasteur Institute, Shillong

Dr D.K. Parida, Co-Investigator, Oncologist, NEIGRIHMS, Shillong

Dr H. Dkhar, Co-Investigator, Pathologist, Nazareth Hospital, Shillong

Dr J. Syiemlieh, Co-Investigator, Oncologist, Civil Hospital, Shillong

Meghalaya is one of the North Eastern states of India. It is a hilly strip of land in the eastern part of the country about 300 km in length and 100 km in breadth with a total area of about 22,429 sq km. According to the details of Meghalaya provisional census 2011, it has a population of 29.64 lakhs. The state is bounded on the north and east by Assam and on the south and west by Bangladesh. Shillong, the capital is also known as the Scotland of the East and the Shillong metropolitan area has a population of 354,325. Meghalaya comprises 0.8% of the country total land mass and 8.55% of that of the North-East. The two main indigenous groups of Meghalaya are the Khasi-Jaintias mainly dominating the Khasi and Jaintia Hills and the Garos in the Garo Hills. The population growth rate is 27.82%, Sex ratio F:M is 986:1000, Population density is 132 per sq km and the Literacy rate is 75.48%.

Meghalaya as part of the National Cancer Registry Programme, started the Population Based Cancer Registry Programme from 2009 covering four districts of the state namely (1) East Khasi Hills (2) West Khasi Hills (3) Jaintia Hills (4) Ri Bhoi with a population of 18.6 lakhs.

Data abstraction of incidence and mortality is routinely performed by the Social Investigators after collecting data from various sources through direct contact with patients, medical records etc. The details are entered into the core-proforma provided by NCRP Bangalore. Coding is followed according to the International Classification of Diseases for Oncology (ICD-O) along with the International Statistical Classifications of Neoplasms (ICD-10) published by the WHO. The data are entered into the database of PBCRDM 2.1 software designed by NCRP Bangalore. It has been a useful tool as it provides effortless data entry and has been assisting the operator through an interactive environment.

The medical officer in charge of CHCs/PHCs is designated as Births and Deaths Registrar. They certify deaths in hospitals or PHCs. These death certificates and reports are sent to the office of their respective District Medical & Health Officer's office. Births and Deaths are also registered under the respective municipal corporation. Mortality collection is also done from all the hospitals/institutions, media i.e. local newspapers, local cable TV service provider etc. The mortality data is not yet computerised in the state.

The setting up of the PBCR during the initial years has been a great challenge. The cooperation has increased due to interactions with the medical officers of the various registries, various institutions and nursing homes. Feedback received from field staff has been of immense help in streamlining the process.

Agendas and programmes for interacting with the various Government and non Government medical entities, including the medical record staff, related to cancer incidence and mortality have been chalked out for the coming year.

With the alarming increase of cancer cases in the state and as suggested by NCRP Bangalore, the Registry has given a written suggestion to the Government of Meghalaya to make cancer as a notifiable disease in the state. It is hoped that the project will contribute to the National Cancer Registry Programme mainly through its National Cancer Control Programme.

Sources of Registration

| | | | |
|----|---|----|---|
| 1 | Civil Hospital, Shillong | 16 | CMC, Vellore |
| 2 | Woodland Hospital, Shillong | 17 | North East Cancer Hospital and Research Institute, Jorabat |
| 3 | North Eastern Diagnostic Centre (NEDC), Shillong | 19 | DMHO, Nongstoin |
| 4 | Melari Diagnostic Laboratory, Shillong | 21 | DMHO, Nongpoh |
| 5 | Bethany Hospital, Shillong | 22 | DMHO, Jowai |
| 6 | Super care Hospital, Shillong | 23 | DMHO, Shillong |
| 7 | Clinical Pathology, Shillong | 27 | The Municipal Board, Shillong |
| 8 | NEIGRIHMS, Shillong | 28 | The Municipal Board, Jowai |
| 9 | Nazareth Hospital, Shillong | 30 | Civil Hospital, Jowai |
| 10 | BBCI, Guwahati | 31 | Civil Hospital, Nongpoh |
| 11 | Sendro Polyclinic, Shillong | 32 | Hospital, Nongstoin |
| 12 | Shillong Diagnostic, Shillong | 33 | KJP Hospital, Jowai |
| 13 | Ganesh Das Hospital, Shillong | 34 | KJP (Gordon Robert) Hospital, Shillong |

Advisory Committee

| | | |
|------------------------|---|---|
| Chairman | : | Commissioner and Secretary Health and Family Welfare, Govt. of Meghalaya |
| Member | : | Officer on Special duty Health and Family Welfare, Govt. of Meghalaya |
| Principal Investigator | : | Dr R.S. Dympep , Pathologist, Pasteur Institute, Shillong |
| Co-Investigators | : | Dr D.K. Parida , Oncologist, NEIGRIHMS, Shillong Dr H. Dkhar , Pathologist, Nazareth Hospital, Shillong Dr J. Syiemlieh , Oncologist, Civil Hospital, Shillong |

Registry Staff

| | | | | | |
|---------------------|---|--------------------------------|----------------------|---|-------------------------------|
| Research Officer | : | Dr L. Lyngskor | Social Investigators | : | Mr Dienroimiar M. Pdah |
| Programmer | : | Mr Baiakmenlang Suting | | | Ms Lucina Wanniang |
| Data Entry Operator | : | Mr Bantehsong Langstieh | | | Ms Metalyne Nongrum |
| Statistician | : | Mr Ricky M.R. Lyngdoh | | | |

TABLE MLS-1: Main Sources of Registration of Incident Cases of Cancer: 2010-2011
Meghalaya State

| Name of the Institution | Number | % |
|--|---------------|--------------|
| Civil Hospital, Shillong | 616 | 25.9 |
| Woodland Hospital, Shillong | 373 | 15.7 |
| NEIGRIHMS, Shillong | 326 | 13.7 |
| Nazareth Hospital, Shillong | 210 | 8.8 |
| Melari Diagnostic Laboratory, Sillong | 194 | 8.2 |
| North Eastern Diagnostic Centre (NEDC), Shillong | 171 | 7.2 |
| Bethany Hospital, Shillong | 125 | 5.3 |
| Unknown | 123 | 5.2 |
| BBCI, Guwahati | 73 | 3.1 |
| The Municipal Board, Shillong | 44 | 1.8 |
| Cancer Atlas | 40 | 1.7 |
| Others | 84 | 3.5 |
| Total | 2379 | 100.0 |

- 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2010-2011.*
- 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

Figure MLS -1
Population Pyramid showing Age Distribution: 2010-2011
MEGHALAYA STATE




TABLE MLS-2
Population by Five Year Age Group and Gender: 2010-2011
Number and Relative Proportion (%)
MEGHALAYA STATE

| Age Group | Males | | Females | |
|--------------|----------------|---------------|----------------|---------------|
| | Number | % | Number | % |
| 00-04 | 249683 | 13.2 | 243088 | 12.9 |
| 05-09 | 278080 | 14.7 | 271869 | 14.4 |
| 10-14 | 283374 | 15.0 | 273656 | 14.5 |
| 15-19 | 219868 | 11.6 | 216769 | 11.5 |
| 20-24 | 163366 | 8.6 | 173341 | 9.2 |
| 25-29 | 135562 | 7.2 | 151266 | 8.0 |
| 30-34 | 123242 | 6.5 | 121731 | 6.4 |
| 35-39 | 125235 | 6.6 | 118703 | 6.3 |
| 40-44 | 83695 | 4.4 | 79918 | 4.2 |
| 45-49 | 69557 | 3.7 | 67011 | 3.6 |
| 50-54 | 51662 | 2.7 | 46181 | 2.4 |
| 55-59 | 33874 | 1.8 | 33065 | 1.8 |
| 60-64 | 25605 | 1.4 | 30258 | 1.6 |
| 65-69 | 19101 | 1.0 | 23885 | 1.3 |
| 70-74 | 13891 | 0.7 | 17550 | 0.9 |
| 75+ | 14746 | 0.8 | 21281 | 1.1 |
| Total | 1890541 | 100.00 | 1889572 | 100.00 |

TABLE MLS-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Males

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|----------|----------|----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|----------|-------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 2 | 1 | - | - | 5 | 0.33 |
| C01-C02 | Tongue | - | - | - | - | - | 3 | 4 | 9 | 13 | 12 | 6 | 3 | 3 | 3 | 1 | 2 | - | 59 | 3.88 |
| C03-C06 | Mouth | - | - | - | - | - | - | 2 | 7 | 14 | 13 | 13 | 5 | 9 | 4 | 7 | 5 | - | 79 | 5.20 |
| C07-C08 | Salivary Gland | - | - | 1 | - | - | - | - | - | 2 | - | 1 | - | 2 | 1 | - | - | - | 7 | 0.46 |
| C09 | Tonsil | - | - | 1 | - | - | 1 | 1 | 5 | 5 | 11 | 9 | 6 | 4 | 3 | 1 | 1 | - | 48 | 3.16 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | 1 | 3 | 3 | 2 | 7 | 2 | 1 | 1 | 1 | - | 21 | 1.38 |
| C11 | Nasopharynx | - | - | 1 | 1 | - | - | 1 | 1 | 5 | 2 | 1 | 2 | 2 | 2 | 1 | - | - | 19 | 1.25 |
| C12-C13 | Hypopharynx | - | - | - | - | - | 3 | 4 | 17 | 35 | 23 | 29 | 23 | 19 | 10 | 9 | 3 | - | 175 | 11.51 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | 2 | 5 | 3 | 8 | 7 | 4 | 3 | 4 | 2 | 3 | - | 41 | 2.70 |
| C15 | Oesophagus | - | - | - | - | - | 2 | 5 | 33 | 56 | 111 | 90 | 49 | 47 | 26 | 20 | 14 | - | 453 | 29.80 |
| C16 | Stomach | - | - | - | - | - | 2 | 5 | 4 | 5 | 14 | 15 | 11 | 18 | 17 | 10 | 12 | - | 113 | 7.43 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | 0.13 |
| C18 | Colon | - | - | - | 2 | - | 1 | 2 | - | 2 | 2 | - | - | 2 | 2 | 1 | 2 | - | 16 | 1.05 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | - | - | 1 | 3 | - | 1 | 1 | 1 | 3 | - | 10 | 0.66 |
| C21 | Anus & Anal Canal | - | - | - | 1 | - | - | 1 | - | - | - | 1 | - | 1 | 1 | - | - | - | 5 | 0.33 |
| C22 | Liver | - | - | - | - | - | - | 1 | 2 | 3 | 3 | 6 | 5 | 5 | 3 | 2 | 4 | - | 34 | 2.24 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | - | 2 | 1 | 1 | 1 | 1 | - | - | 6 | 0.39 |
| C25 | Pancreas | - | - | - | - | - | 1 | - | 1 | - | - | - | 2 | 2 | 1 | - | 1 | - | 8 | 0.53 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 | - | - | - | - | 3 | 0.20 |
| C32 | Larynx | - | - | - | - | - | 1 | - | 3 | 6 | 20 | 13 | 10 | 9 | 7 | 2 | 2 | - | 73 | 4.80 |
| C33-C34 | Lung etc. | - | - | - | - | - | 1 | - | 3 | 6 | 10 | 10 | 15 | 8 | 15 | 6 | 16 | - | 90 | 5.92 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - | - | - | 4 | 0.26 |
| C40-C41 | Bone | - | - | - | 2 | 3 | 1 | - | 2 | 1 | - | - | 1 | - | 1 | 1 | 1 | - | 13 | 0.86 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | 2 | - | - | - | 2 | - | - | 3 | 2 | 3 | - | 2 | - | 14 | 0.92 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 2 | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 5 | 0.33 |
| C50 | Breast | - | - | - | - | - | - | - | - | - | 1 | - | - | 2 | - | - | - | - | 3 | 0.20 |
| C60 | Penis | - | - | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 1 | - | - | 4 | 0.26 |
| C61 | Prostate | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 5 | - | 13 | 0.86 |
| C62 | Testis | 1 | - | - | 1 | - | 1 | 2 | - | - | - | 1 | - | - | - | - | - | - | 6 | 0.39 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - | - | - | 3 | 0.20 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.07 |
| C67 | Bladder | 1 | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 1 | 1 | - | 2 | - | 8 | 0.53 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 2 | 0.13 |
| C70-C72 | Brain, NS | - | 1 | 2 | - | - | - | 2 | 3 | 1 | 2 | 1 | - | 1 | 2 | 1 | - | - | 16 | 1.05 |
| C73 | Thyroid | - | - | - | 1 | - | - | - | 1 | 1 | 2 | 1 | 1 | - | - | - | 1 | - | 8 | 0.53 |
| C74 | Adrenal Gland | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.07 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | 1 | 1 | 1 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | - | - | - | 9 | 0.59 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 2 | 0.13 |
| C91 | Lymphoid Leuk. | 1 | 1 | - | 1 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | 5 | 0.33 |
| C92-C94 | Myeloid Leukaemia | - | 1 | 1 | - | 1 | 1 | 4 | - | - | 1 | 1 | 2 | - | 1 | - | - | - | 13 | 0.86 |
| C95 | Leukaemia Uns | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - | - | 3 | 0.20 |
| O&U* | Other and Uns | - | - | - | 3 | 1 | 4 | 4 | 11 | 15 | 16 | 19 | 13 | 13 | 2 | 6 | 13 | - | 120 | 7.89 |
| | All Sites | 3 | 5 | 8 | 13 | 10 | 23 | 42 | 110 | 182 | 260 | 238 | 170 | 163 | 121 | 78 | 94 | - | 1520 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Females

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|------------|------------|-----------|------------|-----------|-----------|-----------|----------|------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 3 | 1 | 1 | 4 | - | 12 | 1.40 |
| C01-C02 | Tongue | - | - | - | - | - | 1 | - | 1 | 5 | 4 | 3 | - | 5 | 1 | 4 | 2 | - | 26 | 3.03 |
| C03-C06 | Mouth | - | - | - | - | - | - | 3 | 1 | 4 | 7 | 9 | 5 | 9 | 7 | 7 | 6 | - | 58 | 6.75 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | 2 | 0.23 |
| C09 | Tonsil | - | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - | - | - | - | 6 | 0.70 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.12 |
| C11 | Nasopharynx | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | 2 | 1 | 1 | - | 1 | - | 9 | 1.05 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | - | 1 | 2 | 2 | 5 | 2 | 3 | - | 2 | 1 | - | 18 | 2.10 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | 2 | - | - | 2 | - | 2 | - | 6 | 0.70 |
| C15 | Oesophagus | - | - | - | - | 1 | 1 | 2 | 4 | 20 | 29 | 33 | 24 | 29 | 13 | 16 | 16 | - | 188 | 21.89 |
| C16 | Stomach | - | - | - | - | - | - | 5 | 4 | 8 | 10 | 6 | 6 | 3 | 4 | 4 | 6 | - | 56 | 6.52 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 2 | 0.23 |
| C18 | Colon | - | - | - | - | - | - | - | - | 1 | 1 | 5 | - | 3 | 1 | 4 | 1 | - | 16 | 1.86 |
| C19-C20 | Rectum | - | - | 1 | - | - | - | - | 1 | 1 | - | 1 | 1 | 2 | 1 | 1 | 1 | - | 10 | 1.16 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | 1 | - | - | - | - | - | - | 2 | 1 | 2 | - | - | 1 | 2 | 1 | 3 | - | 13 | 1.51 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | 1 | 3 | 2 | 2 | 5 | 2 | 8 | 4 | 1 | 3 | - | 31 | 3.61 |
| C25 | Pancreas | - | - | - | - | 1 | 1 | - | - | - | - | 2 | 2 | 3 | 1 | 1 | - | - | 11 | 1.28 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | 2 | 0.23 |
| C32 | Larynx | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 1 | 2 | - | 1 | - | 6 | 0.70 |
| C33-C34 | Lung etc. | - | - | - | - | 1 | - | 2 | 1 | 2 | 4 | 4 | 3 | 4 | 5 | 1 | - | - | 27 | 3.14 |
| C37-C38 | Other Thoracic Organs | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0.23 |
| C40-C41 | Bone | - | - | - | - | 1 | - | - | 1 | - | 1 | - | - | 2 | - | - | - | - | 5 | 0.58 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 1 | - | 1 | - | - | 3 | 2 | 3 | - | 1 | - | 1 | 1 | 2 | - | 15 | 1.75 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 1 | - | - | 1 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | 1 | - | - | - | 8 | 0.93 |
| C50 | Breast | - | - | - | - | - | 1 | 7 | 8 | 15 | 16 | 15 | 7 | 6 | 12 | 6 | 3 | - | 96 | 11.18 |
| C51 | Vulva | 1 | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - | 1 | - | - | 5 | 0.58 |
| C52 | Vagina | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - | 4 | 0.47 |
| C53 | Cervix Uteri | - | - | - | 1 | 1 | - | 9 | 13 | 15 | 16 | 11 | 7 | 10 | 3 | 1 | 2 | - | 89 | 10.36 |
| C54 | Corpus Uteri | - | - | - | - | - | - | - | - | - | 1 | 3 | - | 1 | 2 | 1 | - | - | 8 | 0.93 |
| C55 | Uterus Unspecified | - | - | - | - | - | - | - | - | - | 4 | - | - | - | 2 | - | - | - | 6 | 0.70 |
| C56 | Ovary etc. | - | - | - | 1 | 1 | 2 | 5 | 3 | 5 | - | 5 | - | - | - | - | - | - | 22 | 2.56 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.12 |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 2 | 0.23 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.12 |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 2 | 0.23 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, NS | - | - | 1 | - | 1 | 2 | 2 | - | - | 1 | - | 1 | 1 | - | - | - | - | 9 | 1.05 |
| C73 | Thyroid | - | - | - | - | - | 2 | 3 | 1 | 2 | 1 | 1 | - | - | - | 1 | 1 | - | 12 | 1.40 |
| C74 | Adrenal Gland | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 2 | 0.23 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | 1 | 1 | - | - | - | 1 | 2 | - | - | - | 1 | - | - | - | 6 | 0.70 |
| C88 | Malig Imn.Prof D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | 0.23 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.12 |
| C92-C94 | Myeloid Leukaemia | - | - | - | 1 | - | - | 2 | - | - | 1 | 1 | 2 | 2 | - | - | 1 | - | 10 | 1.16 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | 1 | - | - | 2 | 1 | 2 | 2 | 2 | 7 | 6 | 1 | 7 | 5 | 7 | 8 | - | 51 | 5.94 |
| | All Sites | 4 | 2 | 3 | 6 | 12 | 15 | 46 | 51 | 93 | 119 | 123 | 75 | 107 | 75 | 62 | 66 | - | 859 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA STATE

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|------|-------|
| C00 | - | - | - | - | - | - | 0.8 | - | - | 1.9 | - | - | 10.5 | 7.2 | - | 0.3 | 0.60 | 0.29 | 0.5 | |
| C01-C02 | - | - | - | - | - | 2.2 | 3.2 | 7.2 | 15.5 | 17.3 | 11.6 | 8.9 | 11.7 | 15.7 | 7.2 | 13.6 | 3.1 | 5.06 | 0.71 | 12.3 |
| C03-C06 | - | - | - | - | - | - | 1.6 | 5.6 | 16.7 | 18.7 | 25.2 | 14.8 | 35.1 | 20.9 | 50.4 | 33.9 | 4.2 | 8.13 | 0.97 | 18.4 |
| C07-C08 | - | - | 0.4 | - | - | - | - | - | 2.4 | - | 1.9 | - | 7.8 | 5.2 | - | - | 0.4 | 0.74 | 0.31 | 1.8 |
| C09 | - | - | 0.4 | - | - | 0.7 | 0.8 | 4.0 | 6.0 | 15.8 | 17.4 | 17.7 | 15.6 | 15.7 | 7.2 | 6.8 | 2.5 | 4.64 | 0.71 | 12.1 |
| C10 | - | - | - | - | - | - | - | 0.8 | 3.6 | 4.3 | 3.9 | 20.7 | 7.8 | 5.2 | 7.2 | 6.8 | 1.1 | 2.29 | 0.52 | 6.0 |
| C11 | - | - | 0.4 | 0.5 | - | - | 0.8 | 0.8 | 6.0 | 2.9 | 1.9 | 5.9 | 7.8 | 10.5 | 7.2 | - | 1.0 | 1.80 | 0.45 | 3.9 |
| C12-C13 | - | - | - | - | - | 2.2 | 3.2 | 13.6 | 41.8 | 33.1 | 56.1 | 67.9 | 74.2 | 52.4 | 64.8 | 20.3 | 9.3 | 17.44 | 1.40 | 44.5 |
| C14 | - | - | - | - | - | - | 1.6 | 4.0 | 3.6 | 11.5 | 13.5 | 11.8 | 11.7 | 20.9 | 14.4 | 20.3 | 2.2 | 4.18 | 0.69 | 8.9 |
| C15 | - | - | - | - | - | 1.5 | 4.1 | 26.4 | 66.9 | 159.6 | 174.2 | 144.7 | 183.6 | 136.1 | 144.0 | 94.9 | 24.0 | 46.23 | 2.28 | 119.4 |
| C16 | - | - | - | - | - | 1.5 | 4.1 | 3.2 | 6.0 | 20.1 | 29.0 | 32.5 | 70.3 | 89.0 | 72.0 | 81.4 | 6.0 | 13.42 | 1.32 | 23.6 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.2 | - | 6.8 | 0.1 | 0.29 | 0.21 | - |
| C18 | - | - | - | 0.9 | - | 0.7 | 1.6 | - | 2.4 | 2.9 | - | - | 7.8 | 10.5 | 7.2 | 13.6 | 0.8 | 1.60 | 0.44 | 2.0 |
| C19-C20 | - | - | - | - | - | - | - | - | - | 1.4 | 5.8 | - | 3.9 | 5.2 | 7.2 | 20.3 | 0.5 | 1.24 | 0.40 | 1.7 |
| C21 | - | - | - | 0.5 | - | - | 0.8 | - | - | - | 1.9 | - | 3.9 | 5.2 | - | - | 0.3 | 0.50 | 0.25 | 0.8 |
| C22 | - | - | - | - | - | - | 0.8 | 1.6 | 3.6 | 4.3 | 11.6 | 14.8 | 19.5 | 15.7 | 14.4 | 27.1 | 1.8 | 3.87 | 0.69 | 8.1 |
| C23-C24 | - | - | - | - | - | - | - | - | - | - | 3.9 | 3.0 | 3.9 | 5.2 | 7.2 | - | 0.3 | 0.77 | 0.32 | 1.5 |
| C25 | - | - | - | - | - | 0.7 | - | 0.8 | - | - | - | 5.9 | 7.8 | 5.2 | - | 6.8 | 0.4 | 0.95 | 0.35 | 1.9 |
| C30-C31 | - | - | - | - | - | - | - | - | - | - | - | 5.9 | 3.9 | - | - | - | 0.2 | 0.39 | 0.23 | 1.3 |
| C32 | - | - | - | - | - | 0.7 | - | 2.4 | 7.2 | 28.8 | 25.2 | 29.5 | 35.1 | 36.6 | 14.4 | 13.6 | 3.9 | 7.86 | 0.96 | 19.8 |
| C33-C34 | - | - | - | - | - | 0.7 | - | 2.4 | 7.2 | 14.4 | 19.4 | 44.3 | 31.2 | 78.5 | 43.2 | 108.5 | 4.8 | 10.87 | 1.18 | 17.5 |
| C37-C38 | - | - | - | - | - | - | - | - | 2.4 | 1.4 | - | 3.0 | - | - | - | - | 0.2 | 0.35 | 0.18 | 1.1 |
| C40-C41 | - | - | - | 0.9 | 1.8 | 0.7 | - | 1.6 | 1.2 | - | - | 3.0 | - | 5.2 | 7.2 | 6.8 | 0.7 | 1.01 | 0.32 | 0.9 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | 1.2 | - | - | - | 2.4 | - | - | 8.9 | 7.8 | 15.7 | - | 13.6 | 0.7 | 1.65 | 0.47 | 2.6 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | 0.7 | - | 0.6 | - | 0.8 | - | - | - | 1.9 | - | - | - | - | - | 0.3 | 0.26 | 0.13 | 0.3 |
| C50 | - | - | - | - | - | - | - | - | - | 1.4 | - | - | 7.8 | - | - | - | 0.2 | 0.40 | 0.24 | 1.3 |
| C60 | - | - | - | - | - | - | - | - | 1.2 | - | - | 3.0 | 3.9 | - | 7.2 | - | 0.2 | 0.49 | 0.25 | 1.1 |
| C61 | - | - | - | - | - | - | - | - | - | 1.4 | 1.9 | 3.0 | 3.9 | 10.5 | 14.4 | 33.9 | 0.7 | 1.74 | 0.49 | 1.5 |
| C62 | 0.4 | - | - | 0.5 | - | 0.7 | 1.6 | - | - | - | 1.9 | - | - | - | - | - | 0.3 | 0.34 | 0.15 | 0.3 |
| C63 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | - | 10.5 | - | - | 0.2 | 0.43 | 0.25 | 0.4 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | 3.9 | - | - | - | 0.1 | 0.16 | 0.16 | 0.5 |
| C67 | 0.4 | - | - | - | - | - | 0.8 | - | - | 1.4 | 1.9 | - | 3.9 | 5.2 | - | 13.6 | 0.4 | 0.86 | 0.33 | 1.1 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | 0.4 | - | - | - | - | - | - | - | - | 1.9 | - | - | - | - | - | 0.1 | 0.13 | 0.10 | 0.3 |
| C70-C72 | - | 0.4 | 0.7 | - | - | - | 1.6 | 2.4 | 1.2 | 2.9 | 1.9 | - | 3.9 | 10.5 | 7.2 | - | 0.8 | 1.30 | 0.37 | 2.1 |
| C73 | - | - | - | 0.5 | - | - | - | 0.8 | 1.2 | 2.9 | 1.9 | 3.0 | - | - | - | 6.8 | 0.4 | 0.68 | 0.26 | 1.6 |
| C74 | - | - | - | - | 0.6 | - | - | - | - | - | - | - | - | - | - | - | 0.1 | 0.05 | 0.05 | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | 0.5 | 0.6 | 0.7 | - | 0.8 | 1.2 | 1.4 | - | 3.0 | 3.9 | 5.2 | - | - | 0.5 | 0.79 | 0.29 | 1.5 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | 1.9 | - | 3.9 | - | - | - | 0.1 | 0.25 | 0.18 | 0.8 |
| C91 | 0.4 | 0.4 | - | 0.5 | - | - | - | - | - | - | 1.9 | - | - | 5.2 | - | - | 0.3 | 0.38 | 0.20 | 0.3 |
| C92-C94 | - | 0.4 | 0.4 | - | 0.6 | 0.7 | 3.2 | - | - | 1.4 | 1.9 | 5.9 | - | 5.2 | - | - | 0.7 | 0.95 | 0.29 | 1.4 |
| C95 | - | 0.4 | - | - | - | - | - | - | - | 1.4 | - | - | - | - | 7.2 | - | 0.2 | 0.27 | 0.17 | 0.3 |
| O&U* | - | - | - | 1.4 | 0.6 | 3.0 | 3.2 | 8.8 | 17.9 | 23.0 | 36.8 | 38.4 | 50.8 | 10.5 | 43.2 | 88.2 | 6.3 | 11.93 | 1.16 | 27.1 |
| All | 1.2 | 1.8 | 2.8 | 5.9 | 6.1 | 17.0 | 34.1 | 87.8 | 217.5 | 373.8 | 460.7 | 501.9 | 636.6 | 633.5 | 561.5 | 637.5 | 80.4 | 157.3 | 4.26 | 352.6 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA STATE

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|------------|------------|------------|------------|------------|------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|-------------|--------------|
| C00 | - | - | - | - | - | - | - | - | - | - | 2.2 | 6.0 | 9.9 | 4.2 | 5.7 | 18.8 | 0.6 | 1.36 | 0.40 | 2.4 |
| C01-C02 | - | - | - | - | - | 0.7 | - | 0.8 | 6.3 | 6.0 | 6.5 | - | 16.5 | 4.2 | 22.8 | 9.4 | 1.4 | 2.59 | 0.52 | 5.7 |
| C03-C06 | - | - | - | - | - | - | 2.5 | 0.8 | 5.0 | 10.4 | 19.5 | 15.1 | 29.7 | 29.3 | 39.9 | 28.2 | 3.1 | 6.14 | 0.82 | 12.1 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | 3.3 | - | - | - | 0.1 | 0.25 | 0.18 | 0.8 |
| C09 | - | - | - | - | - | - | - | - | 1.3 | 1.5 | 4.3 | 3.0 | 3.3 | - | - | - | 0.3 | 0.63 | 0.26 | 2.0 |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | 3.3 | - | - | - | 0.1 | 0.13 | 0.13 | 0.4 |
| C11 | - | - | - | 0.5 | - | 0.7 | 0.8 | - | 1.3 | - | - | 6.0 | 3.3 | 4.2 | - | 4.7 | 0.5 | 0.81 | 0.29 | 1.4 |
| C12-C13 | - | - | - | - | - | - | - | 0.8 | 2.5 | 3.0 | 10.8 | 6.0 | 9.9 | - | 11.4 | 4.7 | 1.0 | 1.88 | 0.45 | 5.0 |
| C14 | - | - | - | - | - | - | - | - | - | - | 4.3 | - | - | 8.4 | - | 9.4 | 0.3 | 0.66 | 0.27 | 0.7 |
| C15 | - | - | - | - | 0.6 | 0.7 | 1.6 | 3.4 | 25.0 | 43.3 | 71.5 | 72.6 | 95.8 | 54.4 | 91.2 | 75.2 | 9.9 | 19.77 | 1.47 | 47.1 |
| C16 | - | - | - | - | - | - | 4.1 | 3.4 | 10.0 | 14.9 | 13.0 | 18.1 | 9.9 | 16.7 | 22.8 | 28.2 | 3.0 | 5.24 | 0.73 | 11.2 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | - | - | 5.7 | - | 0.1 | 0.23 | 0.17 | 0.4 |
| C18 | - | - | - | - | - | - | - | - | 1.3 | 1.5 | 10.8 | - | 9.9 | 4.2 | 22.8 | 4.7 | 0.8 | 1.78 | 0.45 | 3.6 |
| C19-C20 | - | - | 0.4 | - | - | - | - | 0.8 | 1.3 | - | 2.2 | 3.0 | 6.6 | 4.2 | 5.7 | 4.7 | 0.5 | 0.99 | 0.33 | 2.0 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | 0.4 | - | - | - | - | - | - | 1.7 | 1.3 | 3.0 | - | - | 3.3 | 8.4 | 5.7 | 14.1 | 0.7 | 1.18 | 0.34 | 1.6 |
| C23-C24 | - | - | - | - | - | - | 0.8 | 2.5 | 2.5 | 3.0 | 10.8 | 6.0 | 26.4 | 16.7 | 5.7 | 14.1 | 1.6 | 3.27 | 0.61 | 7.5 |
| C25 | - | - | - | - | 0.6 | 0.7 | - | - | - | - | 4.3 | 6.0 | 9.9 | 4.2 | 5.7 | - | 0.6 | 1.19 | 0.37 | 2.8 |
| C30-C31 | - | - | - | - | - | 0.7 | - | - | 1.3 | - | - | - | - | - | - | - | 0.1 | 0.13 | 0.09 | 0.2 |
| C32 | - | - | - | - | - | - | 0.8 | - | - | 1.5 | - | - | 3.3 | 8.4 | - | 4.7 | 0.3 | 0.62 | 0.26 | 0.7 |
| C33-C34 | - | - | - | - | 0.6 | - | 1.6 | 0.8 | 2.5 | 6.0 | 8.7 | 9.1 | 13.2 | 20.9 | 5.7 | - | 1.4 | 2.77 | 0.55 | 6.1 |
| C37-C38 | - | 0.4 | - | - | - | - | - | - | - | 1.5 | - | - | - | - | - | - | 0.1 | 0.13 | 0.10 | 0.3 |
| C40-C41 | - | - | - | - | 0.6 | - | - | 0.8 | - | 1.5 | - | - | 6.6 | - | - | - | 0.3 | 0.45 | 0.22 | 1.3 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | 0.4 | - | 0.6 | - | - | 2.5 | 2.5 | 4.5 | - | 3.0 | - | 4.2 | 5.7 | 9.4 | 0.8 | 1.20 | 0.33 | 2.2 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | 0.4 | - | - | 0.5 | 0.6 | - | 0.8 | 0.8 | 1.3 | - | 2.2 | - | - | 4.2 | - | - | 0.4 | 0.55 | 0.21 | 0.8 |
| C50 | - | - | - | - | - | 0.7 | 5.8 | 6.7 | 18.8 | 23.9 | 32.5 | 21.2 | 19.8 | 50.2 | 34.2 | 14.1 | 5.1 | 9.10 | 0.96 | 20.1 |
| C51 | 0.4 | - | - | - | - | 0.7 | - | 0.8 | - | 1.5 | - | - | - | - | 5.7 | - | 0.3 | 0.36 | 0.17 | 0.5 |
| C52 | - | - | - | - | - | - | - | - | - | 1.5 | 2.2 | 6.0 | - | - | - | - | 0.2 | 0.44 | 0.22 | 1.4 |
| C53 | - | - | - | 0.5 | 0.6 | - | 7.4 | 11.0 | 18.8 | 23.9 | 23.8 | 21.2 | 33.0 | 12.6 | 5.7 | 9.4 | 4.7 | 7.79 | 0.87 | 21.2 |
| C54 | - | - | - | - | - | - | - | - | - | 1.5 | 6.5 | - | 3.3 | 8.4 | 5.7 | - | 0.4 | 0.91 | 0.32 | 1.8 |
| C55 | - | - | - | - | - | - | - | - | - | 6.0 | - | - | - | 8.4 | - | - | 0.3 | 0.61 | 0.25 | 1.2 |
| C56 | - | - | - | 0.5 | 0.6 | 1.3 | 4.1 | 2.5 | 6.3 | - | 10.8 | - | - | - | - | - | 1.2 | 1.51 | 0.34 | 3.4 |
| C57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | - | - | - | - | - | 0.7 | - | - | - | - | - | - | - | - | - | - | 0.1 | 0.05 | 0.05 | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | - | 4.2 | - | - | 0.1 | 0.25 | 0.17 | 0.4 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | - | - | - | - | 0.1 | 0.12 | 0.12 | 0.4 |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | - | - | 1.3 | - | - | - | - | - | - | 4.7 | 0.1 | 0.17 | 0.12 | 0.2 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | - | - | 0.4 | - | 0.6 | 1.3 | 1.6 | - | - | 1.5 | - | 3.0 | 3.3 | - | - | - | 0.5 | 0.63 | 0.23 | 1.1 |
| C73 | - | - | - | - | - | 1.3 | 2.5 | 0.8 | 2.5 | 1.5 | 2.2 | - | - | - | 5.7 | 4.7 | 0.6 | 0.86 | 0.26 | 1.3 |
| C74 | 0.4 | - | - | - | - | - | - | - | - | - | 2.2 | - | - | - | - | - | 0.1 | 0.16 | 0.12 | 0.3 |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | 0.5 | 0.6 | - | - | - | 1.3 | 3.0 | - | - | - | 4.2 | - | - | 0.3 | 0.47 | 0.20 | 0.8 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4.2 | - | 4.7 | 0.1 | 0.22 | 0.16 | - |
| C91 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4.2 | - | - | 0.1 | 0.13 | 0.13 | - |
| C92-C94 | - | - | - | 0.5 | - | - | 1.6 | - | - | 1.5 | 2.2 | 6.0 | 6.6 | - | - | 4.7 | 0.5 | 0.94 | 0.32 | 2.3 |
| C95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | - | 0.4 | - | - | 1.2 | 0.7 | 1.6 | 1.7 | 2.5 | 10.4 | 13.0 | 3.0 | 23.1 | 20.9 | 39.9 | 37.6 | 2.7 | 5.03 | 0.73 | 8.3 |
| All | 1.6 | 0.7 | 1.1 | 2.8 | 6.9 | 9.9 | 37.8 | 43.0 | 116.4 | 177.6 | 266.3 | 226.8 | 353.6 | 314.0 | 353.3 | 310.1 | 45.5 | 83.7 | 2.96 | 183.1 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Males

MEGHALAYA STATE

| ICD-10 | Site | Clinical | | Microscopic | | X-Ray/Imaging | | DCO | | Others | | Unknown | | Total | |
|-------------|-----------------------|-----------|------------|-------------|-------------|---------------|------------|------------|------------|-----------|------------|----------|----------|-------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 1 | 20.0 | 4 | 80.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C01-C02 | Tongue | 3 | 5.1 | 55 | 93.2 | - | - | 1 | 1.7 | - | - | - | - | 59 | 100.0 |
| C03-C06 | Mouth | 2 | 2.5 | 74 | 93.7 | - | - | 3 | 3.8 | - | - | - | - | 79 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 7 | 100.0 | - | - | - | - | - | - | - | - | 7 | 100.0 |
| C09 | Tonsil | 1 | 2.1 | 47 | 97.9 | - | - | - | - | - | - | - | - | 48 | 100.0 |
| C10 | Oth. Oropharynx | - | - | 18 | 85.7 | - | - | 3 | 14.3 | - | - | - | - | 21 | 100.0 |
| C11 | Nasopharynx | 1 | 5.3 | 16 | 84.2 | 1 | 5.3 | 1 | 5.3 | - | - | - | - | 19 | 100.0 |
| C12-C13 | Hypopharynx | 6 | 3.4 | 162 | 92.6 | 1 | 0.6 | 6 | 3.4 | - | - | - | - | 175 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 36 | 87.8 | - | - | 5 | 12.2 | - | - | - | - | 41 | 100.0 |
| C15 | Oesophagus | 10 | 2.2 | 395 | 87.2 | 2 | 0.4 | 35 | 7.7 | 11 | 2.4 | - | - | 453 | 100.0 |
| C16 | Stomach | 3 | 2.7 | 100 | 88.5 | - | - | 8 | 7.1 | 2 | 1.8 | - | - | 113 | 100.0 |
| C17 | Small Intestine | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | 1 | 6.3 | 12 | 75.0 | - | - | 3 | 18.8 | - | - | - | - | 16 | 100.0 |
| C19-C20 | Rectum | - | - | 10 | 100.0 | - | - | - | - | - | - | - | - | 10 | 100.0 |
| C21 | Anus & Anal Canal | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C22 | Liver | 2 | 5.9 | 23 | 67.6 | 2 | 5.9 | 7 | 20.6 | - | - | - | - | 34 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 16.7 | 2 | 33.3 | 2 | 33.3 | 1 | 16.7 | - | - | - | - | 6 | 100.0 |
| C25 | Pancreas | 1 | 12.5 | 5 | 62.5 | - | - | 2 | 25.0 | - | - | - | - | 8 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | 2 | 66.7 | 1 | 33.3 | - | - | - | - | - | - | 3 | 100.0 |
| C32 | Larynx | 3 | 4.1 | 68 | 93.2 | - | - | 2 | 2.7 | - | - | - | - | 73 | 100.0 |
| C33-C34 | Lung etc. | 3 | 3.3 | 73 | 81.1 | 5 | 5.6 | 9 | 10.0 | - | - | - | - | 90 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C40-C41 | Bone | - | - | 11 | 84.6 | 2 | 15.4 | - | - | - | - | - | - | 13 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 14 | 100.0 | - | - | - | - | - | - | - | - | 14 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C50 | Breast | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C60 | Penis | 1 | 25.0 | 3 | 75.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C61 | Prostate | - | - | 9 | 69.2 | 1 | 7.7 | 3 | 23.1 | - | - | - | - | 13 | 100.0 |
| C62 | Testis | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | 1 | 33.3 | 1 | 33.3 | - | - | 1 | 33.3 | - | - | - | - | 3 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C67 | Bladder | - | - | 7 | 87.5 | - | - | 1 | 12.5 | - | - | - | - | 8 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C70-C72 | Brain, Nervous System | 1 | 6.3 | 9 | 56.3 | 5 | 31.3 | 1 | 6.3 | - | - | - | - | 16 | 100.0 |
| C73 | Thyroid | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C74 | Adrenal Gland | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | 9 | 100.0 | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C88 | Malignant Imm. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 9 | 69.2 | - | - | 4 | 30.8 | - | - | - | - | 13 | 100.0 |
| C95 | Leukaemia Uns | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| O&U* | Other and Uns | 5 | 4.2 | 84 | 70.0 | 2 | 1.7 | 29 | 24.2 | - | - | - | - | 120 | 100.0 |
| | All Sites | 47 | 3.1 | 1311 | 86.3 | 24 | 1.6 | 125 | 8.2 | 13 | 0.9 | - | - | 1520 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Females

MEGHALAYA STATE

| ICD-10 | Site | Clinical | | Microscopic | | X-Ray/Imaging | | DCO | | Others | | Unknown | | Total | |
|-------------|-----------------------|-----------|------------|-------------|-------------|---------------|------------|-----------|------------|-----------|------------|---------|---|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 1 | 8.3 | 11 | 91.7 | - | - | - | - | - | - | - | - | 12 | 100.0 |
| C01-C02 | Tongue | 1 | 3.8 | 24 | 92.3 | - | - | 1 | 3.8 | - | - | - | - | 26 | 100.0 |
| C03-C06 | Mouth | 6 | 10.3 | 52 | 89.7 | - | - | - | - | - | - | - | - | 58 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C09 | Tonsil | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C10 | Oth. Oropharynx | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C11 | Nasopharynx | - | - | 7 | 77.8 | - | - | 2 | 22.2 | - | - | - | - | 9 | 100.0 |
| C12-C13 | Hypopharynx | - | - | 17 | 94.4 | - | - | - | - | 1 | 5.6 | - | - | 18 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 4 | 66.7 | - | - | 2 | 33.3 | - | - | - | - | 6 | 100.0 |
| C15 | Oesophagus | 8 | 4.3 | 166 | 88.3 | - | - | 7 | 3.7 | 7 | 3.7 | - | - | 188 | 100.0 |
| C16 | Stomach | - | - | 50 | 89.3 | - | - | 4 | 7.1 | 2 | 3.6 | - | - | 56 | 100.0 |
| C17 | Small Intestine | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | - | - | 16 | 100.0 | - | - | - | - | - | - | - | - | 16 | 100.0 |
| C19-C20 | Rectum | 1 | 10.0 | 9 | 90.0 | - | - | - | - | - | - | - | - | 10 | 100.0 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | - | - | 8 | 61.5 | 2 | 15.4 | 3 | 23.1 | - | - | - | - | 13 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 3.2 | 21 | 67.7 | 4 | 12.9 | 5 | 16.1 | - | - | - | - | 31 | 100.0 |
| C25 | Pancreas | 3 | 27.3 | 4 | 36.4 | 1 | 9.1 | 3 | 27.3 | - | - | - | - | 11 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C32 | Larynx | - | - | 4 | 66.7 | - | - | 2 | 33.3 | - | - | - | - | 6 | 100.0 |
| C33-C34 | Lung etc. | 3 | 11.1 | 19 | 70.4 | 1 | 3.7 | 4 | 14.8 | - | - | - | - | 27 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C40-C41 | Bone | 1 | 20.0 | 4 | 80.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 14 | 93.3 | - | - | 1 | 6.7 | - | - | - | - | 15 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 1 | 12.5 | 7 | 87.5 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C50 | Breast | 3 | 3.1 | 88 | 91.7 | - | - | 5 | 5.2 | - | - | - | - | 96 | 100.0 |
| C51 | Vulva | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C52 | Vagina | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C53 | Cervix Uteri | 3 | 3.4 | 78 | 87.6 | 1 | 1.1 | 7 | 7.9 | - | - | - | - | 89 | 100.0 |
| C54 | Corpus Uteri | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C55 | Uterus Unspecified | - | - | 3 | 50.0 | - | - | 3 | 50.0 | - | - | - | - | 6 | 100.0 |
| C56 | Ovary etc. | 1 | 4.5 | 21 | 95.5 | - | - | - | - | - | - | - | - | 22 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C64 | Kidney etc. | - | - | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | 2 | 100.0 |
| C65 | Renal Pelvis | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, Nervous System | 2 | 22.2 | 6 | 66.7 | - | - | 1 | 11.1 | - | - | - | - | 9 | 100.0 |
| C73 | Thyroid | - | - | 12 | 100.0 | - | - | - | - | - | - | - | - | 12 | 100.0 |
| C74 | Adrenal Gland | - | - | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | 2 | 100.0 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | 1 | 50.0 | - | - | - | - | 1 | 50.0 | - | - | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 10 | 100.0 | - | - | - | - | - | - | - | - | 10 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | - | 39 | 76.5 | - | - | 12 | 23.5 | - | - | - | - | 51 | 100.0 |
| | All Sites | 36 | 4.2 | 739 | 86.0 | 11 | 1.3 | 62 | 7.2 | 11 | 1.3 | - | - | 859 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Males

MEGHALAYA STATE

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|-------------|-----------------------|------------|-------------|-----------|------------|------------|-------------|------------|------------|-------------|------------|------------|-------------|-------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 3 | 60.0 | - | - | 1 | 20.0 | - | - | - | - | 1 | 20.0 | 5 | 100.0 |
| C01-C02 | Tongue | 48 | 81.4 | 1 | 1.7 | 6 | 10.2 | - | - | - | - | 4 | 6.8 | 59 | 100.0 |
| C03-C06 | Mouth | 66 | 83.5 | - | - | 8 | 10.1 | - | - | - | - | 5 | 6.3 | 79 | 100.0 |
| C07-C08 | Salivary Gland | 1 | 14.3 | - | - | 6 | 85.7 | - | - | - | - | - | - | 7 | 100.0 |
| C09 | Tonsil | 34 | 70.8 | - | - | 13 | 27.1 | - | - | - | - | 1 | 2.1 | 48 | 100.0 |
| C10 | Oth. Oropharynx | 16 | 76.2 | - | - | 2 | 9.5 | - | - | - | - | 3 | 14.3 | 21 | 100.0 |
| C11 | Nasopharynx | 10 | 52.6 | 2 | 10.5 | 4 | 21.1 | - | - | - | - | 3 | 15.8 | 19 | 100.0 |
| C12-C13 | Hypopharynx | 111 | 63.4 | 1 | 0.6 | 50 | 28.6 | - | - | - | - | 13 | 7.4 | 175 | 100.0 |
| C14 | Pharynx Unspecified | 32 | 78.0 | - | - | 4 | 9.8 | - | - | - | - | 5 | 12.2 | 41 | 100.0 |
| C15 | Oesophagus | 385 | 85.0 | - | - | 10 | 2.2 | - | - | - | - | 58 | 12.8 | 453 | 100.0 |
| C16 | Stomach | 93 | 82.3 | 1 | 0.9 | 6 | 5.3 | - | - | - | - | 13 | 11.5 | 113 | 100.0 |
| C17 | Small Intestine | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | 12 | 75.0 | - | - | - | - | - | - | - | - | 4 | 25.0 | 16 | 100.0 |
| C19-C20 | Rectum | 10 | 100.0 | - | - | - | - | - | - | - | - | - | - | 10 | 100.0 |
| C21 | Anus & Anal Canal | 5 | 100.0 | - | - | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C22 | Liver | 6 | 17.6 | - | - | 17 | 50.0 | - | - | - | - | 11 | 32.4 | 34 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 16.7 | - | - | 1 | 16.7 | - | - | - | - | 4 | 66.7 | 6 | 100.0 |
| C25 | Pancreas | - | - | - | - | 5 | 62.5 | - | - | - | - | 3 | 37.5 | 8 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 2 | 66.7 | - | - | - | - | - | - | - | - | 1 | 33.3 | 3 | 100.0 |
| C32 | Larynx | 56 | 76.7 | - | - | 12 | 16.4 | - | - | - | - | 5 | 6.8 | 73 | 100.0 |
| C33-C34 | Lung etc. | 17 | 18.9 | - | - | 56 | 62.2 | - | - | - | - | 17 | 18.9 | 90 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 25.0 | - | - | 3 | 75.0 | - | - | - | - | - | - | 4 | 100.0 |
| C40-C41 | Bone | 5 | 38.5 | - | - | 6 | 46.2 | - | - | - | - | 2 | 15.4 | 13 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | 13 | 92.9 | - | - | 1 | 7.1 | - | - | - | - | - | - | 14 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 3 | 60.0 | - | - | 2 | 40.0 | - | - | - | - | - | - | 5 | 100.0 |
| C50 | Breast | 2 | 66.7 | - | - | 1 | 33.3 | - | - | - | - | - | - | 3 | 100.0 |
| C60 | Penis | 3 | 75.0 | - | - | - | - | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C61 | Prostate | 8 | 61.5 | - | - | 1 | 7.7 | - | - | - | - | 4 | 30.8 | 13 | 100.0 |
| C62 | Testis | 5 | 83.3 | - | - | 1 | 16.7 | - | - | - | - | - | - | 6 | 100.0 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | 1 | 33.3 | - | - | - | - | 2 | 66.7 | 3 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | 1 | 100.0 | - | - | - | - | - | - | 1 | 100.0 |
| C67 | Bladder | 6 | 75.0 | - | - | 1 | 12.5 | - | - | - | - | 1 | 12.5 | 8 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C70-C72 | Brain, Nervous System | 9 | 56.3 | - | - | - | - | - | - | - | - | 7 | 43.8 | 16 | 100.0 |
| C73 | Thyroid | 3 | 37.5 | 1 | 12.5 | 4 | 50.0 | - | - | - | - | - | - | 8 | 100.0 |
| C74 | Adrenal Gland | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | 7 | 77.8 | - | - | 2 | 22.2 | - | - | - | - | - | - | 9 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 1 | 50.0 | 1 | 50.0 | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | 3 | 60.0 | 2 | 40.0 | - | - | 5 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 4 | 30.8 | 5 | 38.5 | 4 | 30.8 | 13 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | 1 | 33.3 | 2 | 66.7 | - | - | 3 | 100.0 |
| O&U* | Other and Uns | 3 | 2.5 | 3 | 2.5 | 78 | 65.0 | - | - | - | - | 36 | 30.0 | 120 | 100.0 |
| | All Sites | 981 | 64.5 | 9 | 0.6 | 303 | 19.9 | 8 | 0.5 | 10 | 0.7 | 209 | 13.8 | 1520 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Females

MEGHALAYA STATE

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|-------------|-----------------------|------------|-------------|-----------|------------|------------|-------------|------------|------------|-------------|------------|------------|-------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 7 | 58.3 | - | - | 4 | 33.3 | - | - | - | - | 1 | 8.3 | 12 | 100.0 |
| C01-C02 | Tongue | 21 | 80.8 | - | - | 3 | 11.5 | - | - | - | - | 2 | 7.7 | 26 | 100.0 |
| C03-C06 | Mouth | 47 | 81.0 | - | - | 5 | 8.6 | - | - | - | - | 6 | 10.3 | 58 | 100.0 |
| C07-C08 | Salivary Gland | - | - | - | - | 2 | 100.0 | - | - | - | - | - | - | 2 | 100.0 |
| C09 | Tonsil | 4 | 66.7 | - | - | 2 | 33.3 | - | - | - | - | - | - | 6 | 100.0 |
| C10 | Oth. Oropharynx | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C11 | Nasopharynx | 6 | 66.7 | - | - | 1 | 11.1 | - | - | - | - | 2 | 22.2 | 9 | 100.0 |
| C12-C13 | Hypopharynx | 14 | 77.8 | - | - | 3 | 16.7 | - | - | - | - | 1 | 5.6 | 18 | 100.0 |
| C14 | Pharynx Unspecified | 2 | 33.3 | - | - | 2 | 33.3 | - | - | - | - | 2 | 33.3 | 6 | 100.0 |
| C15 | Oesophagus | 161 | 85.6 | - | - | 5 | 2.7 | - | - | - | - | 22 | 11.7 | 188 | 100.0 |
| C16 | Stomach | 46 | 82.1 | 1 | 1.8 | 3 | 5.4 | - | - | - | - | 6 | 10.7 | 56 | 100.0 |
| C17 | Small Intestine | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | 16 | 100.0 | - | - | - | - | - | - | - | - | - | - | 16 | 100.0 |
| C19-C20 | Rectum | 9 | 90.0 | - | - | - | - | - | - | - | - | 1 | 10.0 | 10 | 100.0 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | 1 | 7.7 | - | - | 7 | 53.8 | - | - | - | - | 5 | 38.5 | 13 | 100.0 |
| C23-C24 | Gallbladder etc. | 12 | 38.7 | - | - | 9 | 29.0 | - | - | - | - | 10 | 32.3 | 31 | 100.0 |
| C25 | Pancreas | - | - | - | - | 4 | 36.4 | - | - | - | - | 7 | 63.6 | 11 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C32 | Larynx | 4 | 66.7 | - | - | - | - | - | - | - | - | 2 | 33.3 | 6 | 100.0 |
| C33-C34 | Lung etc. | 4 | 14.8 | - | - | 15 | 55.6 | - | - | - | - | 8 | 29.6 | 27 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 50.0 | - | - | - | - | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C40-C41 | Bone | 1 | 20.0 | - | - | 3 | 60.0 | - | - | - | - | 1 | 20.0 | 5 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | 13 | 86.7 | - | - | 1 | 6.7 | - | - | - | - | 1 | 6.7 | 15 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 5 | 62.5 | - | - | 2 | 25.0 | - | - | - | - | 1 | 12.5 | 8 | 100.0 |
| C50 | Breast | 41 | 42.7 | 1 | 1.0 | 46 | 47.9 | - | - | - | - | 8 | 8.3 | 96 | 100.0 |
| C51 | Vulva | 5 | 100.0 | - | - | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C52 | Vagina | 4 | 100.0 | - | - | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C53 | Cervix Uteri | 76 | 85.4 | - | - | 2 | 2.2 | - | - | - | - | 11 | 12.4 | 89 | 100.0 |
| C54 | Corpus Uteri | 8 | 100.0 | - | - | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C55 | Uterus Unspecified | 3 | 50.0 | - | - | - | - | - | - | - | - | 3 | 50.0 | 6 | 100.0 |
| C56 | Ovary etc. | 20 | 90.9 | - | - | 1 | 4.5 | - | - | - | - | 1 | 4.5 | 22 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C64 | Kidney etc. | - | - | - | - | 1 | 50.0 | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C65 | Renal Pelvis | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, Nervous System | 6 | 66.7 | - | - | - | - | - | - | - | - | 3 | 33.3 | 9 | 100.0 |
| C73 | Thyroid | 10 | 83.3 | - | - | 2 | 16.7 | - | - | - | - | - | - | 12 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | 1 | 50.0 | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | 3 | 50.0 | - | - | 3 | 50.0 | - | - | - | - | - | - | 6 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 1 | 50.0 | 1 | 50.0 | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | 1 | 100.0 | - | - | 1 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 6 | 60.0 | 4 | 40.0 | - | - | 10 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | 7 | 13.7 | - | - | 32 | 62.7 | - | - | - | - | 12 | 23.5 | 51 | 100.0 |
| | All Sites | 566 | 65.9 | 2 | 0.2 | 159 | 18.5 | 6 | 0.7 | 6 | 0.7 | 120 | 14.0 | 859 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Males

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|------------|---------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | 4 | 0.84 |
| C01-C02 | Tongue | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | - | - | 11 | 2.32 |
| C03-C06 | Mouth | - | - | - | - | - | - | 1 | 1 | 4 | 1 | 4 | 3 | 1 | 1 | 2 | 1 | - | 19 | 4.01 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | - | - | - | - | - | - | - | - | 2 | 5 | 2 | 2 | 1 | - | - | 1 | - | 13 | 2.74 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | 2 | 3 | - | 2 | 1 | - | 1 | - | - | 9 | 1.90 |
| C11 | Nasopharynx | - | - | - | - | - | - | 1 | - | - | - | - | 2 | - | 2 | - | - | - | 5 | 1.05 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | 3 | 3 | 8 | 8 | 6 | 8 | 3 | 1 | 5 | 4 | - | 49 | 10.34 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | 1 | 1 | 4 | 2 | 1 | - | 1 | - | - | 10 | 2.11 |
| C15 | Oesophagus | - | - | - | - | - | 1 | 2 | 12 | 12 | 34 | 29 | 18 | 15 | 13 | 7 | 6 | - | 149 | 31.43 |
| C16 | Stomach | - | - | - | - | - | 1 | 2 | 2 | 2 | 4 | 3 | 5 | 5 | 6 | 3 | 4 | - | 37 | 7.81 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.21 |
| C18 | Colon | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 1 | - | 1 | - | 4 | 0.84 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0.21 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.21 |
| C22 | Liver | - | - | - | - | - | - | - | - | 2 | 2 | 2 | 5 | 2 | - | - | 4 | - | 17 | 3.59 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - | - | 6 | 1.27 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | - | - | 2 | 2 | 1 | - | 1 | - | 6 | 1.27 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | Larynx | - | - | - | - | - | - | - | 1 | 1 | 4 | 2 | 2 | 3 | 2 | 1 | 3 | - | 19 | 4.01 |
| C33-C34 | Lung etc. | - | - | - | - | - | - | - | 1 | 3 | 4 | 3 | 8 | 3 | 4 | 4 | 5 | - | 35 | 7.38 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C40-C41 | Bone | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.21 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.21 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47 + C49 | Conn. & Soft Tissue | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.21 |
| C50 | Breast | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C60 | Penis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.21 |
| C61 | Prostate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 2 | - | 4 | 0.84 |
| C62 | Testis | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | 2 | 0.42 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 2 | 0.42 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 2 | - | 4 | 0.84 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, Nervous System | - | - | 1 | - | - | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - | 5 | 1.05 |
| C73 | Thyroid | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0.21 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.21 |
| C82-C85,C96 | NHL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C88 | Malignant Imm. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.21 |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | 1 | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - | 5 | 1.05 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | - | - | 2 | - | 2 | 1 | 3 | 4 | 9 | 7 | 4 | 3 | 3 | 5 | 6 | - | 49 | 10.34 |
| | All Sites | 1 | - | 1 | 4 | 3 | 5 | 12 | 25 | 44 | 79 | 64 | 71 | 45 | 43 | 36 | 41 | - | 474 | 100.00 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Females

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|----------|----------|----------|----------|----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|------------|---------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.39 |
| C01-C02 | Tongue | - | - | - | - | - | - | 1 | - | 2 | - | 3 | - | - | - | - | 1 | - | 7 | 2.76 |
| C03-C06 | Mouth | - | - | - | - | - | - | - | - | - | 1 | 2 | 1 | 4 | 2 | 3 | 2 | - | 15 | 5.91 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.39 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - | 4 | 1.57 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - | 4 | 1.57 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - | 2 | 0.79 |
| C15 | Oesophagus | - | - | - | - | 1 | 1 | 1 | 1 | 7 | 7 | 11 | 8 | 9 | 5 | 3 | 5 | - | 59 | 23.23 |
| C16 | Stomach | - | - | - | - | - | - | 2 | - | 2 | 3 | 2 | 1 | - | - | 2 | 2 | - | 14 | 5.51 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | Colon | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - | 4 | 1.57 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | 1 | - | 3 | 1.18 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | - | - | - | - | - | - | - | - | - | 2 | - | - | 1 | 2 | - | 2 | - | 7 | 2.76 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | 1 | - | 1 | - | 2 | - | 2 | 1 | 1 | 2 | - | 10 | 3.94 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | - | 1 | - | 3 | 1 | 1 | - | - | 6 | 2.36 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 0.39 |
| C32 | Larynx | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | 1 | - | 3 | 1.18 |
| C33-C34 | Lung etc. | - | - | - | - | 1 | - | 1 | - | 1 | 2 | 2 | - | 1 | 3 | 2 | 1 | - | 14 | 5.51 |
| C37-C38 | Other Thoracic Organs | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.39 |
| C40-C41 | Bone | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.39 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | Breast | - | - | - | - | - | - | - | 2 | 2 | 2 | 7 | 2 | 1 | 7 | - | 1 | - | 24 | 9.45 |
| C51 | Vulva | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C52 | Vagina | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C53 | Cervix Uteri | - | - | - | - | - | - | 2 | 1 | 6 | 2 | 3 | 3 | 5 | 2 | 1 | 1 | - | 26 | 10.24 |
| C54 | Corpus Uteri | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C55 | Uterus Unspecified | - | - | - | - | - | - | - | - | - | 2 | - | - | - | 1 | - | - | - | 3 | 1.18 |
| C56 | Ovary etc. | - | - | - | - | - | - | - | 1 | 3 | - | 1 | 1 | - | - | - | - | - | 6 | 2.36 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.39 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.39 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, NS | - | - | - | - | 1 | 1 | 2 | - | - | 1 | - | - | 1 | - | - | - | - | 6 | 2.36 |
| C73 | Thyroid | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C74 | Adrenal Gland | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 2 | 0.79 |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 0.79 |
| C88 | Malignant Imm. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | - | - | - | 1 | - | - | 1 | - | - | - | - | 2 | 1 | - | - | - | - | 5 | 1.97 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | - | - | - | - | - | - | 1 | 2 | 2 | 2 | - | 3 | 3 | 1 | 7 | - | 21 | 8.27 |
| | All Sites | 1 | 1 | 1 | 1 | 4 | 2 | 12 | 7 | 28 | 25 | 41 | 21 | 34 | 29 | 16 | 31 | - | 254 | 100.00 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA STATE

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|-------|
| C00 | - | - | - | - | - | - | - | - | - | - | - | - | 3.9 | 5.2 | 14.4 | - | 0.2 | 0.6 | 0.30 | 0.5 |
| C01-C02 | - | - | - | - | - | - | 0.8 | 0.8 | 2.4 | 1.4 | 1.9 | 3.0 | 7.8 | 5.2 | 7.2 | - | 0.6 | 1.2 | 0.37 | 2.6 |
| C03-C06 | - | - | - | - | - | - | 0.8 | 0.8 | 4.8 | 1.4 | 7.7 | 8.9 | 3.9 | 5.2 | 14.4 | 6.8 | 1.0 | 1.9 | 0.47 | 4.3 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | - | - | - | - | - | - | - | - | 2.4 | 7.2 | 3.9 | 5.9 | 3.9 | - | - | 6.8 | 0.7 | 1.3 | 0.37 | 3.7 |
| C10 | - | - | - | - | - | - | - | - | 2.4 | 4.3 | - | 5.9 | 3.9 | - | 7.2 | - | 0.5 | 0.9 | 0.32 | 2.6 |
| C11 | - | - | - | - | - | - | 0.8 | - | - | - | - | 5.9 | - | 10.5 | - | - | 0.3 | 0.6 | 0.28 | 0.8 |
| C12-C13 | - | - | - | - | - | - | 2.4 | 2.4 | 9.6 | 11.5 | 11.6 | 23.6 | 11.7 | 5.2 | 36.0 | 27.1 | 2.6 | 5.0 | 0.75 | 11.0 |
| C14 | - | - | - | - | - | - | - | - | 1.2 | 1.4 | 7.7 | 5.9 | 3.9 | - | 7.2 | - | 0.5 | 1.1 | 0.35 | 3.0 |
| C15 | - | - | - | - | - | 0.7 | 1.6 | 9.6 | 14.3 | 48.9 | 56.1 | 53.1 | 58.6 | 68.1 | 50.4 | 40.7 | 7.9 | 15.7 | 1.35 | 37.6 |
| C16 | - | - | - | - | - | 0.7 | 1.6 | 1.6 | 2.4 | 5.8 | 5.8 | 14.8 | 19.5 | 31.4 | 21.6 | 27.1 | 2.0 | 4.3 | 0.75 | 7.2 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.2 | - | - | 0.1 | 0.2 | 0.16 | - |
| C18 | - | - | - | - | - | - | 0.8 | - | 1.2 | - | - | - | - | 5.2 | - | 6.8 | 0.2 | 0.4 | 0.22 | 0.2 |
| C19-C20 | - | - | - | - | - | - | - | - | - | 1.4 | - | - | - | - | - | - | 0.1 | 0.1 | 0.09 | 0.3 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.2 | - | - | 0.1 | 0.2 | 0.16 | - |
| C22 | - | - | - | - | - | - | - | - | 2.4 | 2.9 | 3.9 | 14.8 | 7.8 | - | - | 27.1 | 0.9 | 2.0 | 0.49 | 4.6 |
| C23-C24 | - | - | - | - | - | - | - | - | - | - | 1.9 | 3.0 | 7.8 | 5.2 | 7.2 | - | 0.3 | 0.8 | 0.34 | 1.7 |
| C25 | - | - | - | - | - | - | - | - | - | - | - | 5.9 | 7.8 | 5.2 | - | 6.8 | 0.3 | 0.8 | 0.35 | 1.8 |
| C30-C31 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | - | - | - | - | - | - | 0.8 | 1.2 | 5.8 | 3.9 | 5.9 | 11.7 | 10.5 | 7.2 | 20.3 | 1.0 | 2.2 | 0.53 | 4.4 | |
| C33-C34 | - | - | - | - | - | - | 0.8 | 3.6 | 5.8 | 5.8 | 23.6 | 11.7 | 20.9 | 28.8 | 33.9 | 33.9 | 1.9 | 4.2 | 0.73 | 7.5 |
| C37-C38 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C40-C41 | - | - | - | 0.5 | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | - | 0.04 | - |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | - | - | - | - | 0.1 | 0.1 | 0.12 | 0.4 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | - | 0.6 | - | - | - | - | - | - | - | - | - | - | - | 0.1 | - | 0.05 | - |
| C50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C60 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 6.8 | 0.1 | 0.1 | 0.14 | - |
| C61 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 14.4 | 13.6 | 0.2 | 0.6 | 0.28 | - |
| C62 | - | - | - | - | 0.6 | - | - | - | - | - | - | - | - | - | 7.2 | - | 0.1 | 0.2 | 0.15 | - |
| C63 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | - | 5.2 | - | - | 0.1 | 0.3 | 0.20 | 0.4 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | 0.4 | - | - | - | - | - | - | - | - | - | - | 3.0 | - | - | - | 13.6 | 0.2 | 0.4 | 0.23 | 0.4 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | - | - | 0.4 | - | - | - | - | 0.8 | - | 1.4 | - | 3.0 | - | 5.2 | - | - | 0.3 | 0.4 | 0.22 | 0.8 |
| C73 | - | - | - | - | - | - | - | - | - | 1.4 | - | - | - | - | - | - | 0.1 | 0.1 | 0.09 | 0.3 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.2 | - | - | 0.1 | 0.2 | 0.16 | - |
| C82-C85,C96 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | - | - | - | 0.5 | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | - | 0.04 | - |
| C92-C94 | - | - | - | - | 0.6 | 0.7 | - | - | - | - | - | 5.9 | - | 5.2 | - | - | 0.3 | 0.5 | 0.24 | 0.8 |
| C95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | - | - | - | 0.9 | - | 1.5 | 0.8 | 2.4 | 4.8 | 12.9 | 13.5 | 11.8 | 11.7 | 15.7 | 36.0 | 40.7 | 2.6 | 5.1 | 0.77 | 9.1 |
| All | 0.4 | - | 0.4 | 1.8 | 1.8 | 3.7 | 9.7 | 20.0 | 52.6 | 113.6 | 123.9 | 209.6 | 175.7 | 225.1 | 259.2 | 278.0 | 25.1 | 51.5 | 2.48 | 105.7 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA STATE

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|--------------|--------------|-------------|--------------|-------------|-------------|-------------|-------------|
| C00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 4.7 | 0.1 | 0.1 | 0.09 | - |
| C01-C02 | - | - | - | - | - | - | 0.8 | - | 2.5 | - | 6.5 | - | - | - | - | 4.7 | 0.4 | 0.6 | 0.24 | 1.5 |
| C03-C06 | - | - | - | - | - | - | - | - | - | 1.5 | 4.3 | 3.0 | 13.2 | 8.4 | 17.1 | 9.4 | 0.8 | 1.7 | 0.45 | 3.1 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | - | - | - | - | - | - | - | - | - | - | - | - | 3.3 | - | - | - | 0.1 | 0.1 | 0.13 | 0.4 |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | - | - | - | - | - | - | 0.8 | - | - | - | 2.2 | 3.0 | - | - | - | 4.7 | 0.2 | 0.4 | 0.19 | 0.7 |
| C12-C13 | - | - | - | - | - | - | - | 0.8 | 1.3 | 1.5 | 2.2 | - | - | - | - | - | 0.2 | 0.3 | 0.17 | 1.0 |
| C14 | - | - | - | - | - | - | - | - | - | - | 2.2 | - | - | - | - | 4.7 | 0.1 | 0.2 | 0.14 | 0.3 |
| C15 | - | - | - | - | 0.6 | 0.7 | 0.8 | 0.8 | 8.8 | 10.4 | 23.8 | 24.2 | 29.7 | 20.9 | 17.1 | 23.5 | 3.1 | 6.1 | 0.82 | 14.7 |
| C16 | - | - | - | - | - | - | 1.6 | - | 2.5 | 4.5 | 4.3 | 3.0 | - | - | 11.4 | 9.4 | 0.7 | 1.3 | 0.35 | 2.4 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | - | - | - | - | - | - | - | - | - | - | 2.2 | - | 3.3 | - | 11.4 | - | 0.2 | 0.5 | 0.23 | 0.8 |
| C19-C20 | - | - | - | - | - | - | - | - | - | - | - | 3.0 | 3.3 | - | - | 4.7 | 0.2 | 0.3 | 0.20 | 0.8 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | - | - | - | - | - | - | - | - | - | 3.0 | - | - | 3.3 | 8.4 | - | 9.4 | 0.4 | 0.8 | 0.29 | 1.0 |
| C23-C24 | - | - | - | - | - | - | 0.8 | - | 1.3 | - | 4.3 | - | 6.6 | 4.2 | 5.7 | 9.4 | 0.5 | 1.0 | 0.34 | 1.8 |
| C25 | - | - | - | - | - | - | - | - | - | - | 2.2 | - | 9.9 | 4.2 | 5.7 | - | 0.3 | 0.7 | 0.30 | 1.6 |
| C30-C31 | - | - | - | - | - | - | - | - | 1.3 | - | - | - | - | - | - | - | 0.1 | 0.1 | 0.08 | 0.2 |
| C32 | - | - | - | - | - | - | - | - | - | - | 2.2 | - | - | 4.2 | - | 4.7 | 0.2 | 0.3 | 0.19 | 0.3 |
| C33-C34 | - | - | - | - | 0.6 | - | 0.8 | - | 1.3 | 3.0 | 4.3 | - | 3.3 | 12.6 | 11.4 | 4.7 | 0.7 | 1.4 | 0.39 | 1.9 |
| C37-C38 | - | 0.4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | - | 0.04 | - |
| C40-C41 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | 0.4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | - | 0.03 | - |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | - | - | - | - | - | - | - | 1.7 | 2.5 | 3.0 | 15.2 | 6.0 | 3.3 | 29.3 | - | 4.7 | 1.3 | 2.5 | 0.53 | 5.0 |
| C51 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C52 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C53 | - | - | - | - | - | - | 1.6 | 0.8 | 7.5 | 3.0 | 6.5 | 9.1 | 16.5 | 8.4 | 5.7 | 4.7 | 1.4 | 2.6 | 0.53 | 6.5 |
| C54 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C55 | - | - | - | - | - | - | - | - | - | 3.0 | - | - | - | 4.2 | - | - | 0.2 | 0.3 | 0.18 | 0.6 |
| C56 | - | - | - | - | - | - | - | 0.8 | 3.8 | - | 2.2 | 3.0 | - | - | - | - | 0.3 | 0.5 | 0.21 | 1.6 |
| C57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4.2 | - | - | 0.1 | 0.1 | 0.13 | - |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 4.7 | 0.1 | 0.1 | 0.09 | - |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | - | - | - | - | 0.6 | 0.7 | 1.6 | - | - | 1.5 | - | - | 3.3 | - | - | - | 0.3 | 0.4 | 0.19 | 0.7 |
| C73 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C74 | 0.4 | - | - | - | - | - | - | - | - | - | - | 3.0 | - | - | - | - | 0.1 | 0.2 | 0.13 | 0.4 |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | - | 0.6 | - | - | - | - | - | - | - | - | - | - | 4.7 | 0.1 | 0.1 | 0.10 | - |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | - | - | - | 0.5 | - | - | 0.8 | - | - | - | - | 6.0 | 3.3 | - | - | - | 0.3 | 0.5 | 0.23 | 1.2 |
| C95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | - | - | - | - | - | - | - | 0.8 | 2.5 | 3.0 | 4.3 | - | 9.9 | 12.6 | 5.7 | 32.9 | 1.1 | 2.1 | 0.48 | 3.2 |
| All | 0.4 | 0.4 | 0.4 | 0.5 | 2.3 | 1.3 | 9.9 | 5.9 | 35.0 | 37.3 | 88.8 | 63.5 | 112.4 | 121.4 | 91.2 | 145.7 | 13.4 | 25.6 | 1.66 | 52.2 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MLS-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Males
MEGHALAYA STATE**

| ICD-10 | Site | 0 - 64 Years | | 0 - 74 Years | |
|-------------|-----------------------|--------------|--------------|--------------|--------------|
| | | Cu. Rate % | Cu. Risk | Cu. Rate% | Cu. Risk |
| C00 | Lip | - | - | 0.1 | 0.1 |
| C01-C02 | Tongue | 0.4 | 0.4 | 0.5 | 0.5 |
| C03-C06 | Mouth | 0.6 | 0.6 | 0.9 | 0.9 |
| C07-C08 | Salivary Gland | 0.1 | 0.1 | 0.1 | 0.1 |
| C09 | Tonsil | 0.4 | 0.4 | 0.5 | 0.5 |
| C10 | Oth. Oropharynx | 0.2 | 0.2 | 0.3 | 0.3 |
| C11 | Nasopharynx | 0.1 | 0.1 | 0.2 | 0.2 |
| C12-C13 | Hypopharynx | 1.5 | 1.5 | 2.0 | 2.0 |
| C14 | Pharynx Unspecified | 0.3 | 0.3 | 0.5 | 0.5 |
| C15 | Oesophagus | 3.8 | 3.7 | 5.1 | 5.2 |
| C16 | Stomach | 0.8 | 0.8 | 1.6 | 1.6 |
| C17 | Small Intestine | - | - | - | - |
| C18 | Colon | 0.1 | 0.1 | 0.2 | 0.2 |
| C19-C20 | Rectum | 0.1 | 0.1 | 0.1 | 0.1 |
| C21 | Anus & Anal Canal | - | - | 0.1 | 0.1 |
| C22 | Liver | 0.3 | 0.3 | 0.4 | 0.4 |
| C23-C24 | Gallbladder etc. | 0.1 | 0.1 | 0.1 | 0.1 |
| C25 | Pancreas | 0.1 | 0.1 | 0.1 | 0.1 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - |
| C32 | Larynx | 0.6 | 0.6 | 0.9 | 0.9 |
| C33-C34 | Lung etc. | 0.6 | 0.6 | 1.2 | 1.2 |
| C37-C38 | Other Thoracic Organs | - | - | - | - |
| C40-C41 | Bone | - | - | 0.1 | 0.1 |
| C43 | Melanoma of Skin | - | - | - | - |
| C44 | Other Skin | 0.1 | 0.1 | 0.2 | 0.2 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - |
| C50 | Breast | - | - | - | - |
| C60 | Penis | - | - | 0.1 | 0.1 |
| C61 | Prostate | 0.1 | 0.1 | 0.2 | 0.2 |
| C62 | Testis | - | - | - | - |
| C63 | Other Male Genital | - | - | - | - |
| C64 | Kidney etc. | - | - | 0.1 | 0.1 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | - | - | 0.1 | 0.1 |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | - | - | - | - |
| C70-C72 | Brain, Nervous System | 0.1 | 0.1 | 0.2 | 0.2 |
| C73 | Thyroid | 0.1 | 0.1 | 0.1 | 0.1 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - |
| C82-C85,C96 | NHL | 0.1 | 0.1 | 0.1 | 0.1 |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | 0.1 | 0.1 | 0.1 | 0.1 |
| C95 | Leukaemia Uns | - | - | - | - |
| O&U* | Other and Uns | 0.9 | 0.9 | 1.2 | 1.2 |
| | All Sites | 11.74 | 11.07 | 17.71 | 16.23 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MLS-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Females
MEGHALAYA STATE**

| ICD-10 | Site | 0 - 64 Years | | 0 - 74 Years | |
|-------------|-----------------------|--------------|-------------|--------------|-------------|
| | | Cu. Rate % | Cu. Risk | Cu. Rate% | Cu. Risk |
| C00 | Lip | 0.1 | 0.1 | 0.1 | 0.1 |
| C01-C02 | Tongue | 0.2 | 0.2 | 0.3 | 0.3 |
| C03-C06 | Mouth | 0.4 | 0.4 | 0.8 | 0.8 |
| C07-C08 | Salivary Gland | - | - | - | - |
| C09 | Tonsil | 0.1 | 0.1 | 0.1 | 0.1 |
| C10 | Oth. Oropharynx | - | - | - | - |
| C11 | Nasopharynx | 0.1 | 0.1 | 0.1 | 0.1 |
| C12-C13 | Hypopharynx | 0.2 | 0.2 | 0.2 | 0.2 |
| C14 | Pharynx Unspecified | - | - | 0.1 | 0.1 |
| C15 | Oesophagus | 1.6 | 1.6 | 2.3 | 2.3 |
| C16 | Stomach | 0.4 | 0.4 | 0.6 | 0.6 |
| C17 | Small Intestine | - | - | - | - |
| C18 | Colon | 0.1 | 0.1 | 0.3 | 0.3 |
| C19-C20 | Rectum | 0.1 | 0.1 | 0.1 | 0.1 |
| C21 | Anus & Anal Canal | - | - | - | - |
| C22 | Liver | - | - | 0.1 | 0.1 |
| C23-C24 | Gallbladder etc. | 0.3 | 0.3 | 0.4 | 0.4 |
| C25 | Pancreas | 0.1 | 0.1 | 0.2 | 0.2 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - |
| C32 | Larynx | - | - | 0.1 | 0.1 |
| C33-C34 | Lung etc. | 0.2 | 0.2 | 0.3 | 0.3 |
| C37-C38 | Other Thoracic Organs | - | - | - | - |
| C40-C41 | Bone | - | - | - | - |
| C43 | Melanoma of Skin | - | - | - | - |
| C44 | Other Skin | 0.1 | 0.1 | 0.1 | 0.1 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 0.1 | 0.1 |
| C50 | Breast | 0.6 | 0.6 | 1.1 | 1.1 |
| C51 | Vulva | - | - | - | - |
| C52 | Vagina | - | - | - | - |
| C53 | Cervix Uteri | 0.7 | 0.7 | 0.8 | 0.8 |
| C54 | Corpus Uteri | 0.1 | 0.1 | 0.1 | 0.1 |
| C55 | Uterus Unspecified | - | - | 0.1 | 0.1 |
| C56 | Ovary etc. | 0.1 | 0.1 | 0.1 | 0.1 |
| C57 | Other Female Genital | - | - | - | - |
| C58 | Placenta | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | - | - | - | - |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | - | - | - | - |
| C70-C72 | Brain, Nervous System | 0.1 | 0.1 | 0.1 | 0.1 |
| C73 | Thyroid | 0.1 | 0.1 | 0.1 | 0.1 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | - |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | 0.1 | 0.1 | 0.1 | 0.1 |
| C95 | Leukaemia Uns | - | - | - | - |
| O&U* | Other and Uns | 0.3 | 0.3 | 0.6 | 0.6 |
| | All Sites | 6.22 | 6.03 | 9.56 | 9.12 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Figure EKH -1
Population Pyramid showing Age Distribution: 2010-2011
MEGHALAYA - EAST KHASI HILLS




TABLE EKH-2
Population by Five Year Age Group and Gender: 2010-2011
Number and Relative Proportion (%)
MEGHALAYA - EAST KHASI HILLS

| Age Group | Males | | Females | |
|--------------|---------------|---------------|---------------|---------------|
| | Number | % | Number | % |
| 00-04 | 86491 | 10.8 | 81021 | 9.9 |
| 05-09 | 100593 | 12.5 | 99638 | 12.2 |
| 10-14 | 113371 | 14.1 | 110804 | 13.6 |
| 15-19 | 100817 | 12.6 | 102382 | 12.6 |
| 20-24 | 79880 | 9.9 | 82902 | 10.2 |
| 25-29 | 61091 | 7.6 | 71111 | 8.7 |
| 30-34 | 58385 | 7.3 | 57782 | 7.1 |
| 35-39 | 57691 | 7.2 | 54579 | 6.7 |
| 40-44 | 39026 | 4.9 | 38273 | 4.7 |
| 45-49 | 30869 | 3.8 | 31553 | 3.9 |
| 50-54 | 25998 | 3.2 | 23224 | 2.9 |
| 55-59 | 16614 | 2.1 | 15671 | 1.9 |
| 60-64 | 10925 | 1.4 | 14556 | 1.8 |
| 65-69 | 8499 | 1.1 | 11947 | 1.5 |
| 70-74 | 6120 | 0.8 | 8865 | 1.1 |
| 75+ | 7073 | 0.9 | 11401 | 1.4 |
| Total | 803443 | 100.00 | 815709 | 100.00 |

TABLE EKH-2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Males

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|----------|----------|----------|----------|----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|-----------|-----------|-----------|----------|------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 | - | - | 3 | 0.32 |
| C01-C02 | Tongue | - | - | - | - | - | 2 | 2 | 2 | 7 | 9 | 5 | 2 | 3 | 3 | 1 | 2 | - | 38 | 4.03 |
| C03-C06 | Mouth | - | - | - | - | - | - | 1 | 2 | 11 | 8 | 8 | 3 | 6 | 3 | 2 | 2 | - | 46 | 4.87 |
| C07-C08 | Salivary Gland | - | - | 1 | - | - | - | - | - | 1 | - | - | - | 2 | - | - | - | - | 4 | 0.42 |
| C09 | Tonsil | - | - | - | - | - | 1 | - | 2 | 3 | 6 | 5 | 3 | 3 | 2 | 1 | - | - | 26 | 2.75 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | 1 | 3 | 3 | 2 | 3 | 2 | 1 | 1 | - | - | 16 | 1.69 |
| C11 | Nasopharynx | - | - | - | 1 | - | - | 1 | - | 3 | 1 | 1 | 2 | 2 | 2 | 1 | - | - | 14 | 1.48 |
| C12-C13 | Hypopharynx | - | - | - | - | - | 3 | 3 | 7 | 21 | 15 | 16 | 12 | 9 | 7 | 5 | 2 | - | 100 | 10.59 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | 2 | 4 | 2 | 4 | 5 | 3 | 2 | 3 | 1 | - | - | 26 | 2.75 |
| C15 | Oesophagus | - | - | - | - | - | 1 | 5 | 20 | 42 | 79 | 68 | 33 | 35 | 16 | 14 | 10 | - | 323 | 34.22 |
| C16 | Stomach | - | - | - | - | - | 1 | 1 | 1 | 5 | 4 | 9 | 4 | 7 | 8 | 6 | 7 | - | 53 | 5.61 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | 0.21 |
| C18 | Colon | - | - | - | - | - | 1 | 1 | - | 1 | 1 | - | - | 1 | 2 | 1 | 2 | - | 10 | 1.06 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | - | - | 1 | 2 | - | 1 | - | 1 | 3 | - | 8 | 0.85 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | 1 | - | - | - | 1 | - | 1 | 1 | - | - | - | 4 | 0.42 |
| C22 | Liver | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 3 | 4 | 3 | 2 | 1 | 2 | - | 20 | 2.12 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - | 4 | 0.42 |
| C25 | Pancreas | - | - | - | - | - | 1 | - | - | - | - | - | 2 | 2 | 1 | - | 1 | - | 7 | 0.74 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.11 |
| C32 | Larynx | - | - | - | - | - | 1 | - | 1 | 4 | 12 | 7 | 7 | 5 | 6 | 2 | 1 | - | 46 | 4.87 |
| C33-C34 | Lung etc. | - | - | - | - | - | 1 | - | 3 | 2 | 6 | 4 | 8 | 5 | 6 | 4 | 13 | - | 52 | 5.51 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 0.11 |
| C40-C41 | Bone | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - | 5 | 0.53 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | - | - | - | - | - | - | - | 3 | 2 | 1 | - | 2 | - | 8 | 0.85 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 2 | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 4 | 0.42 |
| C50 | Breast | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 2 | 0.21 |
| C60 | Penis | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | 2 | 0.21 |
| C61 | Prostate | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | 2 | 2 | - | 8 | 0.85 |
| C62 | Testis | - | - | - | 1 | - | 1 | 2 | - | - | - | 1 | - | - | - | - | - | - | 5 | 0.53 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - | - | - | 3 | 0.32 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.11 |
| C67 | Bladder | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - | 1 | - | 4 | 0.42 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 2 | 0.21 |
| C70-C72 | Brain, NS | - | - | 1 | - | - | - | 2 | 1 | 1 | 1 | 1 | - | 1 | 2 | 1 | - | - | 11 | 1.17 |
| C73 | Thyroid | - | - | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - | - | 1 | - | 5 | 0.53 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | 1 | 1 | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - | 5 | 0.53 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 2 | 0.21 |
| C91 | Lymphoid Leuk. | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | 3 | 0.32 |
| C92-C94 | Myeloid Leukaemia | - | 1 | - | - | 1 | 1 | 3 | - | - | - | - | - | - | 1 | - | - | - | 7 | 0.74 |
| C95 | Leukaemia Uns | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.11 |
| O&U * | Other and Uns | - | - | - | 1 | - | 1 | 1 | 6 | 6 | 9 | 10 | 7 | 7 | 2 | 4 | 8 | - | 62 | 6.57 |
| | All Sites | 1 | 3 | 4 | 5 | 3 | 16 | 28 | 52 | 115 | 165 | 155 | 102 | 107 | 78 | 50 | 60 | - | 944 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Females

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 1 | 1 | 4 | - | 9 | 1.60 |
| C01-C02 | Tongue | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 | - | 3 | 1 | 3 | 2 | - | 15 | 2.66 |
| C03-C06 | Mouth | - | - | - | - | - | - | 2 | 1 | 4 | 3 | 5 | 2 | 5 | 4 | 5 | 4 | - | 35 | 6.22 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | - | - | - | - | - | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - | 4 | 0.71 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 0.18 |
| C11 | Nasopharynx | - | - | - | 1 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - | 5 | 0.89 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 2 | 1 | - | 1 | 1 | - | 12 | 2.13 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | 2 | - | - | 1 | - | 1 | - | 4 | 0.71 |
| C15 | Oesophagus | - | - | - | - | 1 | 1 | 2 | 3 | 13 | 25 | 18 | 19 | 23 | 12 | 11 | 12 | - | 140 | 24.87 |
| C16 | Stomach | - | - | - | - | - | - | 2 | 2 | 7 | 7 | 3 | 2 | 1 | 2 | 3 | 5 | - | 34 | 6.04 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 2 | 0.36 |
| C18 | Colon | - | - | - | - | - | - | - | - | 1 | 1 | 3 | - | 3 | 1 | 4 | 1 | - | 14 | 2.49 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | 1 | 1 | - | - | 1 | 2 | 1 | 1 | - | - | 7 | 1.24 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | - | - | - | - | - | - | - | 1 | - | 2 | - | - | 1 | 2 | 1 | 2 | - | 9 | 1.60 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | 1 | 3 | - | 1 | 4 | 1 | 7 | 1 | 1 | 1 | - | 20 | 3.55 |
| C25 | Pancreas | - | - | - | - | 1 | - | - | - | - | - | 2 | 1 | 2 | 1 | 1 | - | - | 8 | 1.42 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 0.18 |
| C32 | Larynx | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - | 3 | 0.53 |
| C33-C34 | Lung etc. | - | - | - | - | 1 | - | 2 | 1 | 1 | 2 | 1 | 3 | 4 | 5 | 1 | - | - | 21 | 3.73 |
| C37-C38 | Other Thoracic Organs | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0.36 |
| C40-C41 | Bone | - | - | - | - | - | - | - | - | - | 1 | - | - | 2 | - | - | - | - | 3 | 0.53 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | - | - | - | 2 | 2 | 2 | - | 1 | - | - | 1 | 1 | - | 9 | 1.60 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - | 1 | - | - | - | 4 | 0.71 |
| C50 | Breast | - | - | - | - | - | - | 4 | 2 | 11 | 11 | 11 | 3 | 4 | 7 | 5 | 3 | - | 61 | 10.83 |
| C51 | Vulva | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 2 | 0.36 |
| C52 | Vagina | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - | - | - | - | - | 3 | 0.53 |
| C53 | Cervix Uteri | - | - | - | 1 | - | - | 5 | 7 | 10 | 9 | 9 | 4 | 5 | 2 | 1 | 1 | - | 54 | 9.59 |
| C54 | Corpus Uteri | - | - | - | - | - | - | - | - | - | 1 | 3 | - | 1 | 2 | 1 | - | - | 8 | 1.42 |
| C55 | Uterus Unspecified | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0.18 |
| C56 | Ovary etc. | - | - | - | 1 | 1 | 1 | 4 | 2 | 4 | - | 5 | - | - | - | - | - | - | 18 | 3.20 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 2 | 0.36 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.18 |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 2 | 0.36 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, NS | - | - | - | - | 1 | 2 | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - | 7 | 1.24 |
| C73 | Thyroid | - | - | - | - | - | 1 | 2 | 1 | - | - | 1 | - | - | - | - | - | - | 5 | 0.89 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | - | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0.36 |
| C88 | Malig Imn.Prof D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.18 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 2 | - | - | 1 | - | 2 | 1 | - | - | 1 | - | 7 | 1.24 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | 1 | - | - | 2 | - | 1 | - | - | 1 | 2 | 1 | 5 | 4 | 6 | 4 | - | 27 | 4.80 |
| | All Sites | 1 | 2 | - | 4 | 8 | 5 | 30 | 29 | 61 | 75 | 78 | 50 | 75 | 51 | 49 | 45 | - | 563 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-3(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA - EAST KHASI HILLS

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|
| C00 | - | - | - | - | - | - | - | - | - | - | - | - | - | 23.5 | 16.3 | - | 0.4 | 1.03 | 0.60 | - |
| C01-C02 | - | - | - | - | - | 3.3 | 3.4 | 3.5 | 17.9 | 29.2 | 19.2 | 12.0 | 27.5 | 35.3 | 16.3 | 28.3 | 4.7 | 7.99 | 1.39 | 18.0 |
| C03-C06 | - | - | - | - | - | - | 1.7 | 3.5 | 28.2 | 25.9 | 30.8 | 18.1 | 54.9 | 35.3 | 32.7 | 28.3 | 5.7 | 10.29 | 1.62 | 25.5 |
| C07-C08 | - | - | 0.9 | - | - | - | - | - | 2.6 | - | - | - | 18.3 | - | - | - | 0.5 | 0.97 | 0.55 | 2.9 |
| C09 | - | - | - | - | - | 1.6 | - | 3.5 | 7.7 | 19.4 | 19.2 | 18.1 | 27.5 | 23.5 | 16.3 | - | 3.2 | 5.78 | 1.21 | 14.9 |
| C10 | - | - | - | - | - | - | - | 1.7 | 7.7 | 9.7 | 7.7 | 18.1 | 18.3 | 11.8 | 16.3 | - | 2.0 | 3.67 | 0.97 | 9.6 |
| C11 | - | - | - | 1.0 | - | - | 1.7 | - | 7.7 | 3.2 | 3.8 | 12.0 | 18.3 | 23.5 | 16.3 | - | 1.7 | 3.29 | 0.95 | 6.7 |
| C12-C13 | - | - | - | - | - | 4.9 | 5.1 | 12.1 | 53.8 | 48.6 | 61.5 | 72.2 | 82.4 | 82.4 | 81.7 | 28.3 | 12.4 | 21.51 | 2.30 | 52.0 |
| C14 | - | - | - | - | - | - | 3.4 | 6.9 | 5.1 | 13.0 | 19.2 | 18.1 | 18.3 | 35.3 | 16.3 | - | 3.2 | 5.51 | 1.17 | 12.6 |
| C15 | - | - | - | - | - | 1.6 | 8.6 | 34.7 | 107.6 | 255.9 | 261.6 | 198.6 | 320.4 | 188.3 | 228.8 | 141.4 | 40.2 | 71.43 | 4.20 | 186.2 |
| C16 | - | - | - | - | - | 1.6 | 1.7 | 1.7 | 12.8 | 13.0 | 34.6 | 24.1 | 64.1 | 94.1 | 98.0 | 99.0 | 6.6 | 13.90 | 2.00 | 22.3 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | 11.8 | - | 14.1 | 0.2 | 0.64 | 0.45 | - |
| C18 | - | - | - | - | - | 1.6 | 1.7 | - | 2.6 | 3.2 | - | - | 9.2 | 23.5 | 16.3 | 28.3 | 1.2 | 2.55 | 0.86 | 2.3 |
| C19-C20 | - | - | - | - | - | - | - | - | - | 3.2 | 7.7 | - | 9.2 | - | 16.3 | 42.4 | 1.0 | 2.12 | 0.77 | 3.0 |
| C21 | - | - | - | - | - | - | 1.7 | - | - | - | 3.8 | - | 9.2 | 11.8 | - | - | 0.5 | 1.01 | 0.55 | 1.8 |
| C22 | - | - | - | - | - | - | 1.7 | 1.7 | 2.6 | 6.5 | 11.5 | 24.1 | 27.5 | 23.5 | 16.3 | 28.3 | 2.5 | 4.99 | 1.18 | 10.6 |
| C23-C24 | - | - | - | - | - | - | - | - | - | - | - | 6.0 | 9.2 | 11.8 | 16.3 | - | 0.5 | 1.29 | 0.65 | 2.0 |
| C25 | - | - | - | - | - | 1.6 | - | - | - | - | - | 12.0 | 18.3 | 11.8 | - | 14.1 | 0.9 | 1.98 | 0.78 | 3.9 |
| C30-C31 | - | - | - | - | - | - | - | - | - | - | - | 6.0 | - | - | - | - | 0.1 | 0.24 | 0.24 | 0.8 |
| C32 | - | - | - | - | - | 1.6 | - | 1.7 | 10.2 | 38.9 | 26.9 | 42.1 | 45.8 | 70.6 | 32.7 | 14.1 | 5.7 | 11.10 | 1.72 | 25.5 |
| C33-C34 | - | - | - | - | - | 1.6 | - | 5.2 | 5.1 | 19.4 | 15.4 | 48.2 | 45.8 | 70.6 | 65.4 | 183.8 | 6.5 | 13.54 | 1.95 | 20.4 |
| C37-C38 | - | - | - | - | - | - | - | - | 2.6 | - | - | - | - | - | - | - | 0.1 | 0.15 | 0.15 | 0.5 |
| C40-C41 | - | - | - | 1.0 | 1.3 | 1.6 | - | 1.7 | - | - | - | - | - | 11.8 | - | - | 0.6 | 0.78 | 0.41 | 0.3 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | - | - | - | - | - | - | - | 18.1 | 18.3 | 11.8 | - | 28.3 | 1.0 | 2.37 | 0.85 | 4.7 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | 1.8 | - | - | - | 1.7 | - | - | - | 3.8 | - | - | - | - | - | 0.5 | 0.45 | 0.25 | 0.6 |
| C50 | - | - | - | - | - | - | - | - | - | - | - | - | 18.3 | - | - | - | 0.2 | 0.73 | 0.52 | 2.4 |
| C60 | - | - | - | - | - | - | - | - | 2.6 | - | - | - | 9.2 | - | - | - | 0.2 | 0.52 | 0.40 | 1.7 |
| C61 | - | - | - | - | - | - | - | - | - | 3.2 | 3.8 | 6.0 | 9.2 | - | 32.7 | 28.3 | 1.0 | 2.21 | 0.80 | 3.2 |
| C62 | - | - | - | 1.0 | - | 1.6 | 3.4 | - | - | - | 3.8 | - | - | - | - | - | 0.6 | 0.62 | 0.29 | 0.6 |
| C63 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | 6.0 | - | 23.5 | - | - | 0.4 | 0.95 | 0.55 | 0.8 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | 9.2 | - | - | - | 0.1 | 0.37 | 0.37 | 1.2 |
| C67 | - | - | - | - | - | - | 1.7 | - | - | 3.2 | 3.8 | - | - | - | - | 14.1 | 0.5 | 0.77 | 0.41 | 1.2 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | 1.0 | - | - | - | - | - | - | - | - | 3.8 | - | - | - | - | - | 0.2 | 0.29 | 0.22 | 0.6 |
| C70-C72 | - | - | 0.9 | - | - | - | 3.4 | 1.7 | 2.6 | 3.2 | 3.8 | - | 9.2 | 23.5 | 16.3 | - | 1.4 | 2.33 | 0.79 | 3.3 |
| C73 | - | - | - | - | - | - | - | - | - | 6.5 | 3.8 | 6.0 | - | - | - | 14.1 | 0.6 | 1.10 | 0.50 | 2.7 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | 1.0 | 1.3 | - | - | - | - | - | - | 6.0 | 9.2 | 11.8 | - | - | 0.6 | 1.15 | 0.58 | 2.0 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | 3.8 | - | 9.2 | - | - | - | 0.2 | 0.56 | 0.41 | 1.8 |
| C91 | 1.2 | - | - | - | - | - | - | - | - | - | 3.8 | - | - | 11.8 | - | - | 0.4 | 0.68 | 0.43 | 0.6 |
| C92-C94 | - | 1.0 | - | - | 1.3 | 1.6 | 5.1 | - | - | - | - | - | - | 11.8 | - | - | 0.9 | 0.99 | 0.44 | - |
| C95 | - | 1.0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | 0.10 | 0.10 | - |
| O&U* | - | - | - | 1.0 | - | 1.6 | 1.7 | 10.4 | 15.4 | 29.2 | 38.5 | 42.1 | 64.1 | 23.5 | 65.4 | 113.1 | 7.7 | 14.07 | 1.90 | 30.5 |
| All | 1.2 | 3.0 | 3.5 | 5.0 | 3.8 | 26.2 | 48.0 | 90.1 | 294.7 | 534.5 | 596.2 | 613.9 | 979.4 | 917.8 | 817.0 | 848.3 | 117.5 | 216.0 | 7.46 | 479.7 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-3(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA - EAST KHASI HILLS

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|------------|------------|----------|------------|------------|------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|-------------|--------------|
| C00 | - | - | - | - | - | - | - | - | - | - | 4.3 | - | 13.7 | 8.4 | 11.3 | 35.1 | 1.1 | 1.94 | 0.66 | 2.5 |
| C01-C02 | - | - | - | - | - | - | - | 1.8 | 5.2 | 3.2 | 8.6 | - | 20.6 | 8.4 | 33.8 | 17.5 | 1.8 | 3.15 | 0.83 | 6.0 |
| C03-C06 | - | - | - | - | - | - | 3.5 | 1.8 | 10.5 | 9.5 | 21.5 | 12.8 | 34.4 | 33.5 | 56.4 | 35.1 | 4.3 | 7.31 | 1.27 | 13.8 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | - | - | - | - | - | - | - | - | - | 3.2 | 8.6 | 6.4 | - | - | - | - | 0.5 | 0.88 | 0.44 | 2.8 |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | 6.9 | - | - | - | 0.1 | 0.27 | 0.27 | 0.9 |
| C11 | - | - | - | 1.0 | - | - | 1.7 | - | 2.6 | - | - | 6.4 | 6.9 | - | - | - | 0.6 | 0.88 | 0.43 | 2.2 |
| C12-C13 | - | - | - | - | - | - | - | 1.8 | 2.6 | 3.2 | 17.2 | 12.8 | 6.9 | - | 11.3 | 8.8 | 1.5 | 2.50 | 0.74 | 6.8 |
| C14 | - | - | - | - | - | - | - | - | - | - | 8.6 | - | - | 8.4 | - | 8.8 | 0.5 | 0.86 | 0.43 | 1.4 |
| C15 | - | - | - | - | 1.2 | 1.4 | 3.5 | 5.5 | 34.0 | 79.2 | 77.5 | 121.2 | 158.0 | 100.4 | 124.1 | 105.3 | 17.2 | 30.18 | 2.61 | 71.5 |
| C16 | - | - | - | - | - | - | 3.5 | 3.7 | 18.3 | 22.2 | 12.9 | 12.8 | 6.9 | 16.7 | 33.8 | 43.9 | 4.2 | 6.34 | 1.12 | 13.2 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | 6.4 | - | - | 11.3 | - | 0.2 | 0.48 | 0.34 | 0.8 |
| C18 | - | - | - | - | - | - | - | - | 2.6 | 3.2 | 12.9 | - | 20.6 | 8.4 | 45.1 | 8.8 | 1.7 | 3.15 | 0.85 | 5.9 |
| C19-C20 | - | - | - | - | - | - | - | 1.8 | 2.6 | - | - | 6.4 | 13.7 | 8.4 | 11.3 | - | 0.9 | 1.55 | 0.61 | 3.5 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | - | - | - | - | - | - | - | 1.8 | - | 6.3 | - | - | 6.9 | 16.7 | 11.3 | 17.5 | 1.1 | 1.84 | 0.63 | 2.5 |
| C23-C24 | - | - | - | - | - | - | 1.7 | 5.5 | - | 3.2 | 17.2 | 6.4 | 48.1 | 8.4 | 11.3 | 8.8 | 2.5 | 4.32 | 1.00 | 11.5 |
| C25 | - | - | - | - | 1.2 | - | - | - | - | - | 8.6 | 6.4 | 13.7 | 8.4 | 11.3 | - | 1.0 | 1.81 | 0.66 | 4.0 |
| C30-C31 | - | - | - | - | - | - | - | - | 2.6 | - | - | - | - | - | - | - | 0.1 | 0.16 | 0.16 | 0.5 |
| C32 | - | - | - | - | - | - | 1.7 | - | - | - | - | - | - | 8.4 | - | 8.8 | 0.4 | 0.53 | 0.32 | - |
| C33-C34 | - | - | - | - | 1.2 | - | 3.5 | 1.8 | 2.6 | 6.3 | 4.3 | 19.1 | 27.5 | 41.9 | 11.3 | - | 2.6 | 4.51 | 1.02 | 8.8 |
| C37-C38 | - | 1.0 | - | - | - | - | - | - | - | 3.2 | - | - | - | - | - | - | 0.2 | 0.29 | 0.22 | 0.6 |
| C40-C41 | - | - | - | - | - | - | - | - | - | 3.2 | - | - | 13.7 | - | - | - | 0.4 | 0.74 | 0.43 | 2.4 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | - | - | - | 3.7 | 5.2 | 6.3 | - | 6.4 | - | - | 11.3 | 8.8 | 1.1 | 1.57 | 0.54 | 3.8 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | 1.0 | - | - | - | 1.8 | 2.6 | - | - | - | - | 8.4 | - | - | 0.5 | 0.61 | 0.33 | 0.9 |
| C50 | - | - | - | - | - | - | 6.9 | 3.7 | 28.7 | 34.9 | 47.4 | 19.1 | 27.5 | 58.6 | 56.4 | 26.3 | 7.5 | 12.10 | 1.59 | 26.7 |
| C51 | 1.2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 11.3 | - | 0.2 | 0.37 | 0.27 | - |
| C52 | - | - | - | - | - | - | - | - | - | 3.2 | - | 12.8 | - | - | - | - | 0.4 | 0.70 | 0.41 | 2.3 |
| C53 | - | - | - | 1.0 | - | - | 8.7 | 12.8 | 26.1 | 28.5 | 38.8 | 25.5 | 34.4 | 16.7 | 11.3 | 8.8 | 6.6 | 9.89 | 1.41 | 27.0 |
| C54 | - | - | - | - | - | - | - | - | - | 3.2 | 12.9 | - | 6.9 | 16.7 | 11.3 | - | 1.0 | 1.84 | 0.65 | 3.6 |
| C55 | - | - | - | - | - | - | - | - | - | 3.2 | - | - | - | - | - | - | 0.1 | 0.19 | 0.19 | 0.6 |
| C56 | - | - | - | 1.0 | 1.2 | 1.4 | 6.9 | 3.7 | 10.5 | - | 21.5 | - | - | - | - | - | 2.2 | 2.64 | 0.65 | 6.2 |
| C57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | 6.4 | - | 8.4 | - | - | 0.2 | 0.51 | 0.36 | 0.8 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | 6.4 | - | - | - | - | 0.1 | 0.26 | 0.26 | 0.8 |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | - | - | 2.6 | - | - | - | - | - | - | 8.8 | 0.2 | 0.33 | 0.24 | 0.5 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | - | - | - | - | 1.2 | 2.8 | 1.7 | - | - | 3.2 | - | 6.4 | 6.9 | - | - | - | 0.9 | 1.15 | 0.47 | 2.3 |
| C73 | - | - | - | - | - | 1.4 | 3.5 | 1.8 | - | - | 4.3 | - | - | - | - | - | 0.6 | 0.65 | 0.30 | 1.0 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | - | 1.2 | - | - | - | - | 3.2 | - | - | - | - | - | - | 0.2 | 0.29 | 0.21 | 0.6 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | - | 8.4 | - | - | 0.1 | 0.25 | 0.25 | - |
| C91 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | - | - | - | - | - | - | 3.5 | - | - | 3.2 | - | 12.8 | 6.9 | - | - | 8.8 | 0.9 | 1.36 | 0.54 | 3.1 |
| C95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | - | 1.0 | - | - | 2.4 | - | 1.7 | - | - | 3.2 | 8.6 | 6.4 | 34.4 | 33.5 | 67.7 | 35.1 | 3.3 | 5.71 | 1.14 | 7.3 |
| All | 1.2 | 2.0 | - | 3.9 | 9.6 | 7.0 | 51.9 | 53.1 | 159.4 | 237.7 | 335.9 | 319.1 | 515.3 | 426.9 | 552.7 | 394.7 | 69.0 | 114.1 | 4.96 | 249.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-4(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Males

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | Clinical | | Microscopic | | X-Ray/Imaging | | DCO | | Others | | Unknown | | Total | |
|-------------|-----------------------|-----------|------------|-------------|-------------|---------------|------------|-----------|------------|----------|------------|----------|----------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C01-C02 | Tongue | 1 | 2.6 | 36 | 94.7 | - | - | 1 | 2.6 | - | - | - | - | 38 | 100.0 |
| C03-C06 | Mouth | 2 | 4.3 | 42 | 91.3 | - | - | 2 | 4.3 | - | - | - | - | 46 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C09 | Tonsil | - | - | 26 | 100.0 | - | - | - | - | - | - | - | - | 26 | 100.0 |
| C10 | Oth. Oropharynx | - | - | 13 | 81.3 | - | - | 3 | 18.8 | - | - | - | - | 16 | 100.0 |
| C11 | Nasopharynx | 1 | 7.1 | 11 | 78.6 | 1 | 7.1 | 1 | 7.1 | - | - | - | - | 14 | 100.0 |
| C12-C13 | Hypopharynx | 3 | 3.0 | 94 | 94.0 | 1 | 1.0 | 2 | 2.0 | - | - | - | - | 100 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 25 | 96.2 | - | - | 1 | 3.8 | - | - | - | - | 26 | 100.0 |
| C15 | Oesophagus | 8 | 2.5 | 293 | 90.7 | 2 | 0.6 | 13 | 4.0 | 7 | 2.2 | - | - | 323 | 100.0 |
| C16 | Stomach | 2 | 3.8 | 49 | 92.5 | - | - | 2 | 3.8 | - | - | - | - | 53 | 100.0 |
| C17 | Small Intestine | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | - | - | 8 | 80.0 | - | - | 2 | 20.0 | - | - | - | - | 10 | 100.0 |
| C19-C20 | Rectum | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C21 | Anus & Anal Canal | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C22 | Liver | 1 | 5.0 | 13 | 65.0 | 1 | 5.0 | 5 | 25.0 | - | - | - | - | 20 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 25.0 | - | - | 2 | 50.0 | 1 | 25.0 | - | - | - | - | 4 | 100.0 |
| C25 | Pancreas | 1 | 14.3 | 4 | 57.1 | - | - | 2 | 28.6 | - | - | - | - | 7 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | 1 | 100.0 | - | - | - | - | - | - | 1 | 100.0 |
| C32 | Larynx | 2 | 4.3 | 43 | 93.5 | - | - | 1 | 2.2 | - | - | - | - | 46 | 100.0 |
| C33-C34 | Lung etc. | 3 | 5.8 | 37 | 71.2 | 4 | 7.7 | 8 | 15.4 | - | - | - | - | 52 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C40-C41 | Bone | - | - | 3 | 60.0 | 2 | 40.0 | - | - | - | - | - | - | 5 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C50 | Breast | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C60 | Penis | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C61 | Prostate | - | - | 5 | 62.5 | - | - | 3 | 37.5 | - | - | - | - | 8 | 100.0 |
| C62 | Testis | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | 1 | 33.3 | 1 | 33.3 | - | - | 1 | 33.3 | - | - | - | - | 3 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C67 | Bladder | - | - | 3 | 75.0 | - | - | 1 | 25.0 | - | - | - | - | 4 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C70-C72 | Brain, Nervous System | - | - | 6 | 54.5 | 5 | 45.5 | - | - | - | - | - | - | 11 | 100.0 |
| C73 | Thyroid | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C88 | Malignant Imm. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 5 | 71.4 | - | - | 2 | 28.6 | - | - | - | - | 7 | 100.0 |
| C95 | Leukaemia Uns | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| O&U* | Other and Uns | 3 | 4.8 | 51 | 82.3 | 2 | 3.2 | 6 | 9.7 | - | - | - | - | 62 | 100.0 |
| | All Sites | 30 | 3.2 | 829 | 87.8 | 21 | 2.2 | 57 | 6.0 | 7 | 0.7 | - | - | 944 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE EKH-4(b): Number (#) and Proportion (%) of Cancers by Site
(ICD-10) and Method of Diagnosis: 2010-2011 - Females**

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | Clinical | | Microscopic | | X-Ray/Imaging | | DCO | | Others | | Unknown | | Total | |
|-------------|-----------------------|-----------|------------|-------------|-------------|---------------|------------|-----------|------------|----------|------------|---------|---|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | - | - | 9 | 100.0 | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C01-C02 | Tongue | 1 | 6.7 | 13 | 86.7 | - | - | 1 | 6.7 | - | - | - | - | 15 | 100.0 |
| C03-C06 | Mouth | 5 | 14.3 | 30 | 85.7 | - | - | - | - | - | - | - | - | 35 | 100.0 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C10 | Oth. Oropharynx | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C11 | Nasopharynx | - | - | 4 | 80.0 | - | - | 1 | 20.0 | - | - | - | - | 5 | 100.0 |
| C12-C13 | Hypopharynx | - | - | 11 | 91.7 | - | - | - | - | 1 | 8.3 | - | - | 12 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 3 | 75.0 | - | - | 1 | 25.0 | - | - | - | - | 4 | 100.0 |
| C15 | Oesophagus | 7 | 5.0 | 124 | 88.6 | - | - | 2 | 1.4 | 7 | 5.0 | - | - | 140 | 100.0 |
| C16 | Stomach | - | - | 32 | 94.1 | - | - | 1 | 2.9 | 1 | 2.9 | - | - | 34 | 100.0 |
| C17 | Small Intestine | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | - | - | 14 | 100.0 | - | - | - | - | - | - | - | - | 14 | 100.0 |
| C19-C20 | Rectum | 1 | 14.3 | 6 | 85.7 | - | - | - | - | - | - | - | - | 7 | 100.0 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | - | - | 5 | 55.6 | 1 | 11.1 | 3 | 33.3 | - | - | - | - | 9 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 5.0 | 12 | 60.0 | 3 | 15.0 | 4 | 20.0 | - | - | - | - | 20 | 100.0 |
| C25 | Pancreas | 2 | 25.0 | 3 | 37.5 | 1 | 12.5 | 2 | 25.0 | - | - | - | - | 8 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C32 | Larynx | - | - | 2 | 66.7 | - | - | 1 | 33.3 | - | - | - | - | 3 | 100.0 |
| C33-C34 | Lung etc. | 3 | 14.3 | 16 | 76.2 | - | - | 2 | 9.5 | - | - | - | - | 21 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C40-C41 | Bone | 1 | 33.3 | 2 | 66.7 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 9 | 100.0 | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 1 | 25.0 | 3 | 75.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C50 | Breast | 2 | 3.3 | 57 | 93.4 | - | - | 2 | 3.3 | - | - | - | - | 61 | 100.0 |
| C51 | Vulva | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C52 | Vagina | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C53 | Cervix Uteri | 1 | 1.9 | 49 | 90.7 | 1 | 1.9 | 3 | 5.6 | - | - | - | - | 54 | 100.0 |
| C54 | Corpus Uteri | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C55 | Uterus Unspecified | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C56 | Ovary etc. | - | - | 18 | 100.0 | - | - | - | - | - | - | - | - | 18 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | 1 | 50.0 | 1 | 50.0 | - | - | - | - | - | - | 2 | 100.0 |
| C65 | Renal Pelvis | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, Nervous System | 1 | 14.3 | 5 | 71.4 | - | - | 1 | 14.3 | - | - | - | - | 7 | 100.0 |
| C73 | Thyroid | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | - | - | 7 | 100.0 | - | - | - | - | - | - | - | - | 7 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U * | Other and Uns | - | - | 23 | 85.2 | - | - | 4 | 14.8 | - | - | - | - | 27 | 100.0 |
| | All Sites | 27 | 4.8 | 492 | 87.4 | 7 | 1.2 | 28 | 5.0 | 9 | 1.6 | - | - | 563 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Males

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|-------------|-----------------------|------------|-------------|-----------|------------|------------|-------------|------------|------------|-------------|------------|------------|-------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 2 | 66.7 | - | - | 1 | 33.3 | - | - | - | - | - | - | 3 | 100.0 |
| C01-C02 | Tongue | 30 | 78.9 | 1 | 2.6 | 5 | 13.2 | - | - | - | - | 2 | 5.3 | 38 | 100.0 |
| C03-C06 | Mouth | 37 | 80.4 | - | - | 5 | 10.9 | - | - | - | - | 4 | 8.7 | 46 | 100.0 |
| C07-C08 | Salivary Gland | 1 | 25.0 | - | - | 3 | 75.0 | - | - | - | - | - | - | 4 | 100.0 |
| C09 | Tonsil | 20 | 76.9 | - | - | 6 | 23.1 | - | - | - | - | - | - | 26 | 100.0 |
| C10 | Oth. Oropharynx | 12 | 75.0 | - | - | 1 | 6.3 | - | - | - | - | 3 | 18.8 | 16 | 100.0 |
| C11 | Nasopharynx | 6 | 42.9 | 2 | 14.3 | 3 | 21.4 | - | - | - | - | 3 | 21.4 | 14 | 100.0 |
| C12-C13 | Hypopharynx | 61 | 61.0 | 1 | 1.0 | 32 | 32.0 | - | - | - | - | 6 | 6.0 | 100 | 100.0 |
| C14 | Pharynx Unspecified | 22 | 84.6 | - | - | 3 | 11.5 | - | - | - | - | 1 | 3.8 | 26 | 100.0 |
| C15 | Oesophagus | 287 | 88.9 | - | - | 6 | 1.9 | - | - | - | - | 30 | 9.3 | 323 | 100.0 |
| C16 | Stomach | 47 | 88.7 | - | - | 2 | 3.8 | - | - | - | - | 4 | 7.5 | 53 | 100.0 |
| C17 | Small Intestine | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | 8 | 80.0 | - | - | - | - | - | - | - | - | 2 | 20.0 | 10 | 100.0 |
| C19-C20 | Rectum | 8 | 100.0 | - | - | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C21 | Anus & Anal Canal | 4 | 100.0 | - | - | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C22 | Liver | 2 | 10.0 | - | - | 11 | 55.0 | - | - | - | - | 7 | 35.0 | 20 | 100.0 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | - | 4 | 100.0 | 4 | 100.0 |
| C25 | Pancreas | - | - | - | - | 4 | 57.1 | - | - | - | - | 3 | 42.9 | 7 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 | 1 | 100.0 |
| C32 | Larynx | 36 | 78.3 | - | - | 7 | 15.2 | - | - | - | - | 3 | 6.5 | 46 | 100.0 |
| C33-C34 | Lung etc. | 5 | 9.6 | - | - | 32 | 61.5 | - | - | - | - | 15 | 28.8 | 52 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | 1 | 100.0 | - | - | - | - | - | - | 1 | 100.0 |
| C40-C41 | Bone | 3 | 60.0 | - | - | - | - | - | - | - | - | 2 | 40.0 | 5 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | 7 | 87.5 | - | - | 1 | 12.5 | - | - | - | - | - | - | 8 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 3 | 75.0 | - | - | 1 | 25.0 | - | - | - | - | - | - | 4 | 100.0 |
| C50 | Breast | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C60 | Penis | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C61 | Prostate | 4 | 50.0 | - | - | 1 | 12.5 | - | - | - | - | 3 | 37.5 | 8 | 100.0 |
| C62 | Testis | 4 | 80.0 | - | - | 1 | 20.0 | - | - | - | - | - | - | 5 | 100.0 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | 1 | 33.3 | - | - | - | - | 2 | 66.7 | 3 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | 1 | 100.0 | - | - | - | - | - | - | 1 | 100.0 |
| C67 | Bladder | 2 | 50.0 | - | - | 1 | 25.0 | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C70-C72 | Brain, Nervous System | 6 | 54.5 | - | - | - | - | - | - | - | - | 5 | 45.5 | 11 | 100.0 |
| C73 | Thyroid | 1 | 20.0 | 1 | 20.0 | 3 | 60.0 | - | - | - | - | - | - | 5 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | 3 | 60.0 | - | - | 2 | 40.0 | - | - | - | - | - | - | 5 | 100.0 |
| C88 | Malig Imn. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 1 | 50.0 | 1 | 50.0 | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | 3 | 100.0 | - | - | - | - | 3 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 2 | 28.6 | 3 | 42.9 | 2 | 28.6 | 7 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | 1 | 100.0 | - | - | 1 | 100.0 |
| O&U* | Other and Uns | 2 | 3.2 | 3 | 4.8 | 46 | 74.2 | - | - | - | - | 11 | 17.7 | 62 | 100.0 |
| | All Sites | 631 | 66.8 | 8 | 0.8 | 180 | 19.1 | 5 | 0.5 | 5 | 0.5 | 115 | 12.2 | 944 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Females

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|-------------|-----------------------|------------|-------------|-----------|------------|-----------|-------------|------------|------------|-------------|------------|-----------|-------------|------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 6 | 66.7 | - | - | 3 | 33.3 | - | - | - | - | - | - | 9 | 100.0 |
| C01-C02 | Tongue | 11 | 73.3 | - | - | 2 | 13.3 | - | - | - | - | 2 | 13.3 | 15 | 100.0 |
| C03-C06 | Mouth | 28 | 80.0 | - | - | 2 | 5.7 | - | - | - | - | 5 | 14.3 | 35 | 100.0 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | 2 | 50.0 | - | - | 2 | 50.0 | - | - | - | - | - | - | 4 | 100.0 |
| C10 | Oth. Oropharynx | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C11 | Nasopharynx | 4 | 80.0 | - | - | - | - | - | - | - | - | 1 | 20.0 | 5 | 100.0 |
| C12-C13 | Hypopharynx | 10 | 83.3 | - | - | 1 | 8.3 | - | - | - | - | 1 | 8.3 | 12 | 100.0 |
| C14 | Pharynx Unspecified | 1 | 25.0 | - | - | 2 | 50.0 | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C15 | Oesophagus | 121 | 86.4 | - | - | 3 | 2.1 | - | - | - | - | 16 | 11.4 | 140 | 100.0 |
| C16 | Stomach | 29 | 85.3 | 1 | 2.9 | 2 | 5.9 | - | - | - | - | 2 | 5.9 | 34 | 100.0 |
| C17 | Small Intestine | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C18 | Colon | 14 | 100.0 | - | - | - | - | - | - | - | - | - | - | 14 | 100.0 |
| C19-C20 | Rectum | 6 | 85.7 | - | - | - | - | - | - | - | - | 1 | 14.3 | 7 | 100.0 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | 1 | 11.1 | - | - | 4 | 44.4 | - | - | - | - | 4 | 44.4 | 9 | 100.0 |
| C23-C24 | Gallbladder etc. | 6 | 30.0 | - | - | 6 | 30.0 | - | - | - | - | 8 | 40.0 | 20 | 100.0 |
| C25 | Pancreas | - | - | - | - | 3 | 37.5 | - | - | - | - | 5 | 62.5 | 8 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C32 | Larynx | 2 | 66.7 | - | - | - | - | - | - | - | - | 1 | 33.3 | 3 | 100.0 |
| C33-C34 | Lung etc. | 3 | 14.3 | - | - | 13 | 61.9 | - | - | - | - | 5 | 23.8 | 21 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 50.0 | - | - | - | - | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C40-C41 | Bone | 1 | 33.3 | - | - | 1 | 33.3 | - | - | - | - | 1 | 33.3 | 3 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | 9 | 100.0 | - | - | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 2 | 50.0 | - | - | 1 | 25.0 | - | - | - | - | 1 | 25.0 | 4 | 100.0 |
| C50 | Breast | 31 | 50.8 | - | - | 26 | 42.6 | - | - | - | - | 4 | 6.6 | 61 | 100.0 |
| C51 | Vulva | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C52 | Vagina | 3 | 100.0 | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C53 | Cervix Uteri | 48 | 88.9 | - | - | 1 | 1.9 | - | - | - | - | 5 | 9.3 | 54 | 100.0 |
| C54 | Corpus Uteri | 8 | 100.0 | - | - | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C55 | Uterus Unspecified | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C56 | Ovary etc. | 17 | 94.4 | - | - | 1 | 5.6 | - | - | - | - | - | - | 18 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | 1 | 50.0 | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C65 | Renal Pelvis | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, Nervous System | 5 | 71.4 | - | - | - | - | - | - | - | - | 2 | 28.6 | 7 | 100.0 |
| C73 | Thyroid | 5 | 100.0 | - | - | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | 1 | 50.0 | - | - | 1 | 50.0 | - | - | - | - | - | - | 2 | 100.0 |
| C88 | Malig Imn.Prol | D | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 1 | 100.0 | - | - | 1 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 5 | 71.4 | 2 | 28.6 | - | - | 7 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | 5 | 18.5 | - | - | 18 | 66.7 | - | - | - | - | 4 | 14.8 | 27 | 100.0 |
| | All Sites | 390 | 69.3 | 1 | 0.2 | 93 | 16.5 | 5 | 0.9 | 3 | 0.5 | 71 | 12.6 | 563 | 100.0 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-6(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Males

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|--------------|-----------------------|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|------------|---------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | 4 | 1.30 |
| C01-C02 | Tongue | - | - | - | - | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | 1 | - | - | 7 | 2.27 |
| C03-C06 | Mouth | - | - | - | - | - | - | - | - | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 9 | 2.92 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | - | - | - | - | - | - | - | - | 2 | 3 | 1 | 1 | 1 | - | - | - | - | 8 | 2.60 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | 2 | 3 | - | 2 | 1 | - | 1 | - | - | 9 | 2.92 |
| C11 | Nasopharynx | - | - | - | - | - | - | 1 | - | - | - | - | 2 | - | 2 | - | - | - | 5 | 1.62 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | 1 | 3 | 6 | 4 | 4 | 2 | 3 | - | 3 | 2 | - | 28 | 9.09 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | 1 | 3 | 1 | - | - | 1 | - | - | 6 | 1.95 |
| C15 | Oesophagus | - | - | - | - | - | - | 2 | 5 | 10 | 27 | 18 | 12 | 13 | 9 | 6 | 5 | - | 107 | 34.74 |
| C16 | Stomach | - | - | - | - | - | 1 | 1 | - | 2 | 1 | 2 | 2 | 2 | 3 | 3 | 2 | - | 19 | 6.17 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.32 |
| C18 | Colon | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | 0.65 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0.32 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.32 |
| C22 | Liver | - | - | - | - | - | - | - | - | - | 1 | 2 | 3 | 1 | - | - | 2 | - | 9 | 2.92 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - | - | 6 | 1.95 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | - | - | 2 | 2 | 1 | - | 1 | - | 6 | 1.95 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | Larynx | - | - | - | - | - | - | - | - | 1 | 4 | 1 | 1 | 2 | 2 | 1 | 2 | - | 14 | 4.55 |
| C33-C34 | Lung etc. | - | - | - | - | - | - | - | 1 | 3 | 2 | - | 4 | 2 | 3 | 4 | 5 | - | 24 | 7.79 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C40-C41 | Bone | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.32 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.32 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47 + C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | Breast | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C60 | Penis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.32 |
| C61 | Prostate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 | - | 3 | 0.97 |
| C62 | Testis | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0.32 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 2 | 0.65 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | 2 | 0.65 |
| C68 | Uns. Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, Nervous System | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 3 | 0.97 |
| C73 | Thyroid | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0.32 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85, C96 | NHL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C88 | Malig Imn. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | - | - | - | 3 | 0.97 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | - | - | - | - | - | - | - | 2 | 8 | 3 | 2 | 1 | 3 | 3 | 2 | - | 24 | 7.79 |
| | All Sites | - | - | 1 | 1 | 2 | 2 | 5 | 9 | 31 | 57 | 37 | 41 | 34 | 33 | 29 | 26 | - | 308 | 100.00 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-6(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Females

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

| ICD-10 | Site | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|-------------|-----------------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|-------|--------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.61 |
| C01-C02 | Tongue | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | 1 | - | 3 | 1.83 |
| C03-C06 | Mouth | - | - | - | - | - | - | - | - | - | - | 2 | 1 | 4 | 2 | 2 | 2 | - | 13 | 7.93 |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | Tonsil | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | 3 | 1.83 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - | 3 | 1.83 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 0.61 |
| C15 | Oesophagus | - | - | - | - | 1 | 1 | 1 | 1 | 5 | 6 | 6 | 7 | 6 | 4 | 3 | 4 | - | 45 | 27.44 |
| C16 | Stomach | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - | 2 | 2 | - | 7 | 4.27 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | Colon | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - | - | 3 | 1.83 |
| C19-C20 | Rectum | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.61 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | Liver | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | 2 | - | 2 | - | 6 | 3.66 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | 1 | - | - | - | 2 | - | 1 | 1 | 1 | 1 | - | 7 | 4.27 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | - | 1 | - | 3 | 1 | 1 | - | - | 6 | 3.66 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 0.61 |
| C32 | Larynx | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - | 2 | 1.22 |
| C33-C34 | Lung etc. | - | - | - | - | - | - | 1 | - | - | 1 | 2 | - | 1 | 3 | 2 | 1 | - | 11 | 6.71 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C40-C41 | Bone | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | Breast | - | - | - | - | - | - | - | 1 | - | 1 | 6 | - | - | 3 | - | 1 | - | 12 | 7.32 |
| C51 | Vulva | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C52 | Vagina | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C53 | Cervix Uteri | - | - | - | - | - | - | 1 | - | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | - | 14 | 8.54 |
| C54 | Corpus Uteri | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C55 | Uterus Unspecified | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C56 | Ovary etc. | - | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - | 4 | 2.44 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | Kidney etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.61 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.61 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | Brain, NS | - | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - | 1 | - | - | - | - | 5 | 3.05 |
| C73 | Thyroid | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | - | - | - | - | - | - | 1 | - | - | - | - | 2 | - | - | - | - | - | 3 | 1.83 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | Other and Uns | - | - | - | - | - | - | - | - | 1 | - | - | - | 2 | 2 | 1 | 5 | - | 11 | 6.71 |
| | All Sites | - | - | - | - | 2 | 2 | 8 | 4 | 12 | 13 | 28 | 16 | 21 | 20 | 15 | 23 | - | 164 | 100.00 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-7(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA - EAST KHASI HILLS

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|-------|
| C00 | - | - | - | - | - | - | - | - | - | - | - | - | 9.2 | 11.8 | 32.7 | - | 0.5 | 1.4 | 0.69 | 1.2 |
| C01-C02 | - | - | - | - | - | - | - | - | 2.6 | - | 3.8 | 6.0 | 18.3 | 11.8 | 16.3 | - | 0.9 | 2.0 | 0.79 | 4.3 |
| C03-C06 | - | - | - | - | - | - | - | - | 5.1 | 3.2 | 3.8 | 6.0 | 9.2 | 11.8 | 16.3 | 14.1 | 1.1 | 2.3 | 0.79 | 4.2 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | - | - | - | - | - | - | - | - | 5.1 | 9.7 | 3.8 | 6.0 | 9.2 | - | - | - | 1.0 | 1.7 | 0.62 | 5.5 |
| C10 | - | - | - | - | - | - | - | - | 5.1 | 9.7 | - | 12.0 | 9.2 | - | 16.3 | - | 1.1 | 2.1 | 0.72 | 5.6 |
| C11 | - | - | - | - | - | - | 1.7 | - | - | - | - | 12.0 | - | 23.5 | - | - | 0.6 | 1.3 | 0.61 | 1.6 |
| C12-C13 | - | - | - | - | - | - | 1.7 | 5.2 | 15.4 | 13.0 | 15.4 | 12.0 | 27.5 | - | 49.0 | 28.3 | 3.5 | 6.0 | 1.22 | 14.1 |
| C14 | - | - | - | - | - | - | - | - | - | 3.2 | 11.5 | 6.0 | - | - | 16.3 | - | 0.7 | 1.3 | 0.56 | 3.3 |
| C15 | - | - | - | - | - | - | 3.4 | 8.7 | 25.6 | 87.5 | 69.2 | 72.2 | 119.0 | 105.9 | 98.0 | 70.7 | 13.3 | 25.2 | 2.57 | 59.4 |
| C16 | - | - | - | - | - | 1.6 | 1.7 | - | 5.1 | 3.2 | 7.7 | 12.0 | 18.3 | 35.3 | 49.0 | 28.3 | 2.4 | 4.9 | 1.19 | 6.8 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | 11.8 | - | - | 0.1 | 0.4 | 0.35 | - |
| C18 | - | - | - | - | - | - | - | - | - | - | - | - | - | 11.8 | - | 14.1 | 0.2 | 0.6 | 0.45 | - |
| C19-C20 | - | - | - | - | - | - | - | - | - | 3.2 | - | - | - | - | - | - | 0.1 | 0.2 | 0.19 | 0.6 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | 11.8 | - | - | 0.1 | 0.4 | 0.35 | - |
| C22 | - | - | - | - | - | - | - | - | - | 3.2 | 7.7 | 18.1 | 9.2 | - | - | 28.3 | 1.1 | 2.2 | 0.76 | 5.4 |
| C23-C24 | - | - | - | - | - | - | - | - | - | - | 3.8 | 6.0 | 18.3 | 11.8 | 16.3 | - | 0.7 | 1.8 | 0.77 | 3.8 |
| C25 | - | - | - | - | - | - | - | - | - | - | - | 12.0 | 18.3 | 11.8 | - | 14.1 | 0.7 | 1.8 | 0.77 | 3.9 |
| C30-C31 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C32 | - | - | - | - | - | - | - | - | 2.6 | 13.0 | 3.8 | 6.0 | 18.3 | 23.5 | 16.3 | 28.3 | 1.7 | 3.7 | 1.03 | 6.8 |
| C33-C34 | - | - | - | - | - | - | - | 1.7 | 7.7 | 6.5 | - | 24.1 | 18.3 | 35.3 | 65.4 | 70.7 | 3.0 | 6.4 | 1.36 | 8.5 |
| C37-C38 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C40-C41 | - | - | - | 1.0 | - | - | - | - | - | - | - | - | - | - | - | - | 0.1 | 0.1 | 0.09 | - |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | - | - | - | - | - | - | - | 6.0 | - | - | - | - | 0.1 | 0.2 | 0.24 | 0.8 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C60 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 14.1 | 0.1 | 0.3 | 0.28 | - |
| C61 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 32.7 | 14.1 | 0.4 | 0.9 | 0.54 | - |
| C62 | - | - | - | - | 1.3 | - | - | - | - | - | - | - | - | - | - | - | 0.1 | 0.1 | 0.10 | - |
| C63 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | 6.0 | - | 11.8 | - | - | 0.2 | 0.6 | 0.43 | 0.8 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | - | - | - | - | - | 6.0 | - | - | - | 14.1 | 0.2 | 0.5 | 0.37 | 0.8 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | - | - | 0.9 | - | - | - | - | - | - | - | - | 6.0 | - | 11.8 | - | - | 0.4 | 0.7 | 0.43 | 0.8 |
| C73 | - | - | - | - | - | - | - | - | - | 3.2 | - | - | - | - | - | - | 0.1 | 0.2 | 0.19 | 0.6 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | - | - | - | - | 1.3 | 1.6 | - | - | - | - | - | - | - | 11.8 | - | - | 0.4 | 0.6 | 0.39 | - |
| C95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | - | - | - | - | - | - | - | - | 5.1 | 25.9 | 11.5 | 12.0 | 9.2 | 35.3 | 49.0 | 28.3 | 3.0 | 5.9 | 1.25 | 10.6 |
| All | - | - | 0.9 | 1.0 | 2.5 | 3.3 | 8.6 | 15.6 | 79.4 | 184.7 | 142.3 | 246.8 | 311.2 | 388.3 | 473.9 | 367.6 | 38.3 | 75.8 | 4.54 | 149.1 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-7(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA - EAST KHASI HILLS

| ICD-10 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | >75 | CR | AAR | SE | TR |
|-------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|
| C00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 8.8 | 0.1 | 0.2 | 0.18 | - |
| C01-C02 | - | - | - | - | - | - | 1.7 | - | - | - | 4.3 | - | - | - | - | 8.8 | 0.4 | 0.5 | 0.30 | 0.7 |
| C03-C06 | - | - | - | - | - | - | - | - | - | - | 8.6 | 6.4 | 27.5 | 16.7 | 22.6 | 17.5 | 1.6 | 3.1 | 0.87 | 5.8 |
| C07-C08 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C09 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | - | - | - | - | - | - | 1.7 | - | - | - | 4.3 | 6.4 | - | - | - | - | 0.4 | 0.6 | 0.35 | 1.5 |
| C12-C13 | - | - | - | - | - | - | - | 1.8 | - | 3.2 | 4.3 | - | - | - | - | - | 0.4 | 0.5 | 0.31 | 1.7 |
| C14 | - | - | - | - | - | - | - | - | - | - | 4.3 | - | - | - | - | - | 0.1 | 0.2 | 0.22 | 0.7 |
| C15 | - | - | - | - | 1.2 | 1.4 | 1.7 | 1.8 | 13.1 | 19.0 | 25.8 | 44.7 | 41.2 | 33.5 | 33.8 | 35.1 | 5.5 | 9.5 | 1.45 | 21.8 |
| C16 | - | - | - | - | - | - | - | - | 2.6 | 3.2 | 4.3 | - | - | - | 22.6 | 17.5 | 0.9 | 1.4 | 0.52 | 1.8 |
| C17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C18 | - | - | - | - | - | - | - | - | - | - | - | - | 6.9 | - | 22.6 | - | 0.4 | 0.7 | 0.42 | 0.9 |
| C19-C20 | - | - | - | - | - | - | - | - | - | - | - | 6.4 | - | - | - | - | 0.1 | 0.3 | 0.26 | 0.8 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C22 | - | - | - | - | - | - | - | - | - | 3.2 | - | - | 6.9 | 16.7 | - | 17.5 | 0.7 | 1.3 | 0.55 | 1.5 |
| C23-C24 | - | - | - | - | - | - | 1.7 | - | - | - | 8.6 | - | 6.9 | 8.4 | 11.3 | 8.8 | 0.9 | 1.5 | 0.57 | 2.3 |
| C25 | - | - | - | - | - | - | - | - | - | - | 4.3 | - | 20.6 | 8.4 | 11.3 | - | 0.7 | 1.5 | 0.62 | 3.4 |
| C30-C31 | - | - | - | - | - | - | - | - | 2.6 | - | - | - | - | - | - | - | 0.1 | 0.2 | 0.16 | 0.5 |
| C32 | - | - | - | - | - | - | - | - | - | - | 4.3 | - | - | - | - | 8.8 | 0.2 | 0.4 | 0.28 | 0.7 |
| C33-C34 | - | - | - | - | - | - | 1.7 | - | - | 3.2 | 8.6 | - | 6.9 | 25.1 | 22.6 | 8.8 | 1.3 | 2.4 | 0.73 | 2.9 |
| C37-C38 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C40-C41 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C50 | - | - | - | - | - | - | - | 1.8 | - | 3.2 | 25.8 | - | - | 25.1 | - | 8.8 | 1.5 | 2.5 | 0.74 | 5.1 |
| C51 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C52 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C53 | - | - | - | - | - | - | 1.7 | - | 7.8 | 3.2 | 8.6 | 19.1 | 6.9 | 8.4 | 11.3 | 8.8 | 1.7 | 2.9 | 0.79 | 6.9 |
| C54 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C55 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C56 | - | - | - | - | - | - | - | 1.8 | 2.6 | - | 4.3 | 6.4 | - | - | - | - | 0.5 | 0.7 | 0.38 | 2.4 |
| C57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C64 | - | - | - | - | - | - | - | - | - | - | - | - | - | 8.4 | - | - | 0.1 | 0.3 | 0.25 | - |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 8.8 | 0.1 | 0.2 | 0.18 | - |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C70-C72 | - | - | - | - | 1.2 | 1.4 | 1.7 | - | - | 3.2 | - | - | 6.9 | - | - | - | 0.6 | 0.8 | 0.38 | 1.5 |
| C73 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85,C96 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C91 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C92-C94 | - | - | - | - | - | - | 1.7 | - | - | - | - | 12.8 | - | - | - | - | 0.4 | 0.6 | 0.38 | 1.6 |
| C95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&U* | - | - | - | - | - | - | - | - | 2.6 | - | - | - | 13.7 | 16.7 | 11.3 | 43.9 | 1.3 | 2.3 | 0.71 | 2.3 |
| All | - | - | - | - | 2.4 | 2.8 | 13.8 | 7.3 | 31.4 | 41.2 | 120.6 | 102.1 | 144.3 | 167.4 | 169.2 | 201.7 | 20.1 | 34.4 | 2.76 | 66.7 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE EKH-8(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Males
MEGHALAYA - EAST KHASI HILLS**

| ICD-10 | Site | 0 - 64 Years | | 0 - 74 Years | |
|-------------|-----------------------|--------------|--------------|--------------|--------------|
| | | Cu. Rate % | Cu. Risk | Cu. Rate% | Cu. Risk |
| C00 | Lip | - | - | 0.2 | 0.2 |
| C01-C02 | Tongue | 0.6 | 0.6 | 0.8 | 0.8 |
| C03-C06 | Mouth | 0.8 | 0.8 | 1.1 | 1.2 |
| C07-C08 | Salivary Gland | 0.1 | 0.1 | 0.1 | 0.1 |
| C09 | Tonsil | 0.5 | 0.5 | 0.7 | 0.7 |
| C10 | Oth. Oropharynx | 0.3 | 0.3 | 0.5 | 0.5 |
| C11 | Nasopharynx | 0.2 | 0.2 | 0.4 | 0.4 |
| C12-C13 | Hypopharynx | 1.7 | 1.7 | 2.5 | 2.5 |
| C14 | Pharynx Unspecified | 0.4 | 0.4 | 0.7 | 0.7 |
| C15 | Oesophagus | 5.9 | 5.8 | 7.7 | 8.0 |
| C16 | Stomach | 0.8 | 0.8 | 1.7 | 1.7 |
| C17 | Small Intestine | - | - | 0.1 | 0.1 |
| C18 | Colon | 0.1 | 0.1 | 0.3 | 0.3 |
| C19-C20 | Rectum | 0.1 | 0.1 | 0.2 | 0.2 |
| C21 | Anus & Anal Canal | 0.1 | 0.1 | 0.1 | 0.1 |
| C22 | Liver | 0.4 | 0.4 | 0.6 | 0.6 |
| C23-C24 | Gallbladder etc. | 0.1 | 0.1 | 0.2 | 0.2 |
| C25 | Pancreas | 0.2 | 0.2 | 0.2 | 0.2 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - |
| C32 | Larynx | 0.8 | 0.8 | 1.3 | 1.4 |
| C33-C34 | Lung etc. | 0.7 | 0.7 | 1.4 | 1.4 |
| C37-C38 | Other Thoracic Organs | - | - | - | - |
| C40-C41 | Bone | - | - | 0.1 | 0.1 |
| C43 | Melanoma of Skin | - | - | - | - |
| C44 | Other Skin | 0.2 | 0.2 | 0.2 | 0.2 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | - |
| C50 | Breast | 0.1 | 0.1 | 0.1 | 0.1 |
| C60 | Penis | 0.1 | 0.1 | 0.1 | 0.1 |
| C61 | Prostate | 0.1 | 0.1 | 0.3 | 0.3 |
| C62 | Testis | - | - | - | - |
| C63 | Other Male Genital | - | - | - | - |
| C64 | Kidney etc. | - | - | 0.1 | 0.1 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | - | - | - | - |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | - | - | - | - |
| C70-C72 | Brain, Nervous System | 0.1 | 0.1 | 0.3 | 0.3 |
| C73 | Thyroid | 0.1 | 0.1 | 0.1 | 0.1 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - |
| C82-C85,C96 | NHL | 0.1 | 0.1 | 0.1 | 0.1 |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | 0.1 | 0.1 | 0.1 | 0.1 |
| C91 | Lymphoid Leuk. | - | - | 0.1 | 0.1 |
| C92-C94 | Myeloid Leukaemia | - | - | 0.1 | 0.1 |
| C95 | Leukaemia Uns | - | - | - | - |
| O&U* | Other and Uns | 1.0 | 1.0 | 1.5 | 1.5 |
| | All Sites | 16.00 | 14.78 | 24.67 | 21.86 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE EKH-8(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Females
MEGHALAYA - EAST KHASI HILLS**

| ICD-10 | Site | 0 - 64 Years | | 0 - 74 Years | |
|-------------|-----------------------|--------------|-------------|--------------|--------------|
| | | Cu. Rate % | Cu. Risk | Cu. Rate% | Cu. Risk |
| C00 | Lip | 0.1 | 0.1 | 0.2 | 0.2 |
| C01-C02 | Tongue | 0.2 | 0.2 | 0.4 | 0.4 |
| C03-C06 | Mouth | 0.5 | 0.5 | 0.9 | 0.9 |
| C07-C08 | Salivary Gland | - | - | - | - |
| C09 | Tonsil | 0.1 | 0.1 | 0.1 | 0.1 |
| C10 | Oth. Oropharynx | - | - | - | - |
| C11 | Nasopharynx | 0.1 | 0.1 | 0.1 | 0.1 |
| C12-C13 | Hypopharynx | 0.2 | 0.2 | 0.3 | 0.3 |
| C14 | Pharynx Unspecified | - | - | 0.1 | 0.1 |
| C15 | Oesophagus | 2.4 | 2.4 | 3.5 | 3.5 |
| C16 | Stomach | 0.4 | 0.4 | 0.7 | 0.7 |
| C17 | Small Intestine | - | - | 0.1 | 0.1 |
| C18 | Colon | 0.2 | 0.2 | 0.5 | 0.5 |
| C19-C20 | Rectum | 0.1 | 0.1 | 0.2 | 0.2 |
| C21 | Anus & Anal Canal | - | - | - | - |
| C22 | Liver | 0.1 | 0.1 | 0.2 | 0.2 |
| C23-C24 | Gallbladder etc. | 0.4 | 0.4 | 0.5 | 0.5 |
| C25 | Pancreas | 0.1 | 0.1 | 0.2 | 0.2 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - |
| C32 | Larynx | - | - | 0.1 | 0.1 |
| C33-C34 | Lung etc. | 0.3 | 0.3 | 0.6 | 0.6 |
| C37-C38 | Other Thoracic Organs | - | - | - | - |
| C40-C41 | Bone | 0.1 | 0.1 | 0.1 | 0.1 |
| C43 | Melanoma of Skin | - | - | - | - |
| C44 | Other Skin | 0.1 | 0.1 | 0.2 | 0.2 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 0.1 | 0.1 |
| C50 | Breast | 0.8 | 0.8 | 1.4 | 1.4 |
| C51 | Vulva | - | - | 0.1 | 0.1 |
| C52 | Vagina | 0.1 | 0.1 | 0.1 | 0.1 |
| C53 | Cervix Uteri | 0.9 | 0.9 | 1.0 | 1.0 |
| C54 | Corpus Uteri | 0.1 | 0.1 | 0.3 | 0.3 |
| C55 | Uterus Unspecified | - | - | - | - |
| C56 | Ovary etc. | 0.2 | 0.2 | 0.2 | 0.2 |
| C57 | Other Female Genital | - | - | - | - |
| C58 | Placenta | - | - | - | - |
| C64 | Kidney etc. | - | - | 0.1 | 0.1 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | - | - | - | - |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | - | - | - | - |
| C70-C72 | Brain, Nervous System | 0.1 | 0.1 | 0.1 | 0.1 |
| C73 | Thyroid | 0.1 | 0.1 | 0.1 | 0.1 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - |
| C82-C85,C96 | NHL | - | - | - | - |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - |
| C91 | Lymphoid Leuk. | - | - | - | - |
| C92-C94 | Myeloid Leukaemia | 0.1 | 0.1 | 0.1 | 0.1 |
| C95 | Leukaemia Uns | - | - | - | - |
| O&U* | Other and Uns | 0.3 | 0.3 | 0.8 | 0.8 |
| | All Sites | 8.48 | 8.13 | 13.38 | 12.52 |

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)