

# POPULATION BASED CANCER REGISTRY, MUMBAI

## Indian Cancer Society, Mumbai

### **Dr Purvish Parikh,**

Hon. Secretary & Managing Trustee & Principal Investigator (*from Nov. 2012*)

### **Dr A.P. Kurkure**

Hon. Secretary & Managing Trustee & Principal Investigator (*till July 2012*)

### **Mrs Shravani Koyande**

Executive In-charge and Co-Investigator

A Population Based Registry is essential for providing morbidity rates necessary to measure the success of a cancer control programme. In order to gauge the level of risk attributable to cancer as a public health problem and to assess its demands on the medical resources available in the community, it is mandatory to have easy access to reliable morbidity rates. With this aim in mind the Indian Cancer Society established the Mumbai Cancer Registry.

The Population Based Cancer Registry (PBCR) of Mumbai was established in 1964 before the inception of National Cancer Registry Programme (NCRP), a unit of Indian Council of Medical Research (ICMR). The registry has become part of NCRP-ICMR registry network 1982 onwards. It is the first cancer registry of India established with the aim to obtain reliable morbidity and mortality data on cancer from a precisely defined urban population. It has given a broad framework for controlling the impact of cancer in the community by carrying out various epidemiological studies.

Mumbai, a densely populated urban metropolis on the western coast of India, occupies an area of 603.0 km<sup>2</sup> and is the smallest district in Maharashtra State. Mumbai is the industrial heart of India and has a multilingual population representing every state in the Union.

Registration of Cancer cases is done by active method. For the past 48 years, Mumbai PBCR has been getting good co-operation from all the health care facilities in Mumbai. Information on cancer patient is obtained from various government hospitals, private hospitals, nursing homes and diagnostic centres. The social investigators visit all the sources regularly and collect all the available information by interviewing the patients wherever possible. Mortality information is collected from Vital Statistics Division of Mumbai Municipal Corporation.

During the period 2009-10, a total number of 22864 incident cases have been registered with 11091 males and 11773 females. The Male/Female ratio of incident cases is 0.94. The annual crude incident rate and age adjusted rate (world Standard Population) were 70.7 and 98.4 among males and 93.5 and 105.5 among females respectively per 100,000 persons. Cancer of the Mouth is the predominant site of cancer among males followed by cancer of Lung, Prostate and Non-Hodgkin's Lymphoma. Among females cancer of Breast is the commonest site of Cancer followed by cancer of Cervix, Ovary and Mouth. The leading three cancers account for the more than 46% of the total cancer burden among females due to increasing education level and effective cancer awareness programmes.

In the period 1964-72, the microscopic confirmation was 60.5 whereas for the period 2009-10 the

microscopic confirmation is 93.0. The DCO registration was 13.5 for the period 1964-72 and it has come down to 4.7 in 2009-10. The reliability of data and quality of registration has considerably improved over the years.

Registry publishes annual reports regularly. The registry has published more than 100 articles in indexed journals based on Cancer Incidence and Mortality till now. The registry data is used by public health workers for epidemiological studies, by the Govt. for cancer control programmes, by journalists for public education and by medical companies for promotion of their products.

The registry data has been accepted for publication in consecutive Volumes (II to IX) of Cancer Incidence in Five Continents published by IARC, Lyon, France.

<b>Staff</b>			
Medical Social Workers	: <b>M.J. Rawal</b> , BA	Research Assistant	: <b>V.R. Thorat</b> , BSc
	<b>S.S. Wad</b> , MA	Statistical Assistants	: <b>N.G. Shastri</b> , BSc
	<b>P.M. Hate</b> , MSW		<b>M.V. Khandekar</b> , BSc
	<b>K.S. Rane</b> , MSW		<b>R.P. Vagal</b> , BA
	<b>A.S. Virkar</b>	Computer Assistants	: <b>S.N. Jadhav</b> , BCA
	<b>M.P. Pagare</b>		<b>S.S. Shirvadkar</b> , BCom
	<b>P.P. Bandekar</b> , BCom		<b>V.G. Nawale</b> , BCom
	<b>K.N. Malhari</b> , BCom	Attendants	: <b>R.V. Mhatre</b>
Office Assistant	: <b>K.B. Rane</b> , BCom		<b>R. Sawardekar</b>


**TABLE MUM-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2010 - Mumbai**

Name of the Institution	Number	%
T.M.H.	6542	28.6
Nanavati	1292	5.7
Other Small Hospital	1224	5.4
Private Doctor	1107	4.8
BMC	1086	4.7
Ismail Gen. (PAK)	888	3.9
K.E.M.	863	3.8
National	852	3.7
Bombay Hospital	807	3.5
NAIR	670	2.9
Jaslak	669	2.9
Kokilaben Dhirubhai Ambani	652	2.9
S.L. Raheja	612	2.7
Breach Candy	561	2.5
L.T.M.G, Sion	530	2.3
Shanti Avedna	499	2.2
Lilavati	497	2.2
Saifee	374	1.6
Holy Family Bandra	351	1.5
Cama And Albless	312	1.4
Hol Spirit	285	1.2
J.J.	226	1.0
Others	1965	8.6
<b>Total</b>	<b>22864</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2010.

2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**Figure MUM -1**  
**Population Pyramid showing Age Distribution: 2009-2010**  
**MUMBAI**



**TABLE MUM-2**  
**Population by Five Year Age Group and Gender: 2009-2010**  
*Number and Relative Proportion (%)*  
**MUMBAI**

Age Group	Males		Females	
	Number	%	Number	%
00-04	1010997	6.44	935390	7.43
05-09	1117833	7.12	1002059	7.96
10-14	1425219	9.08	1206392	9.58
15-19	1734416	11.05	1212607	9.63
20-24	1984247	12.64	1239016	9.84
25-29	1735879	11.06	1241633	9.86
30-34	1391082	8.86	1072949	8.52
35-39	1215873	7.75	1055974	8.39
40-44	1044534	6.65	826665	6.57
45-49	872391	5.56	760421	6.04
50-54	694044	4.42	553966	4.40
55-59	454151	2.89	391478	3.11
60-64	344385	2.19	348460	2.77
65-69	291649	1.86	315914	2.51
70-74	192317	1.23	205290	1.63
75+	187304	1.19	221148	1.76
<b>Total</b>	<b>15696321</b>	<b>100.00</b>	<b>12589362</b>	<b>100.00</b>

## TABLE MUM-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Males

*% = Relative Proportion of Cancers of All Sites.*

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	2	2	1	4	8	8	2	5	4	2	4	-	42	0.38
C01-C02	Tongue	-	-	-	1	2	15	28	50	56	59	71	70	63	41	37	49	1	543	4.90
C03-C06	Mouth	-	2	1	1	4	17	38	79	114	139	153	136	127	87	61	61	2	1022	9.21
C07-C08	Salivary Gland	-	1	-	1	1	2	7	2	4	10	9	7	3	2	7	6	-	62	0.56
C09	Tonsil	-	-	-	-	-	2	1	3	5	6	13	12	16	17	7	7	-	89	0.80
C10	Oth. Oropharynx	-	-	-	-	-	-	2	1	2	5	10	10	14	13	13	9	-	79	0.71
C11	Nasopharynx	-	-	1	1	1	-	3	-	5	8	4	2	4	1	4	6	-	40	0.36
C12-C13	Hypopharynx	-	-	-	-	-	1	3	1	9	18	30	38	42	42	30	54	-	268	2.42
C14	Pharynx Unspecified	-	-	-	-	1	-	-	-	3	6	8	4	9	9	8	11	-	59	0.53
C15	Oesophagus	-	-	-	-	1	2	2	6	12	30	46	56	63	81	69	83	-	451	4.07
C16	Stomach	-	-	1	2	1	5	3	9	24	30	47	66	72	71	49	72	-	452	4.08
C17	Small Intestine	1	-	-	-	1	-	-	4	1	4	3	4	9	5	2	6	-	40	0.36
C18	Colon	-	1	1	4	4	7	5	15	26	33	33	40	69	41	48	78	1	406	3.66
C19-C20	Rectum	-	-	-	-	8	11	12	11	16	24	31	36	51	40	33	36	-	309	2.79
C21	Anus & Anal Canal	-	-	-	-	1	-	1	5	1	3	1	5	9	2	2	5	-	35	0.32
C22	Liver	1	1	2	-	-	4	6	12	7	26	48	69	77	80	68	120	-	521	4.70
C23-C24	Gallbladder etc.	-	-	-	-	-	3	4	8	7	14	14	27	21	32	20	33	-	183	1.65
C25	Pancreas	-	-	-	-	-	-	3	6	13	18	17	33	39	38	38	44	-	249	2.25
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	1	7	4	6	6	7	4	3	6	8	-	53	0.48
C32	Larynx	-	-	-	-	1	3	-	10	24	39	65	77	76	64	58	96	1	514	4.63
C33-C34	Lung etc.	1	-	-	1	3	6	4	19	27	60	85	112	136	176	125	160	2	917	8.27
C37-C38	Other Thoracic Organs	1	-	-	-	2	1	1	1	-	2	6	6	7	1	4	5	-	37	0.33
C40-C41	Bone	2	4	10	14	12	13	7	13	7	7	4	9	5	6	2	7	-	122	1.10
C43	Melanoma of Skin	-	-	-	-	1	-	1	-	2	1	1	3	3	2	2	3	-	19	0.17
C44	Other Skin	-	-	-	1	3	6	8	6	9	14	12	17	16	12	18	26	-	148	1.33
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	6	4	2	4	5	7	10	12	10	11	20	9	16	15	9	14	-	154	1.39
C50	Breast	-	-	-	-	1	1	5	1	3	11	8	12	8	6	6	10	-	72	0.65
C60	Penis	-	-	-	-	-	2	-	5	3	8	9	9	11	6	5	14	-	72	0.65
C61	Prostate	-	-	-	-	1	-	-	3	2	2	32	43	99	129	160	279	1	751	6.77
C62	Testis	5	1	1	5	11	15	14	18	16	6	4	1	3	2	3	2	-	107	0.96
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	3	0.03
C64	Kidney etc.	8	1	1	4	2	2	2	11	14	27	24	37	29	37	23	38	-	260	2.34
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.01
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.02
C67	Bladder	-	-	1	1	1	3	3	9	10	24	24	44	56	72	55	87	-	390	3.52
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	6	0.05
C69	Eye	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	8	0.07
C70-C72	Brain, NS	14	14	26	15	14	23	23	32	22	46	42	31	33	23	16	26	1	401	3.62
C73	Thyroid	-	-	-	4	6	11	12	12	14	9	12	17	11	15	8	3	-	134	1.21
C74	Adrenal Gland	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	2	-	8	0.07
C81	Hodgkins Disease	2	14	9	11	15	10	10	6	7	16	5	10	10	7	4	9	-	145	1.31
C82-C85,C96	NHL	7	13	10	14	15	11	18	22	41	40	51	58	66	54	69	81	1	571	5.15
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	1	-	-	-	2	2	1	4	5	16	18	24	24	26	40	-	164	1.48
C91	Lymphoid Leuk.	25	29	23	17	8	12	7	7	3	9	7	10	12	7	12	24	-	212	1.91
C92-C94	Myeloid Leukaemia	2	2	1	13	8	13	28	16	22	21	20	22	21	17	15	21	-	242	2.18
C95	Leukaemia Uns	5	7	7	9	5	4	8	3	5	8	10	4	9	2	3	4	-	93	0.84
O&U*	Other and Uns	1	4	1	6	6	9	17	23	39	41	62	92	90	81	77	86	-	635	5.73
	<b>All Sites</b>	<b>88</b>	<b>99</b>	<b>98</b>	<b>129</b>	<b>146</b>	<b>226</b>	<b>301</b>	<b>450</b>	<b>599</b>	<b>855</b>	<b>1075</b>	<b>1266</b>	<b>1442</b>	<b>1372</b>	<b>1205</b>	<b>1730</b>	<b>10</b>	<b>11091</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE MUM-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Females

*% = Relative Proportion of Cancers of All Sites.*

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	1	1	3	6	2	3	5	3	2	-	27	0.23
C01-C02	Tongue	-	-	-	-	2	2	17	11	18	19	16	31	27	20	17	25	1	206	1.75
C03-C06	Mouth	-	-	1	2	-	6	9	24	26	44	48	63	59	61	45	43	1	432	3.67
C07-C08	Salivary Gland	-	-	-	1	2	1	2	2	3	-	1	4	1	4	2	5	-	28	0.24
C09	Tonsil	-	-	-	-	-	-	2	-	3	-	2	-	3	6	1	1	-	18	0.15
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	4	-	11	0.09
C11	Nasopharynx	-	-	-	3	-	4	3	-	2	2	2	1	1	3	1	2	-	24	0.20
C12-C13	Hypopharynx	-	-	-	-	-	1	2	4	4	10	10	11	7	10	6	7	1	73	0.62
C14	Pharynx Unspecified	-	-	-	-	1	2	-	1	2	4	2	-	3	3	3	6	-	27	0.23
C15	Oesophagus	-	-	-	1	1	2	4	10	20	24	33	32	36	41	48	53	-	305	2.59
C16	Stomach	-	-	-	1	3	9	9	11	18	13	32	36	34	32	24	41	1	264	2.24
C17	Small Intestine	-	-	-	-	-	-	-	3	2	1	2	-	3	2	4	4	-	21	0.18
C18	Colon	-	-	1	3	2	5	3	12	18	22	25	35	42	45	40	65	-	318	2.70
C19-C20	Rectum	-	-	-	1	6	10	8	13	12	22	24	27	29	33	28	40	-	253	2.15
C21	Anus & Anal Canal	-	-	-	-	-	2	-	4	2	6	7	3	5	5	1	4	-	39	0.33
C22	Liver	2	-	-	1	-	3	7	8	8	16	24	41	18	41	25	67	-	261	2.22
C23-C24	Gallbladder etc.	-	-	-	-	1	2	4	9	21	32	30	34	28	24	21	34	-	240	2.04
C25	Pancreas	-	-	-	-	-	-	3	2	9	13	19	12	19	27	22	38	-	164	1.39
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	-	2	6	-	2	5	5	9	3	5	6	-	44	0.37
C32	Larynx	-	-	-	-	-	3	4	1	-	9	4	8	9	13	8	13	-	72	0.61
C33-C34	Lung etc.	-	-	1	-	-	2	5	16	19	24	39	55	46	44	63	58	-	372	3.16
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	2	1	4	2	3	4	2	1	-	-	19	0.16
C40-C41	Bone	2	2	4	12	7	5	6	7	8	7	7	6	4	4	3	7	2	93	0.79
C43	Melanoma of Skin	-	-	-	-	-	1	-	-	1	1	2	1	3	2	-	1	-	12	0.10
C44	Other Skin	-	-	-	-	1	5	2	9	4	8	8	16	14	11	13	23	-	114	0.97
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	2	1	5	5	7	9	14	13	19	3	12	11	10	8	8	-	129	1.10
C50	Breast	-	-	2	2	14	61	113	242	361	455	468	496	425	294	245	320	2	3500	29.73
C51	Vulva	-	-	-	-	-	1	2	2	-	3	2	3	3	4	3	5	-	28	0.24
C52	Vagina	-	-	-	-	-	-	1	2	6	7	10	11	12	8	4	6	-	67	0.57
C53	Cervix Uteri	-	-	-	-	3	7	26	51	116	135	184	159	159	119	80	71	-	1110	9.43
C54	Corpus Uteri	-	-	-	-	-	2	2	13	14	41	57	72	85	59	44	38	-	427	3.63
C55	Uterus Unspecified	-	-	-	-	-	-	-	3	5	5	10	9	8	9	8	13	-	70	0.59
C56	Ovary etc.	-	2	2	13	12	20	23	43	64	122	98	102	89	73	53	90	2	808	6.86
C57	Other Female Genital	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	5	-	10	0.08
C58	Placenta	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	4	0.03
C64	Kidney etc.	8	1	-	2	-	1	6	5	5	8	9	14	23	16	13	17	-	128	1.09
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.01
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	2	-	2	2	2	6	10	8	16	17	19	23	-	107	0.91
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.01
C69	Eye	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7	0.06
C70-C72	Brain, NS	9	9	9	4	7	10	14	11	31	21	24	25	21	25	18	14	-	252	2.14
C73	Thyroid	-	-	1	6	8	20	29	34	28	19	23	25	15	19	12	13	-	252	2.14
C74	Adrenal Gland	2	-	1	-	-	-	-	-	1	-	-	-	1	1	-	1	-	7	0.06
C81	Hodgkins Disease	1	3	2	6	7	7	-	2	7	4	7	7	4	1	3	4	-	65	0.55
C82-C85,C96	NHL	5	8	4	5	6	5	13	20	16	27	33	37	51	45	31	41	1	348	2.96
C88	Malig Imn.Prof D	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.01
C90	Multiple Myeloma	-	-	-	-	-	-	1	2	2	8	9	16	24	9	12	31	-	114	0.97
C91	Lymphoid Leuk.	16	17	15	6	4	6	2	8	2	3	5	4	4	4	4	10	-	110	0.93
C92-C94	Myeloid Leukaemia	4	3	11	9	6	12	17	11	12	22	17	10	16	12	13	21	-	196	1.66
C95	Leukaemia Uns	3	3	1	2	3	1	3	2	4	4	4	2	4	7	9	10	-	62	0.53
O&U*	Other and Uns	2	1	4	4	4	6	14	32	28	48	60	70	73	68	45	73	-	532	4.52
	<b>All Sites</b>	<b>62</b>	<b>52</b>	<b>60</b>	<b>89</b>	<b>109</b>	<b>232</b>	<b>373</b>	<b>658</b>	<b>920</b>	<b>1244</b>	<b>1386</b>	<b>1509</b>	<b>1454</b>	<b>1242</b>	<b>1009</b>	<b>1363</b>	<b>11</b>	<b>11773</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	0.1	0.1	0.1	0.4	0.9	1.2	0.4	1.5	1.4	1.0	2.1	0.3	0.34	0.05	0.7
C01-C02	-	-	-	0.1	0.1	0.9	2.0	4.1	5.4	6.8	10.2	15.4	18.3	14.1	19.2	26.2	3.5	4.37	0.20	9.1
C03-C06	-	0.2	0.1	0.1	0.2	1.0	2.7	6.5	10.9	15.9	22.0	29.9	36.9	29.8	31.7	32.6	6.5	8.24	0.27	18.6
C07-C08	-	0.1	-	0.1	0.1	0.1	0.5	0.2	0.4	1.1	1.3	1.5	0.9	0.7	3.6	3.2	0.4	0.48	0.06	0.8
C09	-	-	-	-	-	0.1	0.1	0.2	0.5	0.7	1.9	2.6	4.6	5.8	3.6	3.7	0.6	0.81	0.09	1.5
C10	-	-	-	-	-	-	0.1	0.1	0.2	0.6	1.4	2.2	4.1	4.5	6.8	4.8	0.5	0.75	0.09	1.2
C11	-	-	0.1	0.1	0.1	-	0.2	-	0.5	0.9	0.6	0.4	1.2	0.3	2.1	3.2	0.3	0.32	0.05	0.6
C12-C13	-	-	-	-	-	0.1	0.2	0.1	0.9	2.1	4.3	8.4	12.2	14.4	15.6	28.8	1.7	2.56	0.16	3.9
C14	-	-	-	-	0.1	-	-	-	0.3	0.7	1.2	0.9	2.6	3.1	4.2	5.9	0.4	0.55	0.07	0.8
C15	-	-	-	-	0.1	0.1	0.1	0.5	1.1	3.4	6.6	12.3	18.3	27.8	35.9	44.3	2.9	4.32	0.21	6.0
C16	-	-	0.1	0.1	0.1	0.3	0.2	0.7	2.3	3.4	6.8	14.5	20.9	24.3	25.5	38.4	2.9	4.21	0.20	6.9
C17	0.1	-	-	-	0.1	-	-	0.3	0.1	0.5	0.4	0.9	2.6	1.7	1.0	3.2	0.3	0.37	0.06	0.7
C18	-	0.1	0.1	0.2	0.2	0.4	0.4	1.2	2.5	3.8	4.8	8.8	20.0	14.1	25.0	41.6	2.6	3.70	0.19	5.9
C19-C20	-	-	-	-	0.4	0.6	0.9	0.9	1.5	2.8	4.5	7.9	14.8	13.7	17.2	19.2	2.0	2.72	0.16	4.7
C21	-	-	-	-	0.1	-	0.1	0.4	0.1	0.3	0.1	1.1	2.6	0.7	1.0	2.7	0.2	0.31	0.05	0.7
C22	0.1	0.1	0.1	-	-	0.2	0.4	1.0	0.7	3.0	6.9	15.2	22.4	27.4	35.4	64.1	3.3	5.02	0.22	6.9
C23-C24	-	-	-	-	-	0.2	0.3	0.7	0.7	1.6	2.0	5.9	6.1	11.0	10.4	17.6	1.2	1.68	0.13	2.4
C25	-	-	-	-	-	-	0.2	0.5	1.2	2.1	2.4	7.3	11.3	13.0	19.8	23.5	1.6	2.36	0.15	3.5
C30-C31	-	-	-	-	-	0.1	0.1	0.6	0.4	0.7	0.9	1.5	1.2	1.0	3.1	4.3	0.3	0.44	0.06	0.8
C32	-	-	-	-	0.1	0.2	-	0.8	2.3	4.5	9.4	17.0	22.1	21.9	30.2	51.3	3.3	4.79	0.22	8.0
C33-C34	0.1	-	-	0.1	0.2	0.3	0.3	1.6	2.6	6.9	12.2	24.7	39.5	60.3	65.0	85.4	5.8	8.73	0.29	12.4
C37-C38	0.1	-	-	-	0.1	0.1	0.1	0.1	-	0.2	0.9	1.3	2.0	0.3	2.1	2.7	0.2	0.33	0.06	0.6
C40-C41	0.2	0.4	0.7	0.8	0.6	0.7	0.5	1.1	0.7	0.8	0.6	2.0	1.5	2.1	1.0	3.7	0.8	0.81	0.08	1.0
C43	-	-	-	-	0.1	-	0.1	-	0.2	0.1	0.1	0.7	0.9	0.7	1.0	1.6	0.1	0.17	0.04	0.3
C44	-	-	-	0.1	0.2	0.3	0.6	0.5	0.9	1.6	1.7	3.7	4.6	4.1	9.4	13.9	0.9	1.27	0.11	1.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.6	0.4	0.1	0.2	0.3	0.4	0.7	1.0	1.0	1.3	2.9	2.0	4.6	5.1	4.7	7.5	1.0	1.23	0.10	1.9
C50	-	-	-	-	0.1	0.1	0.4	0.1	0.3	1.3	1.2	2.6	2.3	2.1	3.1	5.3	0.5	0.62	0.07	1.1
C60	-	-	-	-	-	0.1	-	0.4	0.3	0.9	1.3	2.0	3.2	2.1	2.6	7.5	0.5	0.64	0.08	1.2
C61	-	-	-	-	0.1	-	-	0.2	0.2	0.2	4.6	9.5	28.7	44.2	83.2	149.0	4.8	7.77	0.29	5.8
C62	0.5	0.1	0.1	0.3	0.6	0.9	1.0	1.5	1.5	0.7	0.6	0.2	0.9	0.7	1.6	1.1	0.7	0.64	0.07	0.9
C63	-	-	-	-	-	-	-	-	-	-	0.1	-	-	0.7	-	-	-	0.03	0.02	-
C64	0.8	0.1	0.1	0.2	0.1	0.1	0.1	0.9	1.3	3.1	3.5	8.1	8.4	12.7	12.0	20.3	1.7	2.34	0.15	3.7
C65	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.01	0.01	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	0.02	0.01	-
C67	-	-	0.1	0.1	0.1	0.2	0.2	0.7	1.0	2.8	3.5	9.7	16.3	24.7	28.6	46.4	2.5	3.76	0.19	4.8
C68	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	0.3	-	0.5	0.5	-	0.05	0.02	0.1
C69	0.6	-	-	-	-	-	-	-	0.1	-	-	-	0.3	-	-	-	0.1	0.09	0.03	0.1
C70-C72	1.4	1.3	1.8	0.9	0.7	1.3	1.7	2.6	2.1	5.3	6.1	6.8	9.6	7.9	8.3	13.9	2.6	3.04	0.16	5.0
C73	-	-	-	0.2	0.3	0.6	0.9	1.0	1.3	1.0	1.7	3.7	3.2	5.1	4.2	1.6	0.9	0.98	0.09	1.8
C74	-	-	-	-	0.1	-	-	-	-	-	0.3	0.2	0.3	0.3	-	1.1	0.1	0.07	0.03	0.1
C81	0.2	1.3	0.6	0.6	0.8	0.6	0.7	0.5	0.7	1.8	0.7	2.2	2.9	2.4	2.1	4.8	0.9	1.04	0.09	1.4
C82-C85,C96	0.7	1.2	0.7	0.8	0.8	0.6	1.3	1.8	3.9	4.6	7.3	12.8	19.2	18.5	35.9	43.2	3.6	4.93	0.21	7.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	0.1	0.1	-	-	-	0.1	0.1	0.1	0.4	0.6	2.3	4.0	7.0	8.2	13.5	21.4	1.0	1.60	0.13	2.0
C91	2.5	2.6	1.6	1.0	0.4	0.7	0.5	0.6	0.3	1.0	1.0	2.2	3.5	2.4	6.2	12.8	1.4	1.75	0.13	1.3
C92-C94	0.2	0.2	0.1	0.7	0.4	0.7	2.0	1.3	2.1	2.4	2.9	4.8	6.1	5.8	7.8	11.2	1.5	1.81	0.12	3.0
C95	0.5	0.6	0.5	0.5	0.3	0.2	0.6	0.2	0.5	0.9	1.4	0.9	2.6	0.7	1.6	2.1	0.6	0.69	0.08	1.0
O&U *	0.1	0.4	0.1	0.3	0.3	0.5	1.2	1.9	3.7	4.7	8.9	20.3	26.1	27.8	40.0	45.9	4.0	5.70	0.23	9.4
All	8.7	8.9	6.9	7.4	7.4	13.0	21.6	37.0	57.3	98.0	154.9	278.8	418.7	470.4	626.6	923.6	70.7	98.4	0.96	152.2

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.1	0.1	0.1	0.4	1.1	0.5	0.9	1.6	1.5	0.9	0.2	0.25	0.05	0.5
C01-C02	-	-	-	-	0.2	0.2	1.6	1.0	2.2	2.5	2.9	7.9	7.7	6.3	8.3	11.3	1.6	1.82	0.13	3.6
C03-C06	-	-	0.1	0.2	-	0.5	0.8	2.3	3.1	5.8	8.7	16.1	16.9	19.3	21.9	19.4	3.4	3.94	0.19	7.8
C07-C08	-	-	-	0.1	0.2	0.1	0.2	0.2	0.4	-	0.2	1.0	0.3	1.3	1.0	2.3	0.2	0.24	0.05	0.3
C09	-	-	-	-	-	-	0.2	-	0.4	-	0.4	-	0.9	1.9	0.5	0.5	0.1	0.16	0.04	0.2
C10	-	-	-	-	-	-	-	-	0.1	0.1	0.4	-	0.6	0.3	-	1.8	0.1	0.10	0.03	0.2
C11	-	-	-	0.2	-	0.3	0.3	-	0.2	0.3	0.4	0.3	0.3	0.9	0.5	0.9	0.2	0.19	0.04	0.2
C12-C13	-	-	-	-	-	0.1	0.2	0.4	0.5	1.3	1.8	2.8	2.0	3.2	2.9	3.2	0.6	0.65	0.08	1.3
C14	-	-	-	-	0.1	0.2	-	0.1	0.2	0.5	0.4	-	0.9	0.9	1.5	2.7	0.2	0.24	0.05	0.3
C15	-	-	-	0.1	0.1	0.2	0.4	0.9	2.4	3.2	6.0	8.2	10.3	13.0	23.4	24.0	2.4	2.81	0.16	4.6
C16	-	-	-	0.1	0.2	0.7	0.8	1.0	2.2	1.7	5.8	9.2	9.8	10.1	11.7	18.5	2.1	2.39	0.15	4.3
C17	-	-	-	-	-	-	-	0.3	0.2	0.1	0.4	-	0.9	0.6	1.9	1.8	0.2	0.19	0.04	0.3
C18	-	-	0.1	0.2	0.2	0.4	0.3	1.1	2.2	2.9	4.5	8.9	12.1	14.2	19.5	29.4	2.5	2.93	0.17	4.6
C19-C20	-	-	-	0.1	0.5	0.8	0.7	1.2	1.5	2.9	4.3	6.9	8.3	10.4	13.6	18.1	2.0	2.26	0.14	3.7
C21	-	-	-	-	-	0.2	-	0.4	0.2	0.8	1.3	0.8	1.4	1.6	0.5	1.8	0.3	0.34	0.06	0.8
C22	0.2	-	-	0.1	-	0.2	0.7	0.8	1.0	2.1	4.3	10.5	5.2	13.0	12.2	30.3	2.1	2.40	0.15	3.5
C23-C24	-	-	-	-	0.1	0.2	0.4	0.9	2.5	4.2	5.4	8.7	8.0	7.6	10.2	15.4	1.9	2.18	0.14	4.5
C25	-	-	-	-	-	-	0.3	0.2	1.1	1.7	3.4	3.1	5.5	8.5	10.7	17.2	1.3	1.52	0.12	2.2
C30-C31	-	-	-	-	0.1	-	0.2	0.6	-	0.3	0.9	1.3	2.6	0.9	2.4	2.7	0.3	0.40	0.06	0.8
C32	-	-	-	-	-	0.2	0.4	0.1	-	1.2	0.7	2.0	2.6	4.1	3.9	5.9	0.6	0.66	0.08	1.0
C33-C34	-	-	0.1	-	-	0.2	0.5	1.5	2.3	3.2	7.0	14.0	13.2	13.9	30.7	26.2	3.0	3.46	0.18	6.0
C37-C38	-	-	-	-	-	-	-	0.2	0.1	0.5	0.4	0.8	1.1	0.6	0.5	-	0.2	0.17	0.04	0.5
C40-C41	0.2	0.2	0.3	1.0	0.6	0.4	0.6	0.7	1.0	0.9	1.3	1.5	1.1	1.3	1.5	3.2	0.7	0.73	0.08	1.0
C43	-	-	-	-	-	0.1	-	-	0.1	0.1	0.4	0.3	0.9	0.6	-	0.5	0.1	0.11	0.03	0.3
C44	-	-	-	-	0.1	0.4	0.2	0.9	0.5	1.1	1.4	4.1	4.0	3.5	6.3	10.4	0.9	1.03	0.10	1.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.2	0.2	0.1	0.4	0.4	0.6	0.8	1.3	1.6	2.5	0.5	3.1	3.2	3.2	3.9	3.6	1.0	1.06	0.10	1.9
C50	-	-	0.2	0.2	1.1	4.9	10.5	22.9	43.7	59.8	84.5	126.7	122.0	93.1	119.3	144.7	27.8	30.97	0.53	70.2
C51	-	-	-	-	-	0.1	0.2	0.2	-	0.4	0.4	0.8	0.9	1.3	1.5	2.3	0.2	0.25	0.05	0.4
C52	-	-	-	-	-	-	0.1	0.2	0.7	0.9	1.8	2.8	3.4	2.5	1.9	2.7	0.5	0.63	0.08	1.5
C53	-	-	-	-	0.2	0.6	2.4	4.8	14.0	17.8	33.2	40.6	45.6	37.7	39.0	32.1	8.8	10.07	0.31	23.6
C54	-	-	-	-	-	0.2	0.2	1.2	1.7	5.4	10.3	18.4	24.4	18.7	21.4	17.2	3.4	4.08	0.20	8.8
C55	-	-	-	-	-	-	-	0.3	0.6	0.7	1.8	2.3	2.3	2.8	3.9	5.9	0.6	0.65	0.08	1.2
C56	-	0.2	0.2	1.1	1.0	1.6	2.1	4.1	7.7	16.0	17.7	26.1	25.5	23.1	25.8	40.7	6.4	7.11	0.25	14.9
C57	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	-	0.5	2.3	0.1	0.08	0.03	0.1
C58	-	-	-	-	-	0.1	0.3	-	-	-	-	-	-	-	-	-	-	0.02	0.01	-
C64	0.9	0.1	-	0.2	-	0.1	0.6	0.5	0.6	1.1	1.6	3.6	6.6	5.1	6.3	7.7	1.0	1.22	0.11	2.0
C65	-	-	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.01	0.01	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	0.2	-	0.2	0.2	0.2	0.8	1.8	2.0	4.6	5.4	9.3	10.4	0.8	1.01	0.10	1.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.01	0.01	-
C69	0.6	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.08	0.03	-
C70-C72	1.0	0.9	0.7	0.3	0.6	0.8	1.3	1.0	3.8	2.8	4.3	6.4	6.0	7.9	8.8	6.3	2.0	2.20	0.14	3.8
C73	-	-	0.1	0.5	0.6	1.6	2.7	3.2	3.4	2.5	4.2	6.4	4.3	6.0	5.8	5.9	2.0	1.99	0.13	3.8
C74	0.2	-	0.1	-	-	-	-	-	0.1	-	-	-	0.3	0.3	-	0.5	0.1	0.07	0.03	0.1
C81	0.1	0.3	0.2	0.5	0.6	0.6	-	0.2	0.8	0.5	1.3	1.8	1.1	0.3	1.5	1.8	0.5	0.54	0.07	0.9
C82-C85,C96	0.5	0.8	0.3	0.4	0.5	0.4	1.2	1.9	1.9	3.6	6.0	9.5	14.6	14.2	15.1	18.5	2.8	3.16	0.17	5.5
C88	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	0.01	-
C90	-	-	-	-	-	-	0.1	0.2	0.2	1.1	1.6	4.1	6.9	2.8	5.8	14.0	0.9	1.10	0.10	2.0
C91	1.7	1.7	1.2	0.5	0.3	0.5	0.2	0.8	0.2	0.4	0.9	1.0	1.1	1.3	1.9	4.5	0.9	0.99	0.10	0.7
C92-C94	0.4	0.3	0.9	0.7	0.5	1.0	1.6	1.0	1.5	2.9	3.1	2.6	4.6	3.8	6.3	9.5	1.6	1.63	0.12	2.5
C95	0.3	0.3	0.1	0.2	0.2	0.1	0.3	0.2	0.5	0.5	0.7	0.5	1.1	2.2	4.4	4.5	0.5	0.55	0.07	0.6
O&U*	0.2	0.1	0.3	0.3	0.3	0.5	1.3	3.0	3.4	6.3	10.8	17.9	20.9	21.5	21.9	33.0	4.2	4.84	0.21	9.2
<b>All</b>	<b>6.6</b>	<b>5.2</b>	<b>5.0</b>	<b>7.3</b>	<b>8.8</b>	<b>18.7</b>	<b>34.8</b>	<b>62.3</b>	<b>111.3</b>	<b>163.6</b>	<b>250.2</b>	<b>385.5</b>	<b>417.3</b>	<b>393.1</b>	<b>491.5</b>	<b>616.3</b>	<b>93.5</b>	<b>105.5</b>	<b>0.99</b>	<b>209.2</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE MUM-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Males**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	42	100.0	-	-	-	-	-	-	-	-	42	100.0
C01-C02	Tongue	6	1.1	522	96.1	-	-	15	2.8	-	-	-	-	543	100.0
C03-C06	Mouth	17	1.7	988	96.7	-	-	17	1.7	-	-	-	-	1022	100.0
C07-C08	Salivary Gland	3	4.8	57	91.9	-	-	2	3.2	-	-	-	-	62	100.0
C09	Tonsil	1	1.1	81	91.0	-	-	7	7.9	-	-	-	-	89	100.0
C10	Oth. Oropharynx	-	-	73	92.4	-	-	6	7.6	-	-	-	-	79	100.0
C11	Nasopharynx	2	5.0	38	95.0	-	-	-	-	-	-	-	-	40	100.0
C12-C13	Hypopharynx	1	0.4	258	96.3	-	-	9	3.4	-	-	-	-	268	100.0
C14	Pharynx Unspecified	1	1.7	45	76.3	-	-	13	22.0	-	-	-	-	59	100.0
C15	Oesophagus	8	1.8	378	83.8	4	0.9	61	13.5	-	-	-	-	451	100.0
C16	Stomach	15	3.3	402	88.9	2	0.4	33	7.3	-	-	-	-	452	100.0
C17	Small Intestine	2	5.0	37	92.5	-	-	1	2.5	-	-	-	-	40	100.0
C18	Colon	12	3.0	367	90.4	3	0.7	24	5.9	-	-	-	-	406	100.0
C19-C20	Rectum	4	1.3	295	95.5	-	-	10	3.2	-	-	-	-	309	100.0
C21	Anus & Anal Canal	1	2.9	31	88.6	-	-	3	8.6	-	-	-	-	35	100.0
C22	Liver	7	1.3	487	93.5	2	0.4	24	4.6	1	0.2	-	-	521	100.0
C23-C24	Gallbladder etc.	3	1.6	165	90.2	4	2.2	11	6.0	-	-	-	-	183	100.0
C25	Pancreas	18	7.2	195	78.3	1	0.4	35	14.1	-	-	-	-	249	100.0
C30-C31	Nose, Sinuses etc.	2	3.8	46	86.8	-	-	5	9.4	-	-	-	-	53	100.0
C32	Larynx	15	2.9	468	91.1	-	-	31	6.0	-	-	-	-	514	100.0
C33-C34	Lung etc.	17	1.9	789	86.0	12	1.3	99	10.8	-	-	-	-	917	100.0
C37-C38	Other Thoracic Organs	1	2.7	36	97.3	-	-	-	-	-	-	-	-	37	100.0
C40-C41	Bone	1	0.8	119	97.5	-	-	2	1.6	-	-	-	-	122	100.0
C43	Melanoma of Skin	-	-	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C44	Other Skin	-	-	147	99.3	-	-	1	0.7	-	-	-	-	148	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	153	99.4	-	-	1	0.6	-	-	-	-	154	100.0
C50	Breast	-	-	72	100.0	-	-	-	-	-	-	-	-	72	100.0
C60	Penis	2	2.8	68	94.4	-	-	2	2.8	-	-	-	-	72	100.0
C61	Prostate	19	2.5	684	91.1	2	0.3	46	6.1	-	-	-	-	751	100.0
C62	Testis	1	0.9	104	97.2	-	-	2	1.9	-	-	-	-	107	100.0
C63	Other Male Genital	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C64	Kidney etc.	-	-	252	96.9	-	-	8	3.1	-	-	-	-	260	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	9	2.3	359	92.1	-	-	22	5.6	-	-	-	-	390	100.0
C68	Uns. Urinary Organs	-	-	5	83.3	-	-	1	16.7	-	-	-	-	6	100.0
C69	Eye	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C70-C72	Brain, Nervous System	1	0.2	392	97.8	2	0.5	6	1.5	-	-	-	-	401	100.0
C73	Thyroid	3	2.2	130	97.0	-	-	1	0.7	-	-	-	-	134	100.0
C74	Adrenal Gland	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C81	Hodgkins Disease	-	-	145	100.0	-	-	-	-	-	-	-	-	145	100.0
C82-C85,C96	NHL	-	-	571	100.0	-	-	-	-	-	-	-	-	571	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	164	100.0	-	-	-	-	-	-	-	-	164	100.0
C91	Lymphoid Leuk.	-	-	212	100.0	-	-	-	-	-	-	-	-	212	100.0
C92-C94	Myeloid Leukaemia	-	-	242	100.0	-	-	-	-	-	-	-	-	242	100.0
C95	Leukaemia Uns	-	-	93	100.0	-	-	-	-	-	-	-	-	93	100.0
O&U *	Other and Uns	31	4.9	568	89.4	4	0.6	32	5.0	-	-	-	-	635	100.0
	<b>All Sites</b>	<b>203</b>	<b>1.8</b>	<b>10321</b>	<b>93.1</b>	<b>36</b>	<b>0.3</b>	<b>530</b>	<b>4.8</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>11091</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Females**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	3.7	26	96.3	-	-	-	-	-	-	-	-	27	100.0
C01-C02	Tongue	2	1.0	196	95.1	-	-	8	3.9	-	-	-	-	206	100.0
C03-C06	Mouth	9	2.1	412	95.4	1	0.2	10	2.3	-	-	-	-	432	100.0
C07-C08	Salivary Gland	-	-	27	96.4	-	-	1	3.6	-	-	-	-	28	100.0
C09	Tonsil	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C10	Oth. Oropharynx	-	-	10	90.9	-	-	1	9.1	-	-	-	-	11	100.0
C11	Nasopharynx	1	4.2	21	87.5	-	-	2	8.3	-	-	-	-	24	100.0
C12-C13	Hypopharynx	1	1.4	68	93.2	-	-	4	5.5	-	-	-	-	73	100.0
C14	Pharynx Unspecified	1	3.7	19	70.4	-	-	7	25.9	-	-	-	-	27	100.0
C15	Oesophagus	5	1.6	263	86.2	4	1.3	33	10.8	-	-	-	-	305	100.0
C16	Stomach	16	6.1	221	83.7	-	-	27	10.2	-	-	-	-	264	100.0
C17	Small Intestine	2	9.5	17	81.0	-	-	2	9.5	-	-	-	-	21	100.0
C18	Colon	12	3.8	291	91.5	1	0.3	14	4.4	-	-	-	-	318	100.0
C19-C20	Rectum	10	4.0	228	90.1	-	-	15	5.9	-	-	-	-	253	100.0
C21	Anus & Anal Canal	2	5.1	35	89.7	-	-	2	5.1	-	-	-	-	39	100.0
C22	Liver	3	1.1	240	92.0	-	-	18	6.9	-	-	-	-	261	100.0
C23-C24	Gallbladder etc.	15	6.3	195	81.3	5	2.1	25	10.4	-	-	-	-	240	100.0
C25	Pancreas	19	11.6	126	76.8	1	0.6	18	11.0	-	-	-	-	164	100.0
C30-C31	Nose, Sinuses etc.	2	4.5	40	90.9	-	-	2	4.5	-	-	-	-	44	100.0
C32	Larynx	1	1.4	65	90.3	-	-	6	8.3	-	-	-	-	72	100.0
C33-C34	Lung etc.	3	0.8	322	86.6	2	0.5	45	12.1	-	-	-	-	372	100.0
C37-C38	Other Thoracic Organs	-	-	18	94.7	-	-	1	5.3	-	-	-	-	19	100.0
C40-C41	Bone	-	-	87	93.5	-	-	6	6.5	-	-	-	-	93	100.0
C43	Melanoma of Skin	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C44	Other Skin	-	-	114	100.0	-	-	-	-	-	-	-	-	114	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	129	100.0	-	-	-	-	-	-	-	-	129	100.0
C50	Breast	41	1.2	3313	94.7	13	0.4	133	3.8	-	-	-	-	3500	100.0
C51	Vulva	1	3.6	27	96.4	-	-	-	-	-	-	-	-	28	100.0
C52	Vagina	-	-	66	98.5	-	-	1	1.5	-	-	-	-	67	100.0
C53	Cervix Uteri	17	1.5	1042	93.9	-	-	51	4.6	-	-	-	-	1110	100.0
C54	Corpus Uteri	8	1.9	416	97.4	-	-	3	0.7	-	-	-	-	427	100.0
C55	Uterus Unspecified	3	4.3	46	65.7	-	-	21	30.0	-	-	-	-	70	100.0
C56	Ovary etc.	20	2.5	730	90.3	12	1.5	46	5.7	-	-	-	-	808	100.0
C57	Other Female Genital	1	10.0	8	80.0	-	-	1	10.0	-	-	-	-	10	100.0
C58	Placenta	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C64	Kidney etc.	-	-	123	96.1	-	-	5	3.9	-	-	-	-	128	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	1.9	96	89.7	-	-	9	8.4	-	-	-	-	107	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C70-C72	Brain, Nervous System	2	0.8	243	96.4	3	1.2	4	1.6	-	-	-	-	252	100.0
C73	Thyroid	3	1.2	243	96.4	-	-	6	2.4	-	-	-	-	252	100.0
C74	Adrenal Gland	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C81	Hodgkins Disease	-	-	65	100.0	-	-	-	-	-	-	-	-	65	100.0
C82-C85,C96	NHL	-	-	348	100.0	-	-	-	-	-	-	-	-	348	100.0
C88	Malig Imn.Prol D	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C90	Multiple Myeloma	1	0.9	113	99.1	-	-	-	-	-	-	-	-	114	100.0
C91	Lymphoid Leuk.	-	-	110	100.0	-	-	-	-	-	-	-	-	110	100.0
C92-C94	Myeloid Leukaemia	-	-	196	100.0	-	-	-	-	-	-	-	-	196	100.0
C95	Leukaemia Uns	-	-	62	100.0	-	-	-	-	-	-	-	-	62	100.0
O&U *	Other and Uns	26	4.9	476	89.5	3	0.6	27	5.1	-	-	-	-	532	100.0
	<b>All Sites</b>	<b>230</b>	<b>2.0</b>	<b>10944</b>	<b>93.0</b>	<b>45</b>	<b>0.4</b>	<b>554</b>	<b>4.7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>11773</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Males**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	42	100.0	-	-	-	-	-	-	-	-	-	-	42	100.0
C01-C02	Tongue	518	95.4	2	0.4	2	0.4	-	-	-	-	21	3.9	543	100.0
C03-C06	Mouth	983	96.2	2	0.2	3	0.3	-	-	-	-	34	3.3	1022	100.0
C07-C08	Salivary Gland	55	88.7	1	1.6	1	1.6	-	-	-	-	5	8.1	62	100.0
C09	Tonsil	80	89.9	1	1.1	-	-	-	-	-	-	8	9.0	89	100.0
C10	Oth. Oropharynx	69	87.3	4	5.1	-	-	-	-	-	-	6	7.6	79	100.0
C11	Nasopharynx	37	92.5	1	2.5	-	-	-	-	-	-	2	5.0	40	100.0
C12-C13	Hypopharynx	255	95.1	2	0.7	1	0.4	-	-	-	-	10	3.7	268	100.0
C14	Pharynx Unspecified	43	72.9	2	3.4	-	-	-	-	-	-	14	23.7	59	100.0
C15	Oesophagus	373	82.7	3	0.7	2	0.4	-	-	-	-	73	16.2	451	100.0
C16	Stomach	398	88.1	4	0.9	-	-	-	-	-	-	50	11.1	452	100.0
C17	Small Intestine	36	90.0	-	-	1	2.5	-	-	-	-	3	7.5	40	100.0
C18	Colon	363	89.4	3	0.7	1	0.2	-	-	-	-	39	9.6	406	100.0
C19-C20	Rectum	294	95.1	1	0.3	-	-	-	-	-	-	14	4.5	309	100.0
C21	Anus & Anal Canal	31	88.6	-	-	-	-	-	-	-	-	4	11.4	35	100.0
C22	Liver	476	91.4	6	1.2	5	1.0	-	-	-	-	34	6.5	521	100.0
C23-C24	Gallbladder etc.	162	88.5	1	0.5	2	1.1	-	-	-	-	18	9.8	183	100.0
C25	Pancreas	186	74.7	5	2.0	4	1.6	-	-	-	-	54	21.7	249	100.0
C30-C31	Nose, Sinuses etc.	45	84.9	1	1.9	-	-	-	-	-	-	7	13.2	53	100.0
C32	Larynx	467	90.9	1	0.2	-	-	-	-	-	-	46	8.9	514	100.0
C33-C34	Lung etc.	743	81.0	21	2.3	25	2.7	-	-	-	-	128	14.0	917	100.0
C37-C38	Other Thoracic Organs	29	78.4	3	8.1	4	10.8	-	-	-	-	1	2.7	37	100.0
C40-C41	Bone	118	96.7	1	0.8	-	-	-	-	-	-	3	2.5	122	100.0
C43	Melanoma of Skin	18	94.7	-	-	-	-	-	-	1	5.3	-	-	19	100.0
C44	Other Skin	145	98.0	-	-	2	1.4	-	-	-	-	1	0.7	148	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	152	98.7	-	-	1	0.6	-	-	-	-	1	0.6	154	100.0
C50	Breast	70	97.2	1	1.4	1	1.4	-	-	-	-	-	-	72	100.0
C60	Penis	68	94.4	-	-	-	-	-	-	-	-	4	5.6	72	100.0
C61	Prostate	683	90.9	-	-	1	0.1	-	-	-	-	67	8.9	751	100.0
C62	Testis	104	97.2	-	-	-	-	-	-	-	-	3	2.8	107	100.0
C63	Other Male Genital	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C64	Kidney etc.	251	96.5	-	-	1	0.4	-	-	-	-	8	3.1	260	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	356	91.3	1	0.3	2	0.5	-	-	-	-	31	7.9	390	100.0
C68	Uns. Urinary Organs	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C69	Eye	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C70-C72	Brain, Nervous System	390	97.3	1	0.2	1	0.2	-	-	-	-	9	2.2	401	100.0
C73	Thyroid	124	92.5	4	3.0	2	1.5	-	-	-	-	4	3.0	134	100.0
C74	Adrenal Gland	7	87.5	1	12.5	-	-	-	-	-	-	-	-	8	100.0
C81	Hodgkins Disease	140	96.6	-	-	-	-	-	-	5	3.4	-	-	145	100.0
C82-C85,C96	NHL	563	98.6	-	-	1	0.2	-	-	7	1.2	-	-	571	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	9	5.5	-	-	-	-	-	-	155	94.5	-	-	164	100.0
C91	Lymphoid Leuk.	2	0.9	-	-	-	-	-	-	210	99.1	-	-	212	100.0
C92-C94	Myeloid Leukaemia	1	0.4	-	-	-	-	-	-	241	99.6	-	-	242	100.0
C95	Leukaemia Uns	1	1.1	-	-	-	-	-	-	92	98.9	-	-	93	100.0
O&U*	Other and Uns	146	23.0	357	56.2	65	10.2	-	-	-	-	67	10.6	635	100.0
	<b>All Sites</b>	<b>9052</b>	<b>81.6</b>	<b>430</b>	<b>3.9</b>	<b>128</b>	<b>1.2</b>	<b>-</b>	<b>-</b>	<b>711</b>	<b>6.4</b>	<b>770</b>	<b>6.9</b>	<b>11091</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Females**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	26	96.3	-	-	-	-	-	-	-	-	1	3.7	27	100.0
C01-C02	Tongue	196	95.1	-	-	-	-	-	-	-	-	10	4.9	206	100.0
C03-C06	Mouth	408	94.4	4	0.9	-	-	-	-	-	-	20	4.6	432	100.0
C07-C08	Salivary Gland	26	92.9	-	-	1	3.6	-	-	-	-	1	3.6	28	100.0
C09	Tonsil	17	94.4	1	5.6	-	-	-	-	-	-	-	-	18	100.0
C10	Oth. Oropharynx	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C11	Nasopharynx	19	79.2	2	8.3	-	-	-	-	-	-	3	12.5	24	100.0
C12-C13	Hypopharynx	65	89.0	1	1.4	2	2.7	-	-	-	-	5	6.8	73	100.0
C14	Pharynx Unspecified	19	70.4	-	-	-	-	-	-	-	-	8	29.6	27	100.0
C15	Oesophagus	259	84.9	-	-	4	1.3	-	-	-	-	42	13.8	305	100.0
C16	Stomach	220	83.3	1	0.4	-	-	-	-	-	-	43	16.3	264	100.0
C17	Small Intestine	17	81.0	-	-	-	-	-	-	-	-	4	19.0	21	100.0
C18	Colon	289	90.9	2	0.6	-	-	-	-	-	-	27	8.5	318	100.0
C19-C20	Rectum	228	90.1	-	-	-	-	-	-	-	-	25	9.9	253	100.0
C21	Anus & Anal Canal	35	89.7	-	-	-	-	-	-	-	-	4	10.3	39	100.0
C22	Liver	233	89.3	4	1.5	3	1.1	-	-	-	-	21	8.0	261	100.0
C23-C24	Gallbladder etc.	191	79.6	2	0.8	2	0.8	-	-	-	-	45	18.8	240	100.0
C25	Pancreas	121	73.8	2	1.2	3	1.8	-	-	-	-	38	23.2	164	100.0
C30-C31	Nose, Sinuses etc.	39	88.6	-	-	1	2.3	-	-	-	-	4	9.1	44	100.0
C32	Larynx	64	88.9	1	1.4	-	-	-	-	-	-	7	9.7	72	100.0
C33-C34	Lung etc.	302	81.2	15	4.0	5	1.3	-	-	-	-	50	13.4	372	100.0
C37-C38	Other Thoracic Organs	15	78.9	2	10.5	1	5.3	-	-	-	-	1	5.3	19	100.0
C40-C41	Bone	84	90.3	2	2.2	-	-	-	-	1	1.1	6	6.5	93	100.0
C43	Melanoma of Skin	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C44	Other Skin	112	98.2	-	-	2	1.8	-	-	-	-	-	-	114	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	128	99.2	1	0.8	-	-	-	-	-	-	-	-	129	100.0
C50	Breast	3254	93.0	19	0.5	40	1.1	-	-	-	-	187	5.3	3500	100.0
C51	Vulva	27	96.4	-	-	-	-	-	-	-	-	1	3.6	28	100.0
C52	Vagina	65	97.0	-	-	1	1.5	-	-	-	-	1	1.5	67	100.0
C53	Cervix Uteri	1030	92.8	7	0.6	5	0.5	-	-	-	-	68	6.1	1110	100.0
C54	Corpus Uteri	414	97.0	2	0.5	-	-	-	-	-	-	11	2.6	427	100.0
C55	Uterus Unspecified	46	65.7	-	-	-	-	-	-	-	-	24	34.3	70	100.0
C56	Ovary etc.	691	85.5	26	3.2	13	1.6	-	-	-	-	78	9.7	808	100.0
C57	Other Female Genital	5	50.0	2	20.0	1	10.0	-	-	-	-	2	20.0	10	100.0
C58	Placenta	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C64	Kidney etc.	123	96.1	-	-	-	-	-	-	-	-	5	3.9	128	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	93	86.9	2	1.9	1	0.9	-	-	-	-	11	10.3	107	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C70-C72	Brain, Nervous System	241	95.6	1	0.4	1	0.4	-	-	-	-	9	3.6	252	100.0
C73	Thyroid	234	92.9	3	1.2	6	2.4	-	-	-	-	9	3.6	252	100.0
C74	Adrenal Gland	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C81	Hodgkins Disease	64	98.5	-	-	1	1.5	-	-	-	-	-	-	65	100.0
C82-C85,C96	NHL	344	98.9	-	-	-	-	-	-	4	1.1	-	-	348	100.0
C88	Malignant Immunoproliferative Disorders	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C90	Multiple Myeloma	7	6.1	-	-	-	-	-	-	106	93.0	1	0.9	114	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	110	100.0	-	-	110	100.0
C92-C94	Myeloid Leukaemia	6	3.1	-	-	-	-	1	0.5	189	96.4	-	-	196	100.0
C95	Myeloid Leukaemia Unspecified	1	1.6	-	-	-	-	-	-	61	98.4	-	-	62	100.0
O&U*	Other and Unspecified	138	25.9	290	54.5	48	9.0	-	-	-	-	56	10.5	532	100.0
	<b>All Sites</b>	<b>9937</b>	<b>84.4</b>	<b>392</b>	<b>3.3</b>	<b>142</b>	<b>1.2</b>	<b>1</b>	<b>-</b>	<b>472</b>	<b>4.0</b>	<b>829</b>	<b>7.0</b>	<b>11773</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE MUM-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	1	-	1	-	5	3	-	2	1	1	-	-	14	0.27
C01-C02	Tongue	-	-	-	-	2	4	7	14	16	25	33	33	24	21	21	30	-	230	4.38
C03-C06	Mouth	-	1	-	-	1	2	8	24	33	51	36	43	40	30	24	27	-	320	6.10
C07-C08	Salivary Gland	-	-	-	-	-	-	1	1	-	2	3	4	2	2	-	2	-	17	0.32
C09	Tonsil	-	-	-	-	-	-	-	-	1	4	7	3	7	13	4	6	-	45	0.86
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	3	5	6	7	4	7	6	-	38	0.72
C11	Nasopharynx	-	-	1	-	-	-	1	-	2	3	-	3	2	-	1	5	-	18	0.34
C12-C13	Hypopharynx	-	-	-	-	-	1	2	2	4	5	17	17	21	18	20	24	-	131	2.50
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	2	4	4	3	5	4	4	8	-	34	0.65
C15	Oesophagus	-	-	-	-	-	1	-	2	9	17	31	39	52	52	52	64	-	319	6.08
C16	Stomach	-	-	-	-	1	1	2	2	14	15	25	35	39	42	32	41	-	249	4.75
C17	Small Intestine	-	-	-	-	-	-	-	1	-	2	1	-	3	2	1	4	-	14	0.27
C18	Colon	-	-	1	-	-	3	2	2	7	14	10	11	27	21	25	48	-	171	3.26
C19-C20	Rectum	-	-	-	-	4	2	3	7	6	12	13	12	19	19	15	24	-	136	2.59
C21	Anus & Anal Canal	-	-	-	1	1	-	2	3	2	3	1	2	3	2	1	2	-	23	0.44
C22	Liver	-	-	2	-	-	2	2	5	5	17	35	50	61	63	60	101	1	404	7.70
C23-C24	Gallbladder etc.	-	-	-	-	-	1	2	3	5	5	8	14	11	24	9	23	-	105	2.00
C25	Pancreas	-	-	-	-	-	-	1	3	2	9	10	22	28	34	32	38	-	179	3.41
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	3	2	1	5	5	3	-	5	5	-	29	0.55
C32	Larynx	-	-	-	-	-	-	-	1	5	16	26	30	27	33	27	55	-	220	4.19
C33-C34	Lung etc.	-	-	-	1	2	1	3	7	18	30	47	76	83	109	88	120	1	586	11.17
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	1	-	-	-	3	3	4	1	-	3	-	15	0.29
C40-C41	Bone	-	1	3	4	3	2	1	1	-	-	-	3	2	-	2	4	-	26	0.50
C43	Melanoma of Skin	-	-	-	-	-	-	1	-	-	1	1	2	2	1	1	4	-	13	0.25
C44	Other Skin	-	-	-	1	-	-	1	2	1	-	1	4	2	3	2	6	-	23	0.44
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	2	1	-	1	3	2	3	1	2	2	4	2	3	3	3	4	-	36	0.69
C50	Breast	-	-	-	-	-	-	1	1	-	2	2	1	1	1	8	2	-	19	0.36
C60	Penis	-	-	-	-	-	1	-	1	-	-	2	1	5	1	3	7	-	21	0.40
C61	Prostate	-	-	-	-	-	1	-	1	1	2	9	16	29	35	56	163	1	314	5.98
C62	Testis	1	-	-	1	4	-	2	4	2	-	1	1	2	1	1	1	-	21	0.40
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.02
C64	Kidney etc.	-	-	-	3	1	-	-	-	2	7	13	12	15	26	7	25	-	111	2.12
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.04
C67	Bladder	-	-	-	-	-	1	1	2	2	3	5	9	11	32	23	50	-	139	2.65
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.02
C69	Eye	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.02
C70-C72	Brain, NS	5	5	2	7	4	2	4	9	8	11	22	13	14	6	10	15	-	137	2.61
C73	Thyroid	-	-	-	-	-	-	1	-	-	-	3	6	4	4	2	2	-	22	0.42
C74	Adrenal Gland	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	4	0.08
C81	Hodgkins Disease	-	-	-	2	1	1	-	5	3	6	2	4	5	3	5	7	-	44	0.84
C82-C85,C96	NHL	3	4	4	5	7	4	10	12	10	18	24	22	26	25	41	46	1	262	4.99
C88	Malignant Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	-	-	-	-	-	-	1	1	4	9	11	15	12	17	33	-	104	1.98
C91	Lymphoid Leuk.	10	14	6	9	2	5	5	7	4	4	4	5	6	6	9	18	-	114	2.17
C92-C94	Myeloid Leukaemia	-	3	-	3	5	7	17	10	15	11	7	14	14	8	10	18	-	142	2.71
C95	Leukaemia Uns	2	3	4	6	3	3	4	1	3	6	10	2	6	2	1	4	-	60	1.14
O&U*	Other and Uns	1	3	-	4	-	4	4	4	17	23	29	43	48	45	47	61	-	333	6.35
	<b>All Sites</b>	<b>25</b>	<b>35</b>	<b>23</b>	<b>48</b>	<b>44</b>	<b>52</b>	<b>93</b>	<b>143</b>	<b>205</b>	<b>343</b>	<b>473</b>	<b>583</b>	<b>681</b>	<b>710</b>	<b>677</b>	<b>1108</b>	<b>4</b>	<b>5247</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE MUM-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	3	-	-	3	3	2	-	12	0.25
C01-C02	Tongue	-	-	-	-	1	1	4	1	4	5	5	9	6	8	8	15	2	69	1.43
C03-C06	Mouth	-	-	1	1	-	-	1	4	10	18	12	13	18	20	11	23	-	132	2.73
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	-	9	0.19
C09	Tonsil	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-	-	-	7	0.14
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	-	7	0.14
C11	Nasopharynx	-	-	-	2	-	-	-	1	1	1	1	1	1	3	-	2	-	13	0.27
C12-C13	Hypopharynx	-	-	-	-	-	1	1	3	3	4	8	3	7	4	4	8	1	47	0.97
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	1	2	1	1	4	2	3	5	-	20	0.41
C15	Oesophagus	-	-	-	1	-	3	3	7	8	12	19	16	22	16	34	44	-	185	3.83
C16	Stomach	-	-	-	-	-	5	4	6	17	7	20	21	24	16	17	32	-	169	3.50
C17	Small Intestine	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	2	-	8	0.17
C18	Colon	-	-	-	-	1	1	1	5	8	6	5	16	19	17	17	40	-	136	2.82
C19-C20	Rectum	-	-	-	1	1	6	3	6	9	9	8	10	12	18	13	28	-	124	2.57
C21	Anus & Anal Canal	-	-	-	-	-	-	-	2	2	3	2	1	3	3	-	1	-	17	0.35
C22	Liver	-	-	-	-	-	2	5	6	3	11	14	28	14	34	25	59	-	201	4.16
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	4	10	20	15	16	17	18	16	28	-	146	3.02
C25	Pancreas	-	-	-	-	-	-	4	1	6	7	11	7	12	26	18	32	-	124	2.57
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	5	-	11	0.23
C32	Larynx	-	-	-	-	-	-	1	1	-	3	1	4	5	2	5	10	-	32	0.66
C33-C34	Lung etc.	-	-	1	-	-	-	3	8	11	18	23	42	32	28	41	49	-	256	5.30
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	1	-	10	0.21
C40-C41	Bone	-	-	1	5	1	-	1	2	1	3	4	1	3	2	-	6	-	30	0.62
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	6	0.12
C44	Other Skin	-	-	-	-	-	-	-	2	1	2	5	3	3	2	4	4	-	26	0.54
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	-	-	2	2	3	-	2	2	-	1	2	4	3	6	-	28	0.58
C50	Breast	-	-	-	-	4	10	30	55	76	118	140	133	123	107	79	154	1	1030	21.33
C51	Vulva	-	-	-	-	-	1	2	-	-	-	-	-	4	2	4	2	-	15	0.31
C52	Vagina	-	-	-	-	-	-	-	-	1	-	2	3	2	3	2	3	-	16	0.33
C53	Cervix Uteri	-	-	-	-	-	2	8	13	27	44	58	65	56	40	35	42	-	390	8.08
C54	Corpus Uteri	-	-	-	-	-	-	-	-	3	3	8	7	17	13	16	21	-	88	1.82
C55	Uterus Unspecified	-	-	-	-	-	-	-	1	1	2	6	6	5	5	8	11	-	45	0.93
C56	Ovary etc.	-	-	1	2	4	2	7	15	23	51	40	47	54	44	31	62	2	385	7.97
C57	Other Female Genital	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	3	0.06
C58	Placenta	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.02
C64	Kidney etc.	1	-	-	1	-	2	3	3	1	-	5	3	7	7	7	12	-	52	1.08
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	5	4	7	10	9	16	-	52	1.08
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.02
C69	Eye	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.04
C70-C72	Brain, NS	-	7	1	4	-	2	2	1	14	13	6	11	7	16	11	9	-	104	2.15
C73	Thyroid	-	-	-	-	-	1	-	-	4	1	1	8	4	6	6	10	-	41	0.85
C74	Adrenal Gland	1	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	5	0.10
C81	Hodgkins Disease	-	-	-	1	2	1	1	-	1	3	6	1	2	2	4	5	-	29	0.60
C82-C85,C96	NHL	2	1	2	2	2	3	4	5	2	9	13	14	25	18	27	23	-	152	3.15
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	2	7	9	17	8	8	21	-	73	1.51
C91	Lymphoid Leuk.	10	4	9	3	3	3	2	7	2	3	6	2	3	2	5	7	-	71	1.47
C92-C94	Myeloid Leukaemia	2	1	8	6	7	4	5	5	9	16	9	7	10	10	9	17	-	125	2.59
C95	Leukaemia Uns	1	1	2	2	2	1	2	-	3	2	6	2	2	4	8	11	1	50	1.04
O&U*	Other and Uns	2	1	1	-	1	4	5	10	15	21	25	32	30	44	28	54	-	273	5.65
	<b>All Sites</b>	<b>21</b>	<b>16</b>	<b>28</b>	<b>31</b>	<b>31</b>	<b>57</b>	<b>108</b>	<b>179</b>	<b>283</b>	<b>427</b>	<b>506</b>	<b>550</b>	<b>584</b>	<b>580</b>	<b>525</b>	<b>895</b>	<b>7</b>	<b>4828</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	0.1	-	0.1	-	0.6	0.4	-	0.6	0.3	0.5	-	0.1	0.1	0.03	0.3
C01-C02	-	-	-	-	0.1	0.2	0.5	1.2	1.5	2.9	4.8	7.3	7.0	7.2	10.9	16.0	1.5	2.0	0.13	3.7
C03-C06	-	0.1	-	-	0.1	0.1	0.6	2.0	3.2	5.8	5.2	9.5	11.6	10.3	12.5	14.4	2.0	2.7	0.15	5.7
C07-C08	-	-	-	-	-	-	0.1	0.1	-	0.2	0.4	0.9	0.6	0.7	-	1.1	0.1	0.1	0.04	0.3
C09	-	-	-	-	-	-	-	-	0.1	0.5	1.0	0.7	2.0	4.5	2.1	3.2	0.3	0.4	0.07	0.6
C10	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	2.0	1.4	3.6	3.2	0.2	0.4	0.06	0.6
C11	-	-	0.1	-	-	-	0.1	-	0.2	0.3	-	0.7	0.6	-	0.5	2.7	0.1	0.2	0.04	0.3
C12-C13	-	-	-	-	-	0.1	0.1	0.2	0.4	0.6	2.4	3.7	6.1	6.2	10.4	12.8	0.8	1.2	0.11	1.9
C14	-	-	-	-	-	-	-	-	0.2	0.5	0.6	0.7	1.5	1.4	2.1	4.3	0.2	0.3	0.06	0.5
C15	-	-	-	-	-	0.1	-	0.2	0.9	1.9	4.5	8.6	15.1	17.8	27.0	34.2	2.0	3.1	0.18	4.4
C16	-	-	-	-	0.1	0.1	0.1	0.2	1.3	1.7	3.6	7.7	11.3	14.4	16.6	21.9	1.6	2.4	0.15	3.7
C17	-	-	-	-	-	-	-	0.1	-	0.2	0.1	-	0.9	0.7	0.5	2.1	0.1	0.1	0.04	0.2
C18	-	-	0.1	-	-	0.2	0.1	0.2	0.7	1.6	1.4	2.4	7.8	7.2	13.0	25.6	1.1	1.6	0.13	2.0
C19-C20	-	-	-	-	0.2	0.1	0.2	0.6	0.6	1.4	1.9	2.6	5.5	6.5	7.8	12.8	0.9	1.2	0.11	1.8
C21	-	-	-	0.1	0.1	-	0.1	0.2	0.2	0.3	0.1	0.4	0.9	0.7	0.5	1.1	0.1	0.2	0.04	0.3
C22	-	-	0.1	-	-	0.1	0.1	0.4	0.5	1.9	5.0	11.0	17.7	21.6	31.2	53.9	2.6	4.0	0.20	5.1
C23-C24	-	-	-	-	-	0.1	0.1	0.2	0.5	0.6	1.2	3.1	3.2	8.2	4.7	12.3	0.7	1.0	0.10	1.2
C25	-	-	-	-	-	-	0.1	0.2	0.2	1.0	1.4	4.8	8.1	11.7	16.6	20.3	1.1	1.8	0.13	2.2
C30-C31	-	-	-	-	-	-	-	0.2	0.2	0.1	0.7	1.1	0.9	-	2.6	2.7	0.2	0.3	0.05	0.5
C32	-	-	-	-	-	-	-	0.1	0.5	1.8	3.7	6.6	7.8	11.3	14.0	29.4	1.4	2.1	0.14	2.9
C33-C34	-	-	-	0.1	0.1	0.1	0.2	0.6	1.7	3.4	6.8	16.7	24.1	37.4	45.8	64.1	3.7	5.7	0.24	7.5
C37-C38	-	-	-	-	-	-	0.1	-	-	-	0.4	0.7	1.2	0.3	-	1.6	0.1	0.1	0.04	0.3
C40-C41	-	0.1	0.2	0.2	0.2	0.1	0.1	0.1	-	-	-	0.7	0.6	-	1.0	2.1	0.2	0.2	0.04	0.2
C43	-	-	-	-	-	-	0.1	-	-	0.1	0.1	0.4	0.6	0.3	0.5	2.1	0.1	0.1	0.03	0.2
C44	-	-	-	0.1	-	-	0.1	0.2	0.1	-	0.1	0.9	0.6	1.0	1.0	3.2	0.1	0.2	0.04	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.2	0.1	-	0.1	0.2	0.1	0.2	0.1	0.2	0.2	0.6	0.4	0.9	1.0	1.6	2.1	0.2	0.3	0.05	0.4
C50	-	-	-	-	-	-	0.1	0.1	-	0.2	0.3	0.2	0.3	0.3	4.2	1.1	0.1	0.2	0.04	0.2
C60	-	-	-	-	-	0.1	-	0.1	-	-	0.3	0.2	1.5	0.3	1.6	3.7	0.1	0.2	0.05	0.3
C61	-	-	-	-	-	0.1	-	0.1	0.1	0.2	1.3	3.5	8.4	12.0	29.1	87.0	2.0	3.3	0.18	1.8
C62	0.1	-	-	0.1	0.2	-	0.1	0.3	0.2	-	0.1	0.2	0.6	0.3	0.5	0.5	0.1	0.1	0.03	0.2
C63	-	-	-	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.01	-
C64	-	-	-	0.2	0.1	-	-	-	0.2	0.8	1.9	2.6	4.4	8.9	3.6	13.3	0.7	1.1	0.10	1.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	0.02	-
C67	-	-	-	-	-	0.1	0.1	0.2	0.2	0.3	0.7	2.0	3.2	11.0	12.0	26.7	0.9	1.4	0.12	0.9
C68	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.01	-
C69	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	0.5	0.4	0.1	0.4	0.2	0.1	0.3	0.7	0.8	1.3	3.2	2.9	4.1	2.1	5.2	8.0	0.9	1.1	0.10	1.9
C73	-	-	-	-	-	-	0.1	-	-	-	0.4	1.3	1.2	1.4	1.0	1.1	0.1	0.2	0.05	0.4
C74	-	-	-	-	-	-	-	-	0.1	-	0.1	-	-	-	-	1.1	-	-	0.02	-
C81	-	-	-	0.1	0.1	0.1	-	0.4	0.3	0.7	0.3	0.9	1.5	1.0	2.6	3.7	0.3	0.4	0.06	0.6
C82-C85,C96	0.3	0.4	0.3	0.3	0.4	0.2	0.7	1.0	1.0	2.1	3.5	4.8	7.5	8.6	21.3	24.6	1.7	2.3	0.15	2.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	0.1	-	-	-	-	-	-	0.1	0.1	0.5	1.3	2.4	4.4	4.1	8.8	17.6	0.7	1.0	0.10	1.2
C91	1.0	1.3	0.4	0.5	0.1	0.3	0.4	0.6	0.4	0.5	0.6	1.1	1.7	2.1	4.7	9.6	0.7	1.0	0.09	0.7
C92-C94	-	0.3	-	0.2	0.3	0.4	1.2	0.8	1.4	1.3	1.0	3.1	4.1	2.7	5.2	9.6	0.9	1.1	0.10	1.8
C95	0.2	0.3	0.3	0.3	0.2	0.2	0.3	0.1	0.3	0.7	1.4	0.4	1.7	0.7	0.5	2.1	0.4	0.4	0.06	0.7
O&U*	0.1	0.3	-	0.2	-	0.2	0.3	0.3	1.6	2.6	4.2	9.5	13.9	15.4	24.4	32.6	2.1	3.1	0.17	4.6
All	2.5	3.1	1.6	2.8	2.2	3.0	6.7	11.8	19.6	39.3	68.2	128.4	197.7	243.4	352.0	591.6	33.4	48.7	0.69	66.8

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.1	0.5	-	-	0.9	1.5	0.9	0.1	0.1	0.03	0.1
C01-C02	-	-	-	-	0.1	0.1	0.4	0.1	0.5	0.7	0.9	2.3	1.7	2.5	3.9	6.8	0.5	0.6	0.07	0.9
C03-C06	-	-	0.1	0.1	-	-	0.1	0.4	1.2	2.4	2.2	3.3	5.2	6.3	5.4	10.4	1.0	1.2	0.11	2.2
C07-C08	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.9	0.5	1.8	0.1	0.1	0.03	-
C09	-	-	-	-	-	-	-	-	0.2	0.1	0.2	-	0.6	0.3	-	-	0.1	0.1	0.02	0.2
C10	-	-	-	-	-	-	-	-	-	-	0.2	-	0.3	-	-	2.3	0.1	0.1	0.02	0.1
C11	-	-	-	0.2	-	-	-	0.1	0.1	0.1	0.2	0.3	0.3	0.9	-	0.9	0.1	0.1	0.03	0.2
C12-C13	-	-	-	-	-	0.1	0.1	0.3	0.4	0.5	1.4	0.8	2.0	1.3	1.9	3.6	0.4	0.4	0.06	0.8
C14	-	-	-	-	-	-	-	0.1	0.1	0.3	0.2	0.3	1.1	0.6	1.5	2.3	0.2	0.2	0.04	0.3
C15	-	-	-	0.1	-	0.2	0.3	0.7	1.0	1.6	3.4	4.1	6.3	5.1	16.6	19.9	1.5	1.7	0.13	2.5
C16	-	-	-	-	-	0.4	0.4	0.6	2.1	0.9	3.6	5.4	6.9	5.1	8.3	14.5	1.3	1.5	0.12	2.8
C17	-	-	-	-	-	-	-	0.1	0.1	-	0.2	-	-	0.3	1.0	0.9	0.1	0.1	0.02	0.1
C18	-	-	-	-	0.1	0.1	0.1	0.5	1.0	0.8	0.9	4.1	5.5	5.4	8.3	18.1	1.1	1.3	0.11	1.8
C19-C20	-	-	-	0.1	0.1	0.5	0.3	0.6	1.1	1.2	1.4	2.6	3.4	5.7	6.3	12.7	1.0	1.1	0.10	1.6
C21	-	-	-	-	-	-	-	0.2	0.2	0.4	0.4	0.3	0.9	0.9	-	0.5	0.1	0.1	0.04	0.4
C22	-	-	-	-	-	0.2	0.5	0.6	0.4	1.4	2.5	7.2	4.0	10.8	12.2	26.7	1.6	1.9	0.13	2.3
C23-C24	-	-	-	-	-	-	0.2	0.4	1.2	2.6	2.7	4.1	4.9	5.7	7.8	12.7	1.2	1.3	0.11	2.4
C25	-	-	-	-	-	-	0.4	0.1	0.7	0.9	2.0	1.8	3.4	8.2	8.8	14.5	1.0	1.1	0.10	1.3
C30-C31	-	-	-	-	-	-	-	-	-	-	0.4	-	0.3	0.6	0.5	2.3	0.1	0.1	0.03	0.1
C32	-	-	-	-	-	-	0.1	0.1	-	0.4	0.2	1.0	1.4	0.6	2.4	4.5	0.3	0.3	0.05	0.4
C33-C34	-	-	0.1	-	-	-	0.3	0.8	1.3	2.4	4.2	10.7	9.2	8.9	20.0	22.2	2.0	2.4	0.15	4.1
C37-C38	-	-	-	-	-	-	-	0.1	-	0.3	0.2	0.3	0.3	0.6	0.5	0.5	0.1	0.1	0.03	0.2
C40-C41	-	-	0.1	0.4	0.1	-	0.1	0.2	0.1	0.4	0.7	0.3	0.9	0.6	-	2.7	0.2	0.3	0.05	0.4
C43	-	-	-	-	-	-	-	-	-	0.1	-	0.3	-	0.6	-	0.9	-	0.1	0.02	0.1
C44	-	-	-	-	-	-	-	0.2	0.1	0.3	0.9	0.8	0.9	0.6	1.9	1.8	0.2	0.2	0.05	0.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.1	-	-	0.2	0.2	0.3	-	0.2	0.3	-	0.3	0.6	1.3	1.5	2.7	0.2	0.2	0.05	0.2
C50	-	-	-	-	0.3	0.8	2.8	5.2	9.2	15.5	25.3	34.0	35.3	33.9	38.5	69.6	8.2	9.3	0.29	18.8
C51	-	-	-	-	-	0.1	0.2	-	-	-	-	-	1.1	0.6	1.9	0.9	0.1	0.1	0.04	0.1
C52	-	-	-	-	-	-	-	-	0.1	-	0.4	0.8	0.6	0.9	1.0	1.4	0.1	0.2	0.04	0.3
C53	-	-	-	-	-	0.2	0.7	1.2	3.3	5.8	10.5	16.6	16.1	12.7	17.0	19.0	3.1	3.6	0.18	7.9
C54	-	-	-	-	-	-	-	-	0.4	0.4	1.4	1.8	4.9	4.1	7.8	9.5	0.7	0.9	0.09	1.2
C55	-	-	-	-	-	-	-	0.1	0.1	0.3	1.1	1.5	1.4	1.6	3.9	5.0	0.4	0.4	0.06	0.7
C56	-	-	0.1	0.2	0.3	0.2	0.7	1.4	2.8	6.7	7.2	12.0	15.5	13.9	15.1	28.0	3.1	3.5	0.18	6.8
C57	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.9	-	-	0.01	-
C58	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	0.01	-
C64	0.1	-	-	0.1	-	0.2	0.3	0.3	0.1	-	0.9	0.8	2.0	2.2	3.4	5.4	0.4	0.5	0.07	0.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.1	0.9	1.0	2.0	3.2	4.4	7.2	0.4	0.5	0.07	0.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.01	-
C69	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-
C70-C72	-	0.7	0.1	0.3	-	0.2	0.2	0.1	1.7	1.7	1.1	2.8	2.0	5.1	5.4	4.1	0.8	0.9	0.09	1.5
C73	-	-	-	-	-	0.1	-	-	0.5	0.1	0.2	2.0	1.1	1.9	2.9	4.5	0.3	0.4	0.06	0.6
C74	0.1	-	0.1	-	-	-	-	0.1	-	-	-	-	-	0.3	0.5	-	-	-	0.02	-
C81	-	-	-	0.1	0.2	0.1	0.1	-	0.1	0.4	1.1	0.3	0.6	0.6	1.9	2.3	0.2	0.3	0.05	0.4
C82-C85,C96	0.2	0.1	0.2	0.2	0.2	0.2	0.4	0.5	0.2	1.2	2.3	3.6	7.2	5.7	13.2	10.4	1.2	1.4	0.12	2.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.1	0.3	1.3	2.3	4.9	2.5	3.9	9.5	0.6	0.7	0.08	1.2
C91	1.1	0.4	0.7	0.2	0.2	0.2	0.2	0.7	0.2	0.4	1.1	0.5	0.9	0.6	2.4	3.2	0.6	0.6	0.08	0.6
C92-C94	0.2	0.1	0.7	0.5	0.6	0.3	0.5	0.5	1.1	2.1	1.6	1.8	2.9	3.2	4.4	7.7	1.0	1.1	0.10	1.6
C95	0.1	0.1	0.2	0.2	0.2	0.1	0.2	-	0.4	0.3	1.1	0.5	0.6	1.3	3.9	5.0	0.4	0.4	0.06	0.4
O&U*	0.2	0.1	0.1	-	0.1	0.3	0.5	0.9	1.8	2.8	4.5	8.2	8.6	13.9	13.6	24.4	2.2	2.5	0.15	4.0
All	2.2	1.6	2.3	2.6	2.5	4.6	10.1	17.0	34.2	56.2	91.3	140.5	167.6	183.6	255.7	404.7	38.3	44.1	0.64	75.3

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE MUM-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.3	0.3	0.5	0.5
C03-C06	Mouth	0.6	0.6	0.9	0.9
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	-	-	0.1	0.1
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.3	0.3
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	0.2	0.2	0.5	0.5
C16	Stomach	0.2	0.2	0.5	0.5
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.3	0.3	0.6	0.6
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.3	0.3
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.3	0.3	0.5	0.5
C33-C34	Lung etc.	0.4	0.4	1.1	1.1
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	-	-	0.1	0.1
C60	Penis	-	-	0.1	0.1
C61	Prostate	0.2	0.2	0.9	0.9
C62	Testis	-	-	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.3	0.3
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.2	0.2	0.4	0.4
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.3	0.3	0.5	0.6
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	0.1	0.1
O&U*	Other and Uns	0.3	0.3	0.7	0.7
	<b>All Sites</b>	<b>5.59</b>	<b>5.44</b>	<b>11.08</b>	<b>10.49</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MUM-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu. Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years ) 2009-2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.3	0.3	0.5	0.5
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.2	0.2	0.3	0.3
C16	Stomach	0.2	0.2	0.3	0.3
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.3	0.3
C19-C20	Rectum	0.1	0.1	0.3	0.3
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.3	0.3
C23-C24	Gallbladder etc.	0.2	0.2	0.2	0.2
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	0.1	0.1
C33-C34	Lung etc.	0.2	0.2	0.4	0.4
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	2.4	2.4	3.4	3.4
C51	Vulva	-	-	-	-
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	0.8	0.8	1.2	1.2
C54	Corpus Uteri	0.3	0.3	0.5	0.5
C55	Uterus Unspecified	-	-	0.1	0.1
C56	Ovary etc.	0.5	0.5	0.8	0.8
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.4	0.4
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.1	0.1
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	0.1	0.1
O&U*	Other and Uns	0.3	0.3	0.5	0.5
	<b>All Sites</b>	<b>7.38</b>	<b>7.12</b>	<b>11.81</b>	<b>11.14</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)