

POPULATION BASED CANCER REGISTRY, TRIPURA

Regional Cancer Centre, Agartala

Dr Gautam Majumdar, MD (Radiotherapy)
Principal Investigator, Medical Superintendent-cum-Head of Office, RCC, Agartala

Dr Arup Bhowmik, MD (Pathology), Co-Investigator

Dr Aroop Roy Burman, MD (Radiotherapy), Co-Investigator

Dr Santi Ranjan Pal, MBBS, Research Scientist (Medical)

Erstwhile princely state Tripura became a Union Territory of India in the year 1949 and remained so until 1972 when it was made a constituent state of the Indian Union. The etymological origin of the word Tripura is 'Tui' (water) + 'Pra' (near) which thoroughly justifies the geographical location.

Tripura being one of the seven sister states of North East Region of India is flanked by Bangladesh on three sides i.e. North, South & West and on the east by Assam and Mizoram. The population of the state is 37 lakhs (approx) according to census 2011 with a density of 350 people per sq. km. Tribal community is around 31% of the population and the scheduled caste community is around 17%. The percentage of decadal growth is 15.74%, second most populous state in North-East India after Assam. The state is having a literacy rate of 87.6% and a sex ratio of 961.

Agartala is the capital city of the state which is connected with other states by air, national highway and railway.

Agartala Cancer Hospital was established in the year 1980 and has been recognised as the 27th Regional Cancer Centre by the Government of India on 24th March, 2008. Being the only cancer referral hospital in the state, patients come from all parts of Tripura and from neighbouring states like Mizoram and Assam. Patients also come from Bangladesh to receive treatment at Agartala Regional Cancer Centre.

In Tripura the Cancer Atlas Project was established by the National Cancer Registry Programme of ICMR on 1st January, 2006 at Regional Cancer Centre, Agartala which was ultimately recognised as Population Based Cancer Registry in March, 2009. Registry area comprises the whole state with 10491.69 sq. km divided in 8 (eight) districts and 23 (twenty three) sub divisions.

Cancer is not a notifiable disease in Tripura like other states of the country therefore registration of cases is done by active method from government and private pathological centres (11 nos) of the state, primary health centres (82 nos), community health centres (17 nos), sub divisional hospitals (11 nos), district hospitals (3 nos), state hospitals (3 nos) and medical colleges (2 nos).

Tripura at a Glance

Area (in sq. km.) : 10,491.69 Altitude at Agartala (in mtr) : 12.80

Location

Latitude (North)	: 22° 56' & 24° 32'	Longitude (East)	: 91° 09' & 92° 20'
Extreme Length (in km)	: 183.5	Extreme width (in km)	: 112.7
Border with Bangladesh (in km)	: 856	Border with Mizoram (in km)	: 109
Border with Assam (in km)	: 53	Total population	: 3,671,032
Males	: 1,871,867	Females	: 1,799,165
Sex Ratio	: 961	Population density	: 350
Literacy Rate	: 87.6	No. of District	: 8
No. of Sub-Divisions	: 23	No. of Blocks	: 45
No. of Gram Panchayat	: 570	No. of ADC Villages	: 526
No. of Municipal Corporation	: 1	No. of Nagar Panchayat:	17
No. of Autonomous District Council	: 1		

Staff Members, Agartala PBCR

Mr Priyatosh Dhar : Statistician
Mr Tamal Pal : Programmer
Mr Bikash Ganchowdhury : Data Entry Operator

Social Investigators

Mr Sunil Chandra Das **Mr Dipankar Sen**
Mr Abhishekh Sinha **Mr Abhijit Deb**
Mr Hrishikesh Kar **Mr Rupan Nama**
Mr Bikash Debnath

TABLE TRS-1: Main Sources of Registration of Incident Cases of Cancer: 2010
Tripura State

Name of the Institution	Number	%
Regional Cancer Centre, Agartala	1581	86.1
CA	222	12.1
Others	33	1.8
Total	1836	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the year 2010.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure TRS -1
Population Pyramid showing Age Distribution: 2010
TRIPURA STATE




TABLE TRS-2
Population by Five Year Age Group and Gender: 2010
Number and Relative Proportion (%)
TRIPURA STATE

Age Group	Males		Females	
	Number	%	Number	%
00-04	127405	6.8	122164	6.8
05-09	173219	9.2	165425	9.2
10-14	261182	13.9	248439	13.9
15-19	217780	11.6	200784	11.2
20-24	152527	8.1	156307	8.7
25-29	153649	8.2	160209	8.9
30-34	153488	8.2	146194	8.2
35-39	162990	8.7	156198	8.7
40-44	123852	6.6	99621	5.6
45-49	106497	5.7	89028	5.0
50-54	72996	3.9	53322	3.0
55-59	49163	2.6	47733	2.7
60-64	38661	2.1	41843	2.3
65-69	33458	1.8	36814	2.1
70-74	26715	1.4	29684	1.7
75+	29793	1.6	38130	2.1
Total	1883375	100.00	1791895	100.00

TABLE TRS-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	0.29
C01-C02	Tongue	-	-	-	-	-	1	3	2	4	5	8	8	13	10	5	6	-	65	6.18
C03-C06	Mouth	-	-	-	-	-	-	-	1	4	9	4	3	4	12	5	1	-	43	4.09
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	6	0.57
C09	Tonsil	-	-	-	-	-	-	-	2	5	10	7	5	7	5	3	1	-	45	4.28
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	3	4	1	1	1	1	-	13	1.24
C11	Nasopharynx	-	-	-	-	-	-	-	1	2	1	-	1	2	1	1	-	-	9	0.86
C12-C13	Hypopharynx	-	-	-	-	-	-	-	3	6	8	7	12	11	14	9	6	-	76	7.23
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	3	-	12	1.14
C15	Oesophagus	-	-	-	-	-	-	-	-	7	7	17	14	16	13	9	11	-	94	8.94
C16	Stomach	-	-	-	-	-	2	4	2	4	4	4	10	10	12	11	6	-	69	6.57
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	1	-	-	2	-	2	1	1	2	5	2	2	-	-	18	1.71
C19-C20	Rectum	-	-	-	-	-	10	3	1	-	-	1	1	4	1	-	1	-	22	2.09
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	4	0.38
C22	Liver	-	-	-	-	-	-	1	-	2	5	3	5	8	1	1	3	-	29	2.76
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	-	3	1	4	7	3	5	2	1	-	28	2.66
C25	Pancreas	-	-	-	-	-	-	-	-	2	1	-	-	3	1	-	1	-	8	0.76
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.10
C32	Larynx	-	-	-	-	-	-	-	1	8	4	10	13	10	8	7	9	-	70	6.66
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	4	8	18	26	47	28	39	26	-	198	18.84
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	3	0.29
C40-C41	Bone	-	-	-	-	-	1	-	2	1	2	4	1	2	2	1	1	-	17	1.62
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	1	2	-	-	2	1	1	-	-	7	0.67
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	5	0.48
C50	Breast	-	-	1	-	-	-	1	1	1	1	1	-	1	1	-	-	-	8	0.76
C60	Penis	-	-	-	-	-	-	-	4	4	-	2	-	2	3	1	1	-	17	1.62
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	6	0.57
C62	Testis	1	-	-	-	3	2	-	1	-	-	1	-	-	-	-	-	-	8	0.76
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.10
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	5	0.48
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	7	0.67
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	0.29
C70-C72	Brain, NS	-	-	-	-	1	1	-	1	1	1	3	1	-	2	1	-	-	12	1.14
C73	Thyroid	-	-	-	1	-	-	1	1	-	-	-	1	-	-	1	1	-	6	0.57
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.10
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.10
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	6	0.57
C91	Lymphoid Leuk.	3	5	-	1	-	1	-	-	-	-	1	2	1	1	-	-	-	15	1.43
C92-C94	Myeloid Leukaemia	1	-	1	1	-	1	1	-	1	1	-	-	2	2	-	1	-	12	1.14
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	1	2	3	2	3	1	3	3	5	11	8	8	18	13	7	10	-	98	9.32
	All Sites	6	11	6	7	7	20	22	30	72	87	113	133	181	149	109	98	-	1051	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	0.25
C01-C02	Tongue	-	-	-	-	-	-	-	2	3	5	3	5	2	8	3	1	-	32	4.08
C03-C06	Mouth	-	-	-	-	-	-	1	2	1	6	3	6	1	4	-	2	-	26	3.31
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.13
C09	Tonsil	-	-	-	-	-	-	1	-	1	-	3	1	2	-	-	2	-	10	1.27
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	0.38
C11	Nasopharynx	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	0.38
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	1	1	2	2	-	-	2	1	-	10	1.27
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	3	0.38
C15	Oesophagus	-	-	-	-	-	-	-	2	-	1	3	9	7	6	8	4	-	40	5.10
C16	Stomach	-	-	-	-	1	1	3	5	3	7	2	7	7	6	-	5	-	47	5.99
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	1	2	-	1	2	2	1	1	1	-	2	-	13	1.66
C19-C20	Rectum	-	-	-	-	1	-	1	-	2	6	1	3	4	1	-	1	-	20	2.55
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	-	-	-	-	1	1	-	-	2	3	1	4	3	-	2	-	18	2.29
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	6	5	17	9	9	6	7	10	4	-	75	9.55
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	4	0.51
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	2	-	8	1.02
C33-C34	Lung etc.	-	-	-	-	-	-	3	2	1	3	6	1	3	8	2	3	-	32	4.08
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	3	0.38
C40-C41	Bone	-	1	-	2	-	-	-	-	4	-	-	2	-	2	1	1	-	13	1.66
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	5	0.64
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.13
C50	Breast	-	-	-	-	-	2	5	21	19	19	17	10	6	3	4	2	-	108	13.76
C51	Vulva	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.25
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	1	9	22	13	27	22	15	18	7	6	5	-	145	18.47
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	-	9	1.15
C55	Uterus Unspecified	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	3	0.38
C56	Ovary etc.	-	-	1	-	1	1	2	2	5	7	4	3	3	4	1	2	-	36	4.59
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.13
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	1	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	7	0.89
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	3	0.38
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	5	0.64
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	0.51
C70-C72	Brain, NS	1	-	2	-	2	-	-	1	-	3	1	-	2	1	-	-	-	13	1.66
C73	Thyroid	-	-	-	-	-	-	1	-	1	1	1	2	2	1	1	-	-	10	1.27
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.13
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	0.25
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	-	-	1	-	-	-	-	2	1	1	-	-	4	-	-	-	10	1.27
C91	Lymphoid Leuk.	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	4	0.51
C92-C94	Myeloid Leukaemia	1	1	-	1	3	-	-	1	1	3	1	-	-	1	-	-	-	13	1.66
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	1	-	-	1	-	-	1	1	2	5	8	6	7	1	6	1	-	40	5.10
	All Sites	10	4	6	5	8	9	32	72	67	125	101	89	87	76	47	47	-	785	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	3.4	0.2	0.27	0.16	0.7
C01-C02	-	-	-	-	-	0.7	2.0	1.2	3.2	4.7	11.0	16.3	33.6	29.9	18.7	20.1	3.5	4.94	0.63	10.0
C03-C06	-	-	-	-	-	-	-	0.6	3.2	8.5	5.5	6.1	10.3	35.9	18.7	3.4	2.3	3.19	0.50	5.4
C07-C08	-	-	-	-	-	-	-	-	0.8	0.9	2.7	2.0	2.6	-	-	-	0.3	0.43	0.18	1.4
C09	-	-	-	-	-	-	-	1.2	4.0	9.4	9.6	10.2	18.1	14.9	11.2	3.4	2.4	3.23	0.50	8.0
C10	-	-	-	-	-	-	-	-	0.8	0.9	4.1	8.1	2.6	3.0	3.7	3.4	0.7	0.97	0.27	2.4
C11	-	-	-	-	-	-	-	0.6	1.6	0.9	-	2.0	5.2	3.0	3.7	-	0.5	0.64	0.23	1.5
C12-C13	-	-	-	-	-	-	-	1.8	4.8	7.5	9.6	24.4	28.5	41.8	33.7	20.1	4.0	5.78	0.68	11.1
C14	-	-	-	-	-	-	-	-	-	0.9	-	4.1	5.2	9.0	3.7	10.1	0.6	0.97	0.28	1.4
C15	-	-	-	-	-	-	-	-	5.7	6.6	23.3	28.5	41.4	38.9	33.7	36.9	5.0	7.27	0.77	15.1
C16	-	-	-	-	-	1.3	2.6	1.2	3.2	3.8	5.5	20.3	25.9	35.9	41.2	20.1	3.7	5.18	0.64	8.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	0.5	-	-	1.3	-	1.6	0.9	1.4	4.1	12.9	6.0	7.5	-	1.0	1.35	0.33	2.9
C19-C20	-	-	-	-	-	6.5	2.0	0.6	-	-	1.4	2.0	10.3	3.0	-	3.4	1.2	1.40	0.32	1.9
C21	-	-	-	-	-	-	0.7	-	0.8	0.9	-	-	-	3.0	-	-	0.2	0.23	0.12	0.3
C22	-	-	-	-	-	-	0.7	-	1.6	4.7	4.1	10.2	20.7	3.0	3.7	10.1	1.5	2.22	0.43	5.9
C23-C24	-	-	-	-	-	-	1.3	-	2.4	0.9	5.5	14.2	7.8	14.9	7.5	3.4	1.5	2.10	0.41	4.4
C25	-	-	-	-	-	-	-	-	1.6	0.9	-	-	7.8	3.0	-	3.4	0.4	0.62	0.23	1.5
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	0.1	0.07	0.07	-
C32	-	-	-	-	-	-	0.6	6.5	3.8	13.7	26.4	25.9	23.9	26.2	30.2	3.7	5.27	0.65	11.1	
C33-C34	-	-	-	-	-	-	1.2	3.2	7.5	24.7	52.9	121.6	83.7	146.0	87.3	10.5	16.10	1.16	28.8	
C37-C38	-	-	-	-	-	-	-	-	-	-	1.4	2.0	-	-	-	3.4	0.2	0.22	0.13	0.5
C40-C41	-	-	-	-	-	0.7	-	1.2	0.8	1.9	5.5	2.0	5.2	6.0	3.7	3.4	0.9	1.17	0.30	2.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	0.8	1.9	-	-	5.2	3.0	3.7	-	0.4	0.53	0.21	1.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	1.2	-	0.5	-	-	-	0.6	-	-	-	2.0	-	-	-	-	0.3	0.27	0.13	0.4
C50	-	-	0.4	-	-	-	0.7	0.6	0.8	0.9	1.4	-	2.6	3.0	-	-	0.4	0.48	0.18	1.0
C60	-	-	-	-	-	-	-	2.5	3.2	-	2.7	-	5.2	9.0	3.7	3.4	0.9	1.10	0.28	2.2
C61	-	-	-	-	-	-	-	-	-	-	-	2.0	5.2	3.0	-	6.7	0.3	0.51	0.21	0.9
C62	0.8	-	-	-	2.0	1.3	-	0.6	-	-	1.4	-	-	-	-	-	0.4	0.46	0.17	0.3
C63	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	0.1	0.07	0.07	0.2
C64	-	-	-	-	-	-	-	-	-	-	-	4.1	-	6.0	3.7	-	0.3	0.42	0.19	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	1.4	2.0	2.6	6.0	-	6.7	0.4	0.57	0.22	0.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	0.6	0.4	-	-	-	-	-	-	-	-	-	-	-	-	3.4	0.2	0.16	0.10	-
C70-C72	-	-	-	-	0.7	0.7	-	0.6	0.8	0.9	4.1	2.0	-	6.0	3.7	-	0.6	0.79	0.23	1.4
C73	-	-	-	0.5	-	-	0.7	0.6	-	-	-	2.0	-	-	3.7	3.4	0.3	0.34	0.15	0.4
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.06	0.06	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0	-	-	0.1	0.09	0.09	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	0.6	1.6	0.9	1.4	-	2.6	-	-	-	-	0.3	0.36	0.16	1.2
C91	2.4	2.9	-	0.5	-	0.7	-	-	-	-	1.4	4.1	2.6	3.0	-	-	0.8	1.09	0.29	1.1
C92-C94	0.8	-	0.4	0.5	-	0.7	0.7	-	0.8	0.9	-	-	5.2	6.0	-	3.4	0.6	0.82	0.25	1.0
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	0.8	1.2	1.1	0.9	2.0	0.7	2.0	1.8	4.0	10.3	11.0	16.3	46.6	38.9	26.2	33.6	5.2	7.12	0.75	13.0
All	4.7	6.4	2.3	3.2	4.6	13.0	14.3	18.4	58.1	81.7	154.8	270.5	468.2	445.3	408.0	328.9	55.8	78.8	2.51	150.9

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	1.0	1.1	-	-	-	-	-	-	0.1	0.13	0.09	0.4
C01-C02	-	-	-	-	-	-	-	1.3	3.0	5.6	5.6	10.5	4.8	21.7	10.1	2.6	1.8	2.39	0.43	4.8
C03-C06	-	-	-	-	-	-	0.7	1.3	1.0	6.7	5.6	12.6	2.4	10.9	-	5.2	1.5	1.89	0.38	4.6
C07-C08	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	0.1	0.07	0.07	0.2
C09	-	-	-	-	-	-	0.7	-	1.0	-	5.6	2.1	4.8	-	-	5.2	0.6	0.76	0.25	2.0
C10	-	-	-	-	-	-	-	-	-	-	1.9	-	-	2.7	-	2.6	0.2	0.23	0.13	0.3
C11	-	-	0.8	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.2	0.17	0.11	0.3
C12-C13	-	-	-	-	-	-	-	0.6	1.0	1.1	3.8	4.2	-	-	6.7	2.6	0.6	0.71	0.23	1.7
C14	-	-	-	-	-	-	-	-	-	1.1	-	-	2.4	-	-	2.6	0.2	0.22	0.13	0.5
C15	-	-	-	-	-	-	-	1.3	-	1.1	5.6	18.9	16.7	16.3	27.0	10.5	2.2	3.09	0.50	6.0
C16	-	-	-	-	0.6	0.6	2.1	3.2	3.0	7.9	3.8	14.7	16.7	16.3	-	13.1	2.6	3.26	0.49	7.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	0.6	1.4	-	1.0	2.2	3.8	2.1	2.4	2.7	-	5.2	0.7	0.88	0.25	1.8
C19-C20	-	-	-	-	0.6	-	0.7	-	2.0	6.7	1.9	6.3	9.6	2.7	-	2.6	1.1	1.48	0.34	4.0
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	0.8	-	-	-	-	0.6	0.7	-	-	2.2	5.6	2.1	9.6	8.1	-	5.2	1.0	1.42	0.34	2.8
C23-C24	-	-	-	-	-	-	1.4	3.8	5.0	19.1	16.9	18.9	14.3	19.0	33.7	10.5	4.2	5.39	0.64	12.4
C25	-	-	-	-	-	-	-	-	-	1.1	-	-	2.4	2.7	-	2.6	0.2	0.30	0.15	0.5
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	1.3	-	-	-	4.2	4.8	-	-	5.2	0.4	0.54	0.20	1.4
C33-C34	-	-	-	-	-	-	2.1	1.3	1.0	3.4	11.3	2.1	7.2	21.7	6.7	7.9	1.8	2.34	0.43	4.1
C37-C38	-	-	-	-	-	-	-	0.6	-	-	1.9	2.1	-	-	-	-	0.2	0.22	0.13	0.7
C40-C41	-	0.6	-	1.0	-	-	-	-	4.0	-	-	4.2	-	5.4	3.4	2.6	0.7	0.84	0.24	1.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	1.9	-	-	5.4	3.4	2.6	0.3	0.38	0.17	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.1	0.10	0.10	0.3
C50	-	-	-	-	-	1.2	3.4	13.4	19.1	21.3	31.9	20.9	14.3	8.1	13.5	5.2	6.0	7.16	0.72	20.1
C51	-	-	-	-	-	-	-	-	1.0	-	-	-	2.4	-	-	-	0.1	0.16	0.11	0.5
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	0.6	6.2	14.1	13.0	30.3	41.3	31.4	43.0	19.0	20.2	13.1	8.1	10.14	0.88	27.4
C54	-	-	-	-	-	-	-	-	-	-	3.8	2.1	4.8	2.7	6.7	2.6	0.5	0.73	0.25	1.5
C55	-	-	-	-	-	-	-	0.6	-	1.1	-	-	-	2.7	-	-	0.2	0.19	0.11	0.3
C56	-	-	0.4	-	0.6	0.6	1.4	1.3	5.0	7.9	7.5	6.3	7.2	10.9	3.4	5.2	2.0	2.48	0.43	5.7
C57	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.09	0.09	0.3
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.8	0.6	-	-	-	-	-	-	-	1.1	3.8	-	2.4	2.7	-	-	0.4	0.59	0.23	1.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	-	2.6	0.2	0.19	0.11	0.4
C67	-	-	-	-	-	-	-	-	-	-	-	4.2	2.4	2.7	-	2.6	0.3	0.40	0.18	0.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.39	0.20	-
C70-C72	0.8	-	0.8	-	1.3	-	-	0.6	-	3.4	1.9	-	4.8	2.7	-	-	0.7	0.88	0.26	1.7
C73	-	-	-	-	-	-	0.7	-	1.0	1.1	1.9	4.2	4.8	2.7	3.4	-	0.6	0.77	0.25	1.9
C74	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.09	0.09	0.3
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	1.2	-	-	-	-	-	-	-	-	-	-	0.1	0.10	0.07	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	0.8	-	-	0.5	-	-	-	-	2.0	1.1	1.9	-	-	10.9	-	-	0.6	0.75	0.24	0.9
C91	-	0.6	0.4	-	-	-	-	-	-	1.1	-	-	2.4	-	-	-	0.2	0.26	0.14	0.5
C92-C94	0.8	0.6	-	0.5	1.9	-	-	0.6	1.0	3.4	1.9	-	-	2.7	-	-	0.7	0.83	0.24	1.3
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U *	0.8	-	-	0.5	-	-	0.7	0.6	2.0	5.6	15.0	12.6	16.7	2.7	20.2	2.6	2.2	3.14	0.51	7.8
All	8.2	2.4	2.4	2.5	5.1	5.6	21.9	46.1	67.3	140.4	189.4	186.5	207.9	206.4	158.3	123.3	43.8	56.1	2.07	130.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	-	-	64	98.5	-	-	1	1.5	-	-	-	-	65	100.0
C03-C06	Mouth	-	-	42	97.7	-	-	1	2.3	-	-	-	-	43	100.0
C07-C08	Salivary Gland	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C09	Tonsil	-	-	45	100.0	-	-	-	-	-	-	-	-	45	100.0
C10	Oth. Oropharynx	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C11	Nasopharynx	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C12-C13	Hypopharynx	-	-	76	100.0	-	-	-	-	-	-	-	-	76	100.0
C14	Pharynx Unspecified	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C15	Oesophagus	-	-	94	100.0	-	-	-	-	-	-	-	-	94	100.0
C16	Stomach	1	1.4	67	97.1	1	1.4	-	-	-	-	-	-	69	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C19-C20	Rectum	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C21	Anus & Anal Canal	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C22	Liver	-	-	29	100.0	-	-	-	-	-	-	-	-	29	100.0
C23-C24	Gallbladder etc.	-	-	24	85.7	2	7.1	-	-	1	3.6	1	3.6	28	100.0
C25	Pancreas	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C30-C31	Nose, Sinuses etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	-	-	70	100.0	-	-	-	-	-	-	-	-	70	100.0
C33-C34	Lung etc.	1	0.5	187	94.4	8	4.0	-	-	2	1.0	-	-	198	100.0
C37-C38	Other Thoracic Organs	-	-	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C40-C41	Bone	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C50	Breast	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C60	Penis	1	5.9	15	88.2	-	-	-	-	1	5.9	-	-	17	100.0
C61	Prostate	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C62	Testis	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C63	Other Male Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	4	80.0	1	20.0	-	-	-	-	-	-	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	-	-	7	58.3	4	33.3	-	-	-	-	1	8.3	12	100.0
C73	Thyroid	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C91	Lymphoid Leuk.	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C92-C94	Myeloid Leukaemia	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	95	96.9	1	1.0	1	1.0	1	1.0	-	-	98	100.0
	All Sites	3	0.3	1020	97.1	17	1.6	3	0.3	6	0.6	2	0.2	1051	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C01-C02	Tongue	-	-	32	100.0	-	-	-	-	-	-	-	-	32	100.0
C03-C06	Mouth	-	-	25	96.2	-	-	1	3.8	-	-	-	-	26	100.0
C07-C08	Salivary Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C10	Oth. Oropharynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C11	Nasopharynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C12-C13	Hypopharynx	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C14	Pharynx Unspecified	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	-	-	40	100.0	-	-	-	-	-	-	-	-	40	100.0
C16	Stomach	-	-	43	91.5	1	2.1	3	6.4	-	-	-	-	47	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C19-C20	Rectum	-	-	20	100.0	-	-	-	-	-	-	-	-	20	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	17	94.4	-	-	-	-	1	5.6	-	-	18	100.0
C23-C24	Gallbladder etc.	1	1.3	72	96.0	1	1.3	1	1.3	-	-	-	-	75	100.0
C25	Pancreas	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C33-C34	Lung etc.	1	3.1	30	93.8	-	-	1	3.1	-	-	-	-	32	100.0
C37-C38	Other Thoracic Organs	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	-	-	11	84.6	-	-	1	7.7	1	7.7	-	-	13	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C50	Breast	1	0.9	107	99.1	-	-	-	-	-	-	-	-	108	100.0
C51	Vulva	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	4	2.8	141	97.2	-	-	-	-	-	-	-	-	145	100.0
C54	Corpus Uteri	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C55	Uterus Unspecified	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C56	Ovary etc.	-	-	34	94.4	1	2.8	-	-	1	2.8	-	-	36	100.0
C57	Other Female Genital	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	6	85.7	-	-	-	-	1	14.3	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C67	Bladder	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	3	75.0	1	25.0	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	11	84.6	2	15.4	-	-	-	-	-	-	13	100.0
C73	Thyroid	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C91	Lymphoid Leuk.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C92-C94	Myeloid Leukaemia	-	-	12	92.3	-	-	1	7.7	-	-	-	-	13	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	40	100.0	-	-	-	-	-	-	-	-	40	100.0
	All Sites	7	0.9	759	96.7	6	0.8	9	1.1	4	0.5	-	-	785	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	27	41.5	-	-	37	56.9	-	-	-	-	1	1.5	65	100.0
C03-C06	Mouth	33	76.7	-	-	9	20.9	-	-	-	-	1	2.3	43	100.0
C07-C08	Salivary Gland	4	66.7	-	-	2	33.3	-	-	-	-	-	-	6	100.0
C09	Tonsil	19	42.2	-	-	26	57.8	-	-	-	-	-	-	45	100.0
C10	Oth. Oropharynx	5	38.5	-	-	8	61.5	-	-	-	-	-	-	13	100.0
C11	Nasopharynx	6	66.7	-	-	3	33.3	-	-	-	-	-	-	9	100.0
C12-C13	Hypopharynx	45	59.2	-	-	31	40.8	-	-	-	-	-	-	76	100.0
C14	Pharynx Unspecified	4	33.3	-	-	8	66.7	-	-	-	-	-	-	12	100.0
C15	Oesophagus	91	96.8	-	-	3	3.2	-	-	-	-	-	-	94	100.0
C16	Stomach	55	79.7	-	-	12	17.4	-	-	-	-	2	2.9	69	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	14	77.8	-	-	4	22.2	-	-	-	-	-	-	18	100.0
C19-C20	Rectum	18	81.8	-	-	4	18.2	-	-	-	-	-	-	22	100.0
C21	Anus & Anal Canal	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C22	Liver	5	17.2	-	-	24	82.8	-	-	-	-	-	-	29	100.0
C23-C24	Gallbladder etc.	13	46.4	-	-	11	39.3	-	-	-	-	4	14.3	28	100.0
C25	Pancreas	4	50.0	-	-	4	50.0	-	-	-	-	-	-	8	100.0
C30-C31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	46	65.7	-	-	24	34.3	-	-	-	-	-	-	70	100.0
C33-C34	Lung etc.	25	12.6	-	-	162	81.8	-	-	-	-	11	5.6	198	100.0
C37-C38	Other Thoracic Organs	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	3	100.0
C40-C41	Bone	9	52.9	-	-	8	47.1	-	-	-	-	-	-	17	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	60.0	-	-	2	40.0	-	-	-	-	-	-	5	100.0
C50	Breast	4	50.0	-	-	4	50.0	-	-	-	-	-	-	8	100.0
C60	Penis	12	70.6	-	-	3	17.6	-	-	-	-	2	11.8	17	100.0
C61	Prostate	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C62	Testis	3	37.5	-	-	5	62.5	-	-	-	-	-	-	8	100.0
C63	Other Male Genital	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	2	40.0	-	-	2	40.0	-	-	-	-	1	20.0	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	4	57.1	-	-	3	42.9	-	-	-	-	-	-	7	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	6	50.0	-	-	1	8.3	-	-	-	-	5	41.7	12	100.0
C73	Thyroid	2	33.3	-	-	4	66.7	-	-	-	-	-	-	6	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	4	66.7	2	33.3	-	-	6	100.0
C91	Lymphoid Leuk.	3	20.0	-	-	-	-	6	40.0	6	40.0	-	-	15	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	7	58.3	5	41.7	-	-	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	10	10.2	-	-	85	86.7	-	-	-	-	3	3.1	98	100.0
	All Sites	495	47.1	-	-	495	47.1	17	1.6	13	1.2	31	2.9	1051	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C01-C02	Tongue	19	59.4	-	-	13	40.6	-	-	-	-	-	-	32	100.0
C03-C06	Mouth	20	76.9	-	-	5	19.2	-	-	-	-	1	3.8	26	100.0
C07-C08	Salivary Gland	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C09	Tonsil	3	30.0	-	-	7	70.0	-	-	-	-	-	-	10	100.0
C10	Oth. Oropharynx	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C11	Nasopharynx	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C12-C13	Hypopharynx	5	50.0	-	-	5	50.0	-	-	-	-	-	-	10	100.0
C14	Pharynx Unspecified	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C15	Oesophagus	39	97.5	-	-	1	2.5	-	-	-	-	-	-	40	100.0
C16	Stomach	32	68.1	-	-	10	21.3	1	2.1	-	-	4	8.5	47	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	10	76.9	-	-	3	23.1	-	-	-	-	-	-	13	100.0
C19-C20	Rectum	19	95.0	-	-	1	5.0	-	-	-	-	-	-	20	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	2	11.1	-	-	15	83.3	-	-	-	-	1	5.6	18	100.0
C23-C24	Gallbladder etc.	36	48.0	-	-	36	48.0	-	-	-	-	3	4.0	75	100.0
C25	Pancreas	-	-	-	-	4	100.0	-	-	-	-	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	5	62.5	-	-	3	37.5	-	-	-	-	-	-	8	100.0
C33-C34	Lung etc.	3	9.4	-	-	27	84.4	-	-	-	-	2	6.3	32	100.0
C37-C38	Other Thoracic Organs	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C40-C41	Bone	6	46.2	-	-	5	38.5	-	-	-	-	2	15.4	13	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C50	Breast	35	32.4	-	-	72	66.7	-	-	-	-	1	0.9	108	100.0
C51	Vulva	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	118	81.4	-	-	23	15.9	-	-	-	-	4	2.8	145	100.0
C54	Corpus Uteri	8	88.9	-	-	1	11.1	-	-	-	-	-	-	9	100.0
C55	Uterus Unspecified	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C56	Ovary etc.	22	61.1	-	-	12	33.3	-	-	-	-	2	5.6	36	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	14.3	-	-	5	71.4	-	-	-	-	1	14.3	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C67	Bladder	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	25.0	-	-	2	50.0	-	-	-	-	1	25.0	4	100.0
C70-C72	Brain, Nervous System	8	61.5	-	-	3	23.1	-	-	-	-	2	15.4	13	100.0
C73	Thyroid	3	30.0	-	-	7	70.0	-	-	-	-	-	-	10	100.0
C74	Adrenal Gland	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	1	10.0	3	30.0	6	60.0	-	-	10	100.0
C91	Lymphoid Leuk.	1	25.0	-	-	-	-	1	25.0	2	50.0	-	-	4	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	8	61.5	4	30.8	1	7.7	13	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	3	7.5	-	-	37	92.5	-	-	-	-	-	-	40	100.0
	All Sites	426	54.3	-	-	308	39.2	13	1.7	12	1.5	26	3.3	785	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	3	0.75
C01-C02	Tongue	-	-	-	-	-	1	-	-	1	3	2	3	5	3	2	2	-	22	5.49
C03-C06	Mouth	-	-	-	-	-	-	1	2	-	1	2	2	1	2	1	-	-	12	2.99
C07-C08	Salivary Gland	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	3	0.75
C09	Tonsil	-	-	-	-	-	-	-	1	1	2	-	1	1	2	1	1	-	10	2.49
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	3	0.75
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.25
C12-C13	Hypopharynx	-	-	-	-	-	-	-	2	1	-	2	1	3	2	-	2	-	13	3.24
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	4	1.00
C15	Oesophagus	-	-	-	-	-	-	-	-	2	5	8	9	10	4	8	7	-	53	13.22
C16	Stomach	-	-	-	-	-	-	-	-	4	1	3	7	7	6	5	2	-	35	8.73
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-	-	5	1.25
C19-C20	Rectum	-	-	-	-	-	7	-	-	-	-	-	2	-	-	1	1	-	11	2.74
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	1	-	10	2.49
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	2	-	4	1	2	4	1	1	-	15	3.74
C25	Pancreas	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	3	0.75
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.25
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	1	5	3	2	2	-	14	3.49
C33-C34	Lung etc.	-	-	-	-	-	-	-	3	6	5	15	9	19	17	15	12	-	101	25.19
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.50
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	4	1.00
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.25
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.25
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	4	1.00
C61	Prostate	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	4	1.00
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	4	1.00
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.50
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	1	-	-	1	1	-	-	-	-	1	-	1	-	1	-	-	6	1.50
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.50
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85, C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	4	1.00
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	3	0.75
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	1	-	1	2	-	1	1	5	6	4	11	5	3	5	-	45	11.22
	All Sites	-	2	1	2	2	13	2	12	22	29	51	52	72	54	46	41	-	401	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	5	1.95
C03-C06	Mouth	-	-	-	-	-	-	-	1	1	2	-	2	1	1	1	1	-	10	3.91
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.78
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	0.78
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.39
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.39
C15	Oesophagus	-	-	-	-	-	1	-	1	-	2	2	2	1	4	2	1	-	16	6.25
C16	Stomach	-	-	-	-	2	2	-	1	2	5	2	2	4	2	-	1	-	23	8.98
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.78
C19-C20	Rectum	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	4	1.56
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	1	-	1	3	-	3	1	1	-	-	10	3.91
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	2	1	2	3	9	2	4	7	3	-	34	13.28
C25	Pancreas	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	4	1.56
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	Lung etc.	-	-	-	-	-	-	1	-	-	1	1	1	-	4	-	-	-	8	3.13
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.78
C40-C41	Bone	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	0.78
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	0.78
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	2	-	3	6	7	3	-	1	2	-	1	-	25	9.77
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.39
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	-	3	5	10	3	5	5	3	2	1	-	37	14.45
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.78
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	1	1	5	1	1	3	-	-	-	-	12	4.69
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.39
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.39
C67	Bladder	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.78
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.39
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	4	1.56
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.78
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	4	1.56
C91	Lymphoid Leuk.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.78
C92-C94	Myeloid Leukaemia	1	-	-	2	1	-	-	-	-	2	2	1	-	3	-	-	-	12	4.69
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	1	1	1	1	-	4	2	3	4	3	2	-	22	8.59
	All Sites	3	-	1	4	4	7	3	15	21	43	29	29	30	35	18	14	-	256	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	0.8	0.9	-	2.0	-	-	-	-	0.2	0.2	0.11	0.6
C01-C02	-	-	-	-	-	0.7	-	-	0.8	2.8	2.7	6.1	12.9	9.0	7.5	6.7	1.2	1.7	0.38	3.6
C03-C06	-	-	-	-	-	-	0.7	1.2	-	0.9	2.7	4.1	2.6	6.0	3.7	-	0.6	0.8	0.25	1.7
C07-C08	-	-	-	-	-	-	-	0.6	0.8	-	1.4	-	-	-	-	-	0.2	0.2	0.09	0.5
C09	-	-	-	-	-	-	-	0.6	0.8	1.9	-	2.0	2.6	6.0	3.7	3.4	0.5	0.7	0.23	1.2
C10	-	-	-	-	-	-	-	-	-	-	-	4.1	-	-	3.7	-	0.2	0.2	0.14	0.5
C11	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.1	0.1	0.06	0.2
C12-C13	-	-	-	-	-	-	-	1.2	0.8	-	2.7	2.0	7.8	6.0	-	6.7	0.7	1.0	0.28	2.1
C14	-	-	-	-	-	-	-	-	-	0.9	-	-	2.6	3.0	-	3.4	0.2	0.3	0.16	0.5
C15	-	-	-	-	-	-	-	-	1.6	4.7	11.0	18.3	25.9	12.0	29.9	23.5	2.8	4.1	0.58	8.7
C16	-	-	-	-	-	-	-	-	3.2	0.9	4.1	14.2	18.1	17.9	18.7	6.7	1.9	2.8	0.48	5.6
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	0.7	0.7	-	-	-	1.4	2.0	-	-	3.7	-	0.3	0.3	0.15	0.5
C19-C20	-	-	-	-	-	4.6	-	-	-	-	-	4.1	-	-	3.7	3.4	0.6	0.7	0.21	0.5
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	1.9	1.4	4.1	5.2	3.0	3.7	3.4	0.5	0.8	0.25	1.8
C23-C24	-	-	-	-	-	-	-	-	1.6	-	5.5	2.0	5.2	12.0	3.7	3.4	0.8	1.2	0.31	2.1
C25	-	-	-	-	-	0.7	-	-	0.8	-	-	-	2.6	-	-	-	0.2	0.2	0.13	0.5
C30-C31	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.1	0.1	0.06	0.2
C32	-	-	-	-	-	-	-	-	-	-	1.4	2.0	12.9	9.0	7.5	6.7	0.7	1.2	0.33	2.2
C33-C34	-	-	-	-	-	-	-	1.8	4.8	4.7	20.5	18.3	49.1	50.8	56.1	40.3	5.4	7.9	0.80	14.2
C37-C38	-	-	-	-	-	-	-	-	-	-	-	2.0	-	3.0	-	-	0.1	0.2	0.12	0.3
C40-C41	-	-	-	-	-	-	-	-	-	-	1.4	2.0	-	3.0	-	3.4	0.2	0.3	0.15	0.5
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	2.0	-	-	-	-	0.1	0.1	0.08	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	0.6	-	-	-	-	2.6	3.0	3.7	-	0.2	0.3	0.16	0.5
C61	-	-	-	-	-	-	-	-	-	-	1.4	2.0	-	-	-	6.7	0.2	0.3	0.14	0.5
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	1.4	2.0	-	3.0	3.7	-	0.2	0.3	0.16	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.9	-	2.0	-	-	-	-	0.1	0.1	0.10	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.6	-	-	0.7	0.7	-	-	-	-	1.4	-	2.6	-	3.7	-	0.3	0.4	0.17	0.6
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.7	3.4	0.1	0.1	0.10	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	0.6	-	-	-	-	-	0.6	0.8	-	1.4	-	-	-	-	-	0.2	0.2	0.11	0.5
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	0.5	-	-	-	-	-	-	-	-	5.2	-	-	-	0.2	0.2	0.15	0.7
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	0.4	-	0.7	1.3	-	0.6	0.8	4.7	8.2	8.1	28.5	14.9	11.2	16.8	2.4	3.4	0.53	7.2
All	-	1.2	0.4	0.9	1.3	8.5	1.3	7.4	17.8	27.2	69.9	105.8	186.2	161.4	172.2	137.6	21.3	30.4	1.56	59.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TRS-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	1.0	1.1	1.9	2.1	-	2.7	-	-	0.3	0.4	0.17	1.0
C03-C06	-	-	-	-	-	-	-	0.6	1.0	2.2	-	4.2	2.4	2.7	3.4	2.6	0.6	0.7	0.23	1.6
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	2.6	0.1	0.1	0.10	0.3
C10	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	2.6	0.1	0.1	0.08	0.2
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-	0.1	0.1	0.06	0.2
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.6	0.1	0.1	0.05	-
C15	-	-	-	-	-	0.6	-	0.6	-	2.2	3.8	4.2	2.4	10.9	6.7	2.6	0.9	1.2	0.30	2.0
C16	-	-	-	-	1.3	1.2	-	0.6	2.0	5.6	3.8	4.2	9.6	5.4	-	2.6	1.3	1.7	0.35	4.0
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	3.4	-	0.1	0.2	0.12	0.3
C19-C20	-	-	-	-	0.6	0.6	-	0.6	1.0	-	-	-	-	-	-	-	0.2	0.2	0.10	0.3
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	0.6	-	1.1	5.6	-	7.2	2.7	3.4	-	0.6	0.8	0.27	2.2
C23-C24	-	-	-	-	-	-	0.7	1.3	1.0	2.2	5.6	18.9	4.8	10.9	23.6	7.9	1.9	2.5	0.44	4.8
C25	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	-	2.6	0.2	0.3	0.13	0.7
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	-	-	-	-	-	-	0.7	-	-	1.1	1.9	2.1	-	10.9	-	-	0.4	0.6	0.22	0.8
C37-C38	-	-	-	-	-	-	-	-	-	-	-	2.1	2.4	-	-	-	0.1	0.2	0.13	0.6
C40-C41	-	-	-	0.5	-	-	-	-	-	-	-	-	-	2.7	-	-	0.1	0.1	0.09	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	3.4	-	0.1	0.1	0.08	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	1.2	-	1.9	6.0	7.9	5.6	-	2.4	5.4	-	2.6	1.4	1.6	0.34	4.3
C51	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.1	0.1	0.10	0.3
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	1.9	5.0	11.2	5.6	10.5	11.9	8.1	6.7	2.6	2.1	2.7	0.45	7.3
C54	-	-	-	-	-	-	-	-	-	-	1.9	-	2.4	-	-	-	0.1	0.2	0.13	0.6
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	0.6	1.0	5.6	1.9	2.1	7.2	-	-	-	0.7	0.9	0.27	2.9
C57	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.1	0.09	0.3
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.1	0.09	0.3
C67	-	-	-	-	-	-	-	-	-	-	1.9	-	-	2.7	-	-	0.1	0.2	0.12	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.10	-
C70-C72	-	-	-	-	-	-	-	-	-	1.1	-	-	4.8	2.7	-	-	0.2	0.3	0.17	0.8
C73	-	-	-	-	-	-	-	-	-	-	-	2.1	-	2.7	-	-	0.1	0.2	0.12	0.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	0.5	-	-	-	-	-	1.1	-	-	-	5.4	-	-	0.2	0.3	0.14	0.2
C91	0.8	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.1	0.2	0.14	0.3
C92-C94	0.8	-	-	1.0	0.6	-	-	-	-	2.2	3.8	2.1	-	8.1	-	-	0.7	0.9	0.26	1.3
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	0.6	0.7	0.6	1.0	-	7.5	4.2	7.2	10.9	10.1	5.2	1.2	1.7	0.36	3.0
All	2.5	-	0.4	2.0	2.6	4.4	2.1	9.6	21.1	48.3	54.4	60.8	71.7	95.1	60.6	36.7	14.3	18.7	1.20	41.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE TRS-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.4	0.4	0.6	0.6
C03-C06	Mouth	0.2	0.2	0.4	0.4
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.3	0.3	0.4	0.4
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.4	0.4	0.8	0.8
C14	Pharynx Unspecified	0.1	0.1	0.1	0.1
C15	Oesophagus	0.5	0.5	0.9	0.9
C16	Stomach	0.3	0.3	0.7	0.7
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.2	0.2	0.2	0.2
C23-C24	Gallbladder etc.	0.2	0.2	0.3	0.3
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.4	0.4	0.6	0.6
C33-C34	Lung etc.	1.1	1.0	2.2	2.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	-	-	0.1	0.1
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	-	-	0.1	0.1
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	-	-	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.5	0.5	0.8	0.8
	All Sites	5.50	5.35	9.77	9.31

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE TRS-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.2	0.2	0.2	0.2
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.2	0.2	0.4	0.4
C16	Stomach	0.3	0.3	0.3	0.3
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.1	0.1
C23-C24	Gallbladder etc.	0.4	0.4	0.7	0.7
C25	Pancreas	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.1	0.1	0.3	0.3
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	0.6	0.6	0.7	0.7
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	0.9	0.9	1.1	1.1
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.2	0.2	0.3	0.3
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	0.1	0.1
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U *	Other and Uns	0.3	0.3	0.4	0.4
	All Sites	4.43	4.33	6.25	6.06

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)