



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5663836  
Dated/दिनांक : 05-12-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	26-12-2024 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	26-12-2024 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare
Department Name/विभाग का नाम	Department Of Health Research
Organisation Name/संगठन का नाम	Indian Council Of Medical Research (icmr)
Office Name/कार्यालय का नाम	Icmr National Institute For Research In Reproductive Health, Mumbai
Total Quantity/कुल मात्रा	14
Item Category/मद केटेगरी	Glass Fiber membrane filter 1.2um pore Size , KOH POTASSIUM HYDROXIDE PELLETS,WHITE , Nile Red , poly-L-lysine coated glass slides , Polyoxymethylene reagent grade, crystalline , High Select TM Depletion Spin Columns Top14 Abundant Protein Depletion Mini Spin Columns , Phosphoric acid suitable for HPLC, LiChropur , Chlorzoxazone , Dimethyl sulfoxide , Bisphenol A-d16 , Sodium dodecyl sulfate , Citrate Synthase Activity Assay Kit , Complex I Enzyme Activity Microplate Assay Kit Colorimetric
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Citrate Synthase Activity Assay Kit, Complex I Enzyme Activity Microplate Assay Kit (Colorimetric), Phosphoric acid(suitable for HPLC,Lichropur TM), chlorzoxazone, Dimethylsulfoxide (suitable for HPLC), Bisphenol A-d16, Sodium dodecyl sulfate, High Select TM Depletion Spin Columns (Top14 Abundant Protein Depletion Mini Spin Columns), Glass fiber membrane filter (1.2um) pore size, KOH(Potassium hydroxide ) pellets,white, Nile Red suitable for fluorescence,BioReagent, suitable for fluorescence, ≥97.0% (HPLC), poly-L-lysine coated glass slides, Polyoxymethylene,reagent grade, crystalline
	<b>Searched String:</b> Citrate Synthase Activity Assay Kit Activity Book (Preschool Kit), Immunofluorescence Assay Kits, Line Probe Assay DNA Extraction Kit under NTEP, Immunoblot (Western Blot) Assay Kits, Activity Based Educational Kits for Physics, Dot Lattice Work Book And Activity(Preschool Kit), Activity Based Educational Kits for Maths, Line Probe Assay Kit for Second Line Drugs under NTEP, Activity Based Educational Kits for Chemistry, Line

Bid Details/बिड विवरण	Probe Assay Kit for First Line Drugs under NTEP
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> Complex I Enzyme Activity Microplate Assay Kit (Colorimetric)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Phosphoric acid(suitable for HPLC,Lichropur TM)</p> <p>GLACIAL ACETIC ACID, personal safety kit reflective luminous garments, Phosphoric acid, food grade as per IS:10508, Etchant gel, HYDRAULICALLY REGULATED DOOR CLOSERS, Cables suitable for CCTV System (Accessories), General Purpose Battery Chargers, Urea Phosphate, Lead Acid Storage Batteries for Motor Vehicles as per IS 7372, Automated HPLC System for Separation of complex mixtures</p> <p><b>Searched String:</b> chlorzoxazone</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Dimethylsulfoxide (suitable for HPLC)</p> <p>Cables suitable for CCTV System (Accessories), personal safety kit reflective luminous garments, Automated HPLC System for Separation of complex mixtures, HYDRAULICALLY REGULATED DOOR CLOSERS, Metallic Mount Suitable for Air Conditioner (Accessories), Pasting file, Flood Light Luminaire suitable for HPSV Lamps, modular electrical switches and accessories, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), Display File</p> <p><b>Searched String:</b> Bisphenol A-d16</p> <p>A - Amylase, Cleaning Duster (V2), Ribonuclease A, VITAMIN A, Albert's Stain A, computer mouse or trackballs, A - Scan (V2), Toilet Brush (V2), Stack a car, Fluid Automotive Transmission Type 'A' Suffix 'A'- Defence (V2)</p> <p><b>Searched String:</b> Sodium dodecyl sulfate</p> <p>Sodium Dodecyl Sulfate (SDS), Blood Sample Collection Tubes, Silver sulfate, Hydrazine Sulfate, Flame Photometer, Ammonium ceric sulfate, High Pressure Sodium Vapour Lamps (HPSV Lamps) as per IS 9974 (Part 1 and 2 ), Lithium sulfate monohydrate, Sulfate Standard Solution, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1)</p> <p><b>Searched String:</b> High Select TM Depletion Spin Columns (Top14 Abundant Protein Depletion Mini Spin Columns)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Glass fiber membrane filter (1.2um) pore size</p> <p>Syringe Filter, ELEMENT SPIN ON OIL, Electronic Baby Weighing Scale - RBSK, Filter cartridges PP wound, Welding Goggles for Eye Protector as per IS 5983, HPLC Columns (High pressure liquid chromatography), GLACIAL ACETIC ACID, Fiber Glass Sheet</p>

<b>Bid Details/बिड विवरण</b>	<b>Searched String:</b> KOH(Potassium hydroxide ) pellets,white
	<p>Potassium Hydroxide for Drilling Fluids (ONGC), single texture white rubberized waterproof nylon fabric rain capes with attached hood, Potassium Hydroxide / Caustic Potash as per IS 6831, Potassium Hydroxide for Sulphur Recovery Unit for (ONGC), thermal gloves, Barium Hydroxide, Calcium Hydroxide, Carrommen and Striker, Potassium Persulfate (Potassium Peroxodisulfate), HF RFID Integrated Reader</p> <p><b>Searched String:</b> Nile Red suitable for fluorescence,BioReagent, suitable for fluorescence, <math>\geq 97.0\%</math> (HPLC)</p> <p>personal safety kit reflective luminous garments, Extra Refrigerant Pipe for Air Conditioners (Accessories)</p> <p><b>Searched String:</b> poly-L-lysine coated glass slides</p> <p>Polyurethane Coated Gloves, Conductive Film, Polyester Resin Impregnated Weftless Glass Tape (BHEL), Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resing (GRP) Sectional Water Storage Tanks as per IS 14399, Domestic Soup or Salad Bowls (V2)</p> <p><b>Searched String:</b> Polyoxymethylene,reagent grade, crystalline</p> <p>Beef Extract Reagent Grade, Wooden Podium, Ammonium Persulphate Reagent Grade, Ammonium Chloride Reagent Grade, universal pipette tips, Reagent Grade Distilled water, Sodium Chloride, Analytical Reagent as per IS: 4408, Reagent Grade water as per IS:1070, Laboratory Graduated Cylinders as per IS 878, Barfoed's Reagent</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>Biochemistry Reagent Kit (Open System)</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	Import Chemical Consumables for Medical Research
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	<p>Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	50 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No

<b>Bid Details/बिड विवरण</b>	
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Glass Fiber membrane filter 1.2um pore Size
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Group wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the

Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **Evaluation Method** ( Group Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evalu ation Sched ules</b>	<b>Item/Category</b>	<b>Consign ee/Repo rting Officer</b>	<b>Consignee Address</b>	<b>Q u a n t i t y</b>
MEC10 56 PS	Glass Fiber Membrane Filter 1.2um Pore Size	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Koh Potassium Hydroxide Pellets,white	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Nile Red	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Poly-l-lysine Coated Glass Slides	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1

	Polyoxymethylene Reagent Grade, Crystalline	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
MEC 1053 PS	High Select Tm Depletion Spin Columns Top14 Abundant Protein Depletion Mini Spin Columns	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	2
MEC 1052 PS	Phosphoric Acid Suitable For Hplc, Lichropur	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Chlorzoxazone	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Dimethyl Sulfoxide	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Bisphenol A-d16	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Sodium Dodecyl Sulfate	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
MEC10 51 PS	Citrate Synthase Activity Assay Kit	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
	Complex I Enzyme Activity Microplate Assay Kit Colorimetric	Mamta Tukaram Jadhav	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1

### Glass Fiber Membrane Filter 1.2um Pore Size

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

**KOH POTASSIUM HYDROXIDE PELLETS,WHITE****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

**Nile Red****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

**Poly-L-lysine Coated Glass Slides**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

### Polyoxymethylene Reagent Grade, Crystalline

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

### High Select TM Depletion Spin Columns Top14 Abundant Protein Depletion Mini Spin Columns

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	2	60

**Phosphoric Acid Suitable For HPLC, LiChropur**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

## Chlorzoxazone

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

## Dimethyl Sulfoxide

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

## Bisphenol A-d16

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

## Sodium Dodecyl Sulfate

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

**Citrate Synthase Activity Assay Kit****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

**Complex I Enzyme Activity Microplate Assay Kit Colorimetric**

## Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mamta Tukaram Jadhav	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	60

### Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- (i) Technical evaluation method- Technical evaluation will be done by the designated Technical Evaluation Committee with the option of 'Self Evaluator' selected on the GeM portal
- (ii) The Technical Evaluation Committee may consider bids without OEM authorization also to encourage competition under rule 173 of GFR 2017.

OEM Certificate Validation and Compliance of BOQ SPECIFICATION WITH COMPANY SEAL/STAMP on letterhead of the company/Firm MUST REQUIRED.

Delivery Period is limited to 60 days and extensions will be allowed with LD charges.

Paraformaldehyde, Reagent grade, crystalline P6148 is required wrongly mentioned Polyoxymethylene reagent grade, crystalline in BoQ Excel

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**